



SHIN YUH CHERNG IND CO. LTD

PHOTOMETRIC RESULTS

Report Number: 00000172205
TestDate: 8/26/2024 1:34:18 PM
Part Number: CAZLEDSIL2563-AM-X4(A005677)
Device Name: Color Test
Specification: HV Color-SAE J578c-JUN95/ECE/ADR
Voltage/Current: 13.497 V 0.034 A
Luminous Intensity, Candela

HV Color-SAE J578c-JUN95/ECE/ADR

No.	Function	H [°]	V [°]	x	y	Tc	I [cd]
1	H - V	0.00	0.00	0.5639	0.4350	1848	32.7

SYC 1 LMT1400

70955 No.13 Gongye 5th Road An-Nan Dist. Tainan Taiwan R.O.C.

<http://www.syc-tw.com> 886 6 3845858. 886 6 3845959




SHIN YUH CHERNG IND CO. LTD

PHOTOMETRIC RESULTS

Report Number: 00000172205
TestDate: 8/26/2024 1:34:21 PM
Part Number: CAZLEDSIL2563-AM-X4(A005677)
Device Name: Color Test
Specification: HV Color-SAE J578c-JUN95/ECE/ADR
Voltage/Current: 13.497 V 0.034 A
Luminous Intensity, Candela

CIE 1931 color diagram 00000172205



SYC 2 LMT1400

70955 No.13 Gongye 5th Road An-Nan Dist. Tainan Taiwan R.O.C.

<http://www.syc-tw.com> 886 6 3845858. 886 6 3845959



PHOTOMETRIC RESULTS

Report Number: 00000172206
TestDate: 8/26/2024 1:37:42 PM
Part Number: CAZLEDSIL2563-AM-X4(A005677)
Device Name: GO-H-1400 Head 2
Specification: SAE J592 Amber (P2)
Voltage/Current: 13.497 V 0.034 A
Luminous Intensity, Candela

SAE J592 Amber (P2)

Function	Min	Max	I [cd]	H [°]	V [°]	N.O.K.
10U - 45L	0.62	-	3.45	-45.00	10.00	Pass
10U - V	0.62	-	10.06	0.00	10.00	Pass
10U - 45R	0.62	-	3.61	45.00	10.00	Pass
H - 45L	0.62	-	3.57	-45.00	0.00	Pass
H - V	0.62	-	32.04	0.00	0.00	Pass
H - 45R	0.62	-	3.31	45.00	0.00	Pass
10D - 45L	0.62	-	3.63	-45.00	-10.00	Pass
10D - V	0.62	-	30.31	0.00	-10.00	Pass
10D- 45R	0.62	-	3.34	45.00	-10.00	Pass
10U-10D,45L-45R	0.62	-	3.35	45.00	-10.00	Pass

Zone

Function	Min	Max	I [cd]	H [°]	V [°]	N.O.K.
1	1.86	-	10.65			Pass
2	1.86	-	72.41			Pass
3	1.86	-	10.26			Pass