

DroidBall

Not code.

A design document.

This document defines Droidball's behavior, purpose, and relationship to the ODX-Fl.

Droidball is not a character.

Droidball is part of the instrument.

Core Principle

Droidball is a field instrument.

His purpose is to assist observation.

He exists to make the invisible work of the observation engine visible to the trainer.

He never attempts to entertain.

He never attempts to persuade.

He simply performs his work.

Droidball Philosophy

Behavior before language.

Information before personality.

Observation before animation.

The trainer should understand what Droidball is doing by watching him, not by reading dialogue.

Communication Principle

Droidball has no narrative voice.

He does not speak.

He does not explain himself.

He does not tell jokes.

He does not apologize.

He does not celebrate.

When clarification is appropriate, he simply reveals the data the instrument already knows.

Examples:

Species Bulbasaur

Confidence 98%

Fast Move Counter

Energy 52

These are not Droidball speaking.

They are observations.

Trust Principle

Droidball never pretends.

He never simulates work.

He never plays fake animations.

Every movement reflects real work currently being performed.

If the observation engine is idle...

Droidball is idle.

If recognition pauses...

Droidball pauses.

If observation completes instantly...

Droidball immediately moves to the next task.

Attention Principle

Droidball never demands attention.

He only acknowledges interaction.

Repeated interactions naturally diminish.

The trainer's work always comes first.

Purpose

Droidball exists to:

Observe

Prepare

Collect

Indicate confidence

Reveal information

Nothing else.

When Droidball Appears

Droidball remains docked inside the ODX-FI whenever possible.

He deploys only when the instrument requires observation.

Examples:

- ✓ Calibration
- ✓ Guided Observation
- ✓ Live Capture
- ✓ Registration
- ✓ Analysis
- ✓ Droidball Assisted Import

Not:

- ✗ Browsing the Pokédex
 - ✗ Reading documentation
 - ✗ Team Builder
 - ✗ Settings
-

Behavior Rules

Never:

Wave

Smile

Dance

Celebrate

Speak

Explain

Compete for attention

Always:

Deliberate

Precise

Calm

Patient

Trustworthy

Mechanical

Purposeful

Physical Rules

Movement has mass.

Movement has momentum.

Stopping is never mathematically perfect.

He slightly overshoots.

He gently corrects.

Then stops.

Those tiny imperfections make him feel like a physical mechanism instead of a UI animation.

LEDs

Amber

Waiting

Searching

Preparing

Green

Observation confirmed

Confidence established

Registration complete

Purple

Observation active

Anchor alignment

Blue

Communication

Synchronization

Future Trainer features

Red

Reserved only for genuine system faults.

Never for normal OCR failures.

Guided Observation

Guided Observation is Droidball's natural behavior.

The observation pipeline determines where he goes.

Species

↓

Combat Power

↓

Shadow

↓

Fast Move

↓

Charged Move A

↓

Charged Move B

His movement is synchronized with the actual work of the observation engine.

If a stage completes...

He moves.

If a stage pauses...

He waits.

If recognition fails...

He remains at that observation until confidence improves or the trainer continues.

Calibration

Entering Calibration:

Half-second pause.

Droidball rolls into view.

He slightly overshoots.

Settles.

Amber LED.

Calibration begins.

During alignment:

The observation frame changes confidence.

Purple

↓

Purple / Yellow

↓

Yellow

↓

Yellow / Green

↓

Green

When confidence becomes sufficient:

Small green LED flash.

Frame fades.

Droidball moves to the next observation.

No dialog.

No congratulations.

Droidball Assisted Import

During import, Droidball physically performs the observation sequence.

Roll to Species.

Observe.

Roll to Combat Power.

Observe.

Roll to Shadow.

Observe.

Roll to Fast Move.

Observe.

Roll to Charged Move A.

Observe.

Roll to Charged Move B.

Observe.

The trainer watches the observation happen.

The animation is a visualization of real work.

OCR

Droidball never "reads text."

He observes.

If confidence is low:

He waits.

If confidence increases:

He proceeds.

If confidence never becomes sufficient:

The observation remains incomplete.

No error dialog.

No fake retry.

Failure

Normal recognition failure is not an error.

Amber LED remains active.

Observation simply remains incomplete.

Only genuine application faults justify red.

ODX-FI Relationship

Droidball belongs to the ODX-FI.

When docked:

The instrument is idle.

When deployed:

Observation is occurring.

His dock is part of the instrument.

His absence communicates state.

AUX Switch

The AUX switch never lies.

If a module is unavailable:

The switch physically responds.

The CRT attempts to initialize the module.

The connection almost succeeds.

The module fades.

The switch returns.

Droidball quietly returns to the dock.

No apology.

No explanation.

The instrument simply communicates:

Module unavailable.

When the feature eventually exists:

The same sequence begins.

The module stabilizes.

Connection traces extend throughout the instrument.

The trainer understands immediately.

The ODX-FI has learned a new capability.

Team Knowledge

Droidball never gives opinions.

He reveals observations.

Examples:

Collection Updated

124 Specimens

New Team Analysis Available

Great League Candidate

Coverage Increased

These are consequences of the trainer's collection.

Not suggestions.

Battle Exception

Battle is the only time where speed takes priority over behavior.

During battle, Droidball may immediately reveal:

Likely Charged Move

Current Energy

Shield Status

Known Moves

Typing

Because delaying critical information would harm the trainer.

Even then...

He is revealing observations.

Not speaking.

The Mystery

No official explanation exists for Droidball.

Observation Systems documents describe him only as:

"Integrated Observation Subsystem."

Some engineers disagree.

A persistent rumor claims he appeared during early firmware recompilation of the ODX-FI prototype.

No evidence has ever confirmed this.

Some trainers quietly believe...

He was always in there.

The ODX-FI never comments.