

a
exit
gap
high
mid
low
units ranked by base-year index
years
years
masked, exit (active: net forcing)
masked, gap (balanced: report-only)
masked, middle (null control)
b
US-like
interm.
China-like
US masks
Brazil masks
China counties
US metro areas
Brazil municipalities
Event dose $(n_E + n_L)/n_S$
c
|O| per mask
active
null
active
null
US
Brazil
d
V1: $T_2 = \xi^*_{V1} - \xi^*_F$
naive: event pairs dropped
V0 (no correction)
US
Brazil
US (pilot-informed)
Residual after correction
med.|T_2|/med.|T_3| = 0.063
V1 beats naive: 0.59
Uncorrected shift $T_3 = \xi^*_{V0} - \xi^*_F$
Brazil
med.|T_2|/med.|T_3| = 0.083
V1 beats naive: 0.82
Uncorrected shift $T_3 = \xi^*_{V0} - \xi^*_F$
$|T_2| - |T_{naive}|$
V1 closer
US
Brazil
e
V1 = F
V1 = FS
$T_2 = \xi^*_{V1} - \xi^*_F$
Selection $\xi^*_{FS} - \xi^*_F$
computable (f)
O in envelope (f)
US-like
intermediate
China-like
zeroth order $\bar{M}/|a_1|$
refused (tick at O)
f
Share of active masks
availability criterion
0.05
0.30
1.00
0.05
0.30
1.00
US
Brazil
Event dose of the mask
g
US (pilot-informed)
Observed $O = \xi^*_{V0} - \xi^*_{V1}$
computable 56/120
slope 1.07 [0.99, 1.14]
zeroth order: slope 0.60
Projected P (frozen guarded projection)
Brazil (not used in the pilot)
Observed $O = \xi^*_{V0} - \xi^*_{V1}$
computable 120/120
slope 0.95 [0.91, 0.99]
zeroth order: slope 1.70
Projected P (frozen guarded projection)