

ICPSR 4254

**Great Plains Population and
Environment Data: Agricultural
Data, 1870-1997 [United States]**

Myron P. Gutmann
University of Michigan

Codebook for 1900 Agricultural Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Great Plains Population and Environment Data: Agricultural Data, 1870-1997 [United States]

Myron P. Gutmann, Principal Investigator

Study Description

Introduction

The data in this series of studies were collected by an interdisciplinary research team between 1995 and 2004, as part of a research project funded by the National Institute of Child Health and Human Development (Grant Number R01 HD33445 to the University of Michigan). The goal of the project was to collect information about approximately 500 counties in twelve states of the Great Plains of the United States, and then to analyze those data in order to understand the relationships between population and environment that existed between the years of about 1870 and 2000.

The original conceptualization of the project was to study counties, so the data distributed here are all data about counties. The data fall into four broad categories: about the counties, about agriculture, about demographic and social conditions, and about the environment. The information about counties (name, area, identification code, and whether we classified the county as part of the Great Plains in a given year) are embedded in each of the other data files, so that there will be three series of data (agriculture, demographic and social conditions, and environment), with individual data files for each year for which data are available. As the data are finalized for release, we are making them available to the research community as part of a series entitled "Great Plains Population and Environment Data." The Investigators intend to make all the data they have collected available for public use, subject to the conditions imposed by the original sources of the data.

The Counties

The Great Plains are part of the great natural grassland that stretches across the central part of North America eastward from the Rocky Mountains. We define its boundaries primarily in terms of natural conditions. We set its boundaries on the east at the line of 700 mm of average annual precipitation, and on the west at 5,000 feet of elevation. We bound the Great Plains on the north at the Canadian border and on the south in Texas and New Mexico at the 32nd parallel. Much of the Great Plains is a high plain, more than 2,000 feet above sea level and sloping ever upward as it moves west. The counties of the Great Plains share some environmental characteristics, but because of their range of soil, temperature, precipitation and elevation, are also quite different from each other. The southern plains and the northern plains are not the same; nor are the eastern and western Great Plains. What these sub-regions share is the flat or slightly rising treeless expanse that must have greeted all early visitors, and the preponderance of grasses in their natural vegetation. The result of our selection procedure is a set of about 500 counties (in recent

years) in Montana, Wyoming, Colorado, New Mexico, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Minnesota, and Iowa that share a number of environmental characteristics while retaining a considerable amount of diversity.

The project has collected data for all counties within these twelve states (approximately 1010 in recent years). The data files (for agriculture, for demographic and social conditions, and for environment) list each county in each year for which we have collected data, by name and by state and county Federal Information Processing Standards (FIPS) 6-4 Codes¹, the geographic area of the county, and whether the county falls within the boundaries of the Great Plains as we have defined them.

Agricultural Data

The agricultural data included in this Series consists of a single data file for each agricultural census year between 1870 and 1997 that includes selected material compiled as part of the U.S. Agricultural Census. The U.S. Census of Agriculture has been conducted since 1850 on a regular schedule that was decennial until 1920, and more frequently since (every five years from 1925 to 1950, then in 1954, 1959, 1964, 1978, and every five years since 1982). The county-level agricultural data produced by the U.S. government as part of the Census constitute a remarkable and consistent series of measures of changing agriculture and land use.

The data in the Great Plains Population and Environment Data series are a subset of the variables available from the total body of Agricultural Census information for counties. They were produced by extracting information from previously existing digital files (ICPSR Study No. 3, ICPSR Study No. 2896, Data digitized by the Economic Research Service of the United States Department of Agriculture (USDA), and digital versions of the Agricultural Census produced by the U.S. Bureau of the Census and the USDA), and by manually digitizing selected variables from the volumes published by the U.S. Bureau of the Census and the U.S. Department of Agriculture. All the sources used are listed later in this document. We also list digital versions of the data where they exist. Some of these are part of the ICPSR collection, while others are not.

We have attempted to give the variables consistent names, as shown in the documentation for these files. It is important for data users to recognize that there are sometimes significant but subtle differences between what may appear to be the same variable in two different census years. Where possible our technical documentation emphasizes those differences, but to be certain the data user may need to do his or her own exploration into the sources.

¹ For a description of the FIPS 6-4 Codes, see <http://www.itl.nist.gov/fipspubs/fip6-4.htm>. For counties dissolved before FIPS codes were implemented, we used a combination of codes created by the HUSGO project and codes created by the Great Plains Project. We followed the geography used by the Census Bureau, and also assigned new codes to counties that were substantially different geographic areas than in later censuses.

Missing Values

Virtually all the data in the Great Plains Population and Environment database are drawn from published tabulations of administrative and survey data at the scale of the U.S. County. In the database, some of those data are characterized as “missing,” and assigned to one of the categories identified in this table. There are a number of reasons why data may be missing for a given variable for a given county in a given year. At the simplest, the county might not yet have been created at the time of that census, or the Census Bureau (or other data producer) might have combined two or more counties into a single tabulation unit for a specific publication. Other reasons for data being missing may have something to do with the characteristics of the county. For example, some counties do not have a climate suitable for growing a specific crop, which we see for cotton -- tabulated for Texas but never for North Dakota. In another common example in the agricultural data, counties with data from too few farms in a single tabulation would be recorded as “missing” in order to prevent the characteristics of those farms from being revealed in the data. Finally, data are missing because there has been some problem in reproducing them, either because the original publication is illegible, or because we have constructed them from multiple sources and one or more of those sources is itself missing.

The research team that produced these data has maintained the fine grain of different types of missing data because we believe that the different kinds of missing data reveal important information that may be useful in their analysis.

Missing values frequencies are not included the summary statistics in the following codebook. They will be found in the data files as negative values. All negative values in the datasets are missing values. Missing values have been coded according to the table on the next page.

Missing Value Coding

Code	Explanation
-1	Data not applicable* FOR EXAMPLE: Agricultural data from Indian Reservations were recorded according to county boundaries in 1910. Therefore, the values for Pine Ridge Indian Reservation, South Dakota, are -1.
-2	Data not available* Data not available (not reported, schedules destroyed, information lost, etc.) - ICPSR -9*** No data available (same as -9) - ICPSR -1***
-3	Less than half of the unit shown*
-4	Withheld for privacy. Withheld to avoid disclosing data for individual farms* Data not reported to avoid violation of confidentiality rules of data collector (e.g., the Census Bureau)***
-5	Data not published for this state or county**
-7	Data included in "all other"*** In some tables, not all counties were explicitly tabulated. Those that were not constituted as separate unit, labeled "All Other." For example, irrigation data were only reported for 8 counties in Kansas in 1920, with the rest grouped into "Other Counties." Therefore, most counties in Kansas have values of -7 for the irrigation variables.
-8	Data illegible in published volumes***
-9	Data has special problems (see footnote in original source)**
-10	Data included under another entry (combination of two or more variables, etc.) *** These variables are set off by brackets in the published tables.
-11	Data recorded under another political unit*** For example, San Juan County, Colorado, data were included with the data for La Plata County in 1940. Therefore, the values for San Juan County are -11.
-13	Sum of missing values. Variable is the sum of variables where the value is missing for all components. This flag appears only as a result of programming.**
-14	Result of merge. Variable is not available or was not collected for this unit, but appears in master data files as the result of merging multiple files. This flag appears only as a result of programming.**
-15	Sum with missing value(s). Variable is the sum of other variables, where the value is missing for one or more of the components. This flag appears only as a result of programming.**
	*USDA Census of Agriculture
	**Great Plains Project
	***ICPSR Study No. 3 Codebook

Acknowledgements

These data files were produced with financial support from the National Institute of Child Health and Human Development through Grant No. R01 HD33554, as well as local funds provided by the Inter-university Consortium for Political and Social Research and by Southwest Minnesota State University.

A large number of individuals contributed to the production of these data. I especially wish to thank

Susana Adamo, Geoff Cunfer, Betsy Guzman, Michelle Butler, Delia Hagen, Eric Johnson, Susan Hautaniemi Leonard, William Myers, Andrés Peri, Sara Pullum, and Kenneth Sylvester

Bibliography of Sources

- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined File: NE, ND, SD, KS, MT, WY, CO, NM, OK, TX*. Electronic Files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1996.
- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined-Final, County and Misc. Data Files*. Electronic files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1997.
- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined-Final, County File*. Electronic Files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1997.
- Bureau of the Census. *Census of Agriculture, 1987 - Geographic Area Series: State and County Data Files*. Electronic Files on CD-ROM. Washington D.C.: The Bureau [producer and distributor], 1990.
- Bureau of the Census. *Census of Agriculture, 1992 - Geographic Area Series 1B: U.S. Summary and County Level Data*. Electronic Files on CD-ROM. Washington, D.C.: The Bureau [producer and distributor], 1993.
- U.S. Bureau of the Census. *County and City Data Book Consolidated File, County Data 1947-1977*. Washington, D.C.: The Bureau of the Census, 1978.
- Earle, Carville and Changyong Cao. *The Historical United States County Boundary Files 1850-1970*. Geoscience Publications: Baton Rouge, Department of Geography and Anthropology, Louisiana State University, 1991
- Earle, Carville, Changyong Cao, John Heppen and Samuel Otterstrom. *The Historical United States County Boundary Files 1790 – 1999 on CD-ROM*. Geoscience Publications: Louisiana State University, 1999 (Revised 2003).
- Economic Research Service, U.S. Department of Agriculture. *Census of Agriculture County Profiles, 1949-1982*. Electronic files on magnetic tape, 1989.
- Economic Research Service, U.S. Department of Agriculture. *Conservation Reserve Program Summary File, Signups 1-12 (1986-1993)*. 1995.
- Forstall, Richard L. *Population of States and Counties of the United States: 1790 to 1990*. U.S. Bureau of the Census, Washington, DC, 1996.
- Horan, Patrick and Peggy Hargis. *County Longitudinal Template, 1840-1990*. Inter-University Consortium for Political and Social Research (ICPSR) Study 6576.
- Inter-University Consortium for Political and Social Research . *Historical Demographic, Economic and Social Data: The United States, 1790-1970*. 1972.

Thorndale, William and William Dollarhide. *Map Guide to the U.S. Federal Censuses, 1790-1920*. Baltimore, Genealogical Publishing Company, 1987

U.S. Bureau of the Census. *Ninth Census of the United States, 1870 - A Compendium*. Washington, D.C.: Government Printing Office, 1872.

———. *Ninth Census of the United States, 1870 - Vol. III, The Statistics of the Wealth and Industry of the United States*. Washington, D.C.: Government Printing Office, 1872.

———. *Tenth Census of the United States, 1880 - The Area of the United States*. Washington, D.C.: Government Printing Office, 1881.

———. *Tenth Census of the United States, 1880 - Vol. III, Report on the Production of Agriculture*. Washington, D.C.: Government Printing Office, 1883.

———. *Eleventh Census of the United States, 1890 - Vol. V, Report on the Statistics of Agriculture*. Washington, D.C.: Government Printing Office, 1895.

———. *Eleventh Census of the United States, 1890 - Report on Agriculture by Irrigation in the Western Part of the United States*. Washington, D.C.: Government Printing Office, 1895.

———. *Twelfth Census of the United States, 1900 - Vol. V, Agriculture of the United States*. Washington, D.C.: Government Printing Office, 1902.

———. *Twelfth Census of the United States, 1900 - Vol. VI, Agriculture of the United States*. Washington, D.C.: Government Printing Office, 1902.

———. *Thirteenth Census of the United States, 1910 - Vol. VI, Agriculture*. Washington, D.C.: Government Printing Office, 1915.

———. *Thirteenth Census of the United States, 1910 - Vol. VII, Agriculture*. Washington, D.C.: Government Printing Office, 1915.

———. *Fourteenth Census of the United States, 1920 - Vol. VI, Agriculture*. Washington, D.C.: Government Printing Office, 1922.

———. *Fifteenth Census of the United States, 1930 - Agriculture, Vol. I*. Washington, D.C.: Government Printing Office, 1931.

———. *Fifteenth Census of the United States, 1930 - Agriculture, Vol. II*. Washington, D.C.: Government Printing Office, 1932.

———. *Fifteenth Census of the United States, 1930 - Agriculture, Vol. III*. Washington, D.C.: Government Printing Office, 1932.

———. *Fifteenth Census of the United States, 1930 - Irrigation of Agricultural Lands*.

- Washington, D.C.: Government Printing Office, 1933.
- . *Sixteenth Census of the United States, 1940 - Abandoned or Idle Farms*. Washington, D.C.: Government Printing Office, 1943.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Cows Milked and Dairy Products*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Cross-Line Acreage*. Washington, D.C.: Government Printing Office, 1943.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Drainage of Agricultural Lands*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Vol. I*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Vol. II*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Irrigation of Agricultural Lands*. Washington, D.C.: Government Printing Office, 1942.
- . *United States Census of Agriculture, 1925*. Washington, D.C.: Government Printing Office, 1926.
- . *United States Census of Agriculture, 1935 - Vol. I*. Washington, D.C.: Government Printing Office, 1936.
- . *United States Census of Agriculture, 1935 - Vol. II*. Washington, D.C.: Government Printing Office, 1936.
- . *United States Census of Agriculture, 1945 - Vol. I*. Washington, D.C.: Government Printing Office, 1946.
- . *United States Census of Agriculture, 1950 - Vol. I*. Washington, D.C.: Government Printing Office, 1952.
- . *United States Census of Agriculture, 1954 - Vol. I*. Washington, D.C.: Government Printing Office, 1956.
- . *United States Census of Agriculture, 1959 - Vol. I*. Washington, D.C.: Government Printing Office, 1961.
- . *United States Census of Agriculture, 1964 - Vol. I*. Washington, D.C.: Government Printing Office, 1967.
- . *United States Census of Agriculture, 1969 - Vol. I*. Washington, D.C.: Government Printing Office, 1972.

- . *United States Census of Agriculture, 1974 - Vol. I*. Washington, D.C.: Government Printing Office, 1977.
- . *United States Census of Agriculture, 1978 - Vol. I*. Washington, D.C.: Government Printing Office, 1981.
- . *United States Census of Agriculture, 1982 - Vol. I*. Washington, D.C.: Government Printing Office, 1984.
- . *United States Census of Agriculture, 1987 - Vol. I*. Washington, D.C.: Government Printing Office, 1989.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1A State-Level Data*. Electronic Files on CD-ROM. Washington, D.C. 1999.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1B County-Level Data*. Electronic Files on CD-ROM. Washington, D.C.: 1999.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1C Adobe Acrobat PDF Files*. Electronic Files on CD-ROM. Washington, D.C.: 1999.
- U.S. Department of Commerce, Bureau of Foreign and Domestic Commerce. *Circulation of Farm Publications by States and Counties: Supplement to the Market Data Handbook of the United States*. Domestic Commerce Series, 30. Washington, D.C.: Government Printing Office, 1929.
- . *Consumer Market Data Handbook*. Domestic Commerce Series, 102. Washington, D.C.: U.S. Government Printing Office, 1939.
- . *General Consumer Market Statistics: Supplement No. 1 to the Market Data Handbook of the United States*. Domestic Commerce Series, 56. Washington, D.C.: Government Printing Office, 1932.
- U.S. Department of Commerce, Bureau of the Census. *County Statistics File 3 (CO-STAT3) - ICPSR Study 9168*. Ver. First ICPSR Edition. 1989.
- U.S. Department of Commerce, Bureau of the Census. *USA Counties 1996 (CO-STAT96)*. Machine-readable data files on CD-ROM. Washington, D.C.: Bureau of the Census, 1996.

Agricultural Data Codebook

Contents:

Table 1. Agricultural Variables by Category

Data Codebook

Table 2. Agricultural Variables Sources

Table 1. Agricultural Variables by Category, lists the variables in the data file, with the variable name assigned by the Great Plains Project in the first column and a longer variable description taken from the original source in the second column. This description preserves the relationships of items in the original source tables. The variables are grouped into the following categories:

- Grains and Hay
- Row Crops and Vegetables
- Land
- Inputs
- Livestock, Poultry and Dairy
- Market Value

Within each category variables are listed in the order they are found in the source (generally Volume, Table and then order within the Table). Variables are presented in the same order in the Data Codebook and in Table 2.

Data Codebook provides fuller descriptions of each variable, including:

- Variable name
- Brief variable description (which also serves as the variable label)
- Full description from the original source
- Variable source
- Additional notes about the variable not contained in the descriptions
- Summary statistics

Table 2. Agricultural Variables Sources, provides the full name of the source table where applicable, information on variables created by the Great Plains Project, the name of the source (generally the Census Volume), and the organization that keyed the data. Full bibliographic citations are listed above.

Table 1. Agricultural Variables by Category

Name	Description
Grains and Hay Variables	
HAY_XH_T	Hay: All Types: Tons
HAY_XH_A	Hay: All Types: Acres
HAY_KT_A	Wild, Salt and Prairie Grasses: Acres
HAY_KT_T	Wild, Salt and Prairie Grasses: Tons
HAY_KV_A	Millet and Hungarian Grasses: Acres
HAY_KV_T	Millet and Hungarian Grasses: Tons
HAY_KL_A	Alfalfa, or Lucern: Acres
HAY_KL_T	Alfalfa, or Lucern: Tons
HAY_KR_A	Clover: Acres
HAY_KR_T	Clover: Tons
HAY_KW_T	Other Tame and Cultivated Grasses: Tons
HAY_KW_A	Other Tame and Cultivated Grasses: Acres
HAY_KY_T	Grains Cut Green for Hay: Tons
HAY_KY_A	Grains Cut Green for Hay: Acres
CRO_FP_T	Forage Crops: Sown for forage: Tons
CRO_FP_A	Forage Crops: Sown for forage: Acres
FLX_XH_A	Flaxseed: Acres
FLX_XH_B	Flaxseed: Bushels
BAR_XH_A	Barley: Acres
BAR_XH_B	Barley: Bushels
BWT_XH_B	Buckwheat: Bushels
BWT_XH_A	Buckwheat: Acres
OAT_XH_B	Oats: Bushels
OAT_XH_A	Oats: Acres
RYE_XH_A	Rye: Acres
RYE_XH_B	Rye: Bushels
WHT_XH_A	Wheat: Acres
WHT_XH_B	Wheat: Bushels
Row Crops and Vegetable Variables	
COT_XH_A	Cotton: Reported by Farmers: Acres
COT_XH_C	Cotton: Reported by Farmers: Fiber: 500 Pound Bales
BEA_XH_A	Beans: Acres
BEA_XH_B	Beans: Bushels
PEA_XH_B	Pease: Bushels
PEA_XH_A	Pease: Acres
PNT_XH_B	Peanuts: Bushels
PNT_XH_A	Peanuts: Acres
SRG_MH_A	Sorghum Cane and Products: Acres
BET_XH_T	Sugar Beets: Tons
BET_XH_A	Sugar Beets: Acres
VEG_XH_A	Miscellaneous Vegetables: Acres
POT_XH_B	Potatoes: Bushels
POT_XH_A	Potatoes: Acres
CRN_GH_B	Corn: Bushels
CRN_GH_A	Corn: Acres
SRG_GH_A	Kafir Corn: Acres
SRG_GH_B	Kafir Corn: Bushels

Land Variables	
FRM_XX_Q	All Farms: Number
SIZ_AX_A	All Farms: Average Size in Acres
FRM_SA_Q	All Farms: Classified According to Acreage: Under 3 Acres: Number
FRM_SB_Q	All Farms: Classified According to Acreage: 3 and Under 10 Acres: Number
FRM_SC_Q	All Farms: Classified According to Acreage: 10 and Under 20 Acres: Number
FRM_SD_Q	All Farms: Classified According to Acreage: 20 and Under 50 Acres: Number
FRM_SE_Q	All Farms: Classified According to Acreage: 50 and Under 100 Acres: Number
FRM_SF_Q	All Farms: Classified According to Acreage: 100 and Under 175 Acres: Number
FRM_SG_Q	All Farms: Classified According to Acreage: 175 and Under 260 Acres: Number
FRM_SH_Q	All Farms: Classified According to Acreage: 260 and Under 500 Acres: Number
FRM_SI_Q	All Farms: Classified According to Acreage: 500 and Under 1000 Acres: Number
FRM_SL_Q	All Farms: Classified According to Acreage: 1000 Acres and Over: Number
FRM_OX_Q	All Farms: Classified by Tenure: Owners: Number
FRM_OP_Q	All Farms: Classified by Tenure: Part Owners: Number
FRM_MX_Q	All Farms: Classified by Tenure: Managers: Number
FRM_TC_Q	All Farms: Classified by Tenure: Cash Tenants: Number
FRM_TT_Q	All Farms: Classified by Tenure: Share Tenants: Number
FRM_XW_Q	Farms of White Farmers: Number
FRM_OW_Q	Farms of White Farmers: Classified by Tenure: Owners: Number
FRM_MW_Q	Farms of White Farmers: Classified by Tenure: Managers: Number
FRM_XN_Q	Farms of Colored Farmers: Number
FRM_ON_Q	Farms of Colored Farmers: Classified by Tenure: Owners: Number
FRM_MN_Q	Farms of Colored Farmers: Classified by Tenure: Managers: Number
FRM_BX_Q	Number of Farms: With Buildings
FML_XX_A	Acres in Farms: Total
IML_XX_A	Acres in Farms: Improved
UNL_XX_A	Acres in Farms: Unimproved
ARE_XX_A	Land Area: Acres
Input Variables	
IMP_XX_V	Value of Farm Property: Implements and Machinery: Dollars
LAB_XX_V	Expenditures: Labor: Dollar
FRT_BX_V	Expenditures: Fertilizer: Dollars
Livestock, Poultry, and Dairy Variables	
CTL_XU_Q	Neat Cattle: Calves Under 1 Year: Number
CTL_SV_Q	Neat Cattle: Steers 1 and Under 2 Years: Number
CTL_ST_Q	Neat Cattle: Steers 2 and Under 3 Years: Number
CTL_SX_Q	Neat Cattle: Steers 3 Years and Over: Number
CTL_BX_Q	Neat Cattle: Bulls 1 Year and Over: Number
CTL_HV_Q	Neat Cattle: Heifers 1 and Under 2 Years: Number
CTL_MX_Q	Neat Cattle: Dairy Cows 2 Years and Over: Number
CTL_LX_Q	Neat Cattle: Other Cows 2 Years and Over: Number
CTL_XX_Q	Neat Cattle: Total Number
HRS_XU_Q	Horses: Colts Under 1 Year: Number
HRS_XV_Q	Horses: Colts 1 and Under 2 Years: Number
HRS_XW_Q	Horses: 2 Years and Over: Number
HRS_XX_Q	Horses: Total: Number
MUL_XU_Q	Mules: Colts Under 1 Year: Number
MUL_XV_Q	Mules: Colts 1 and Under 2 Years: Number
MUL_XW_Q	Mules: 2 Years and Over: Number
MUL_XX_Q	Mules: Total: Number

Livestock, Poultry, and Dairy Variables, continued	
SHP_XU_Q	Sheep: Lambs Under 1 Year: Number
SHP_EX_Q	Sheep: Ewes 1 Year and Over: Number
SHP_RX_Q	Sheep: Rams and Wethers 1 Year and Over: Number
SHP_XX_Q	Sheep: Total Number
SWN_XX_Q	Swine, All Ages: Number
CTL_XN_Q	Neat Cattle: Total: Number
HRS_XN_Q	Horses: Total: Number
SWN_XN_Q	Swine, All Ages: Number
MLK_XX_G	Milk: Gallons Produced
BUT_XX_P	Butter: Pounds Made
CHS_XX_P	Cheese: Pounds Made
CHK_XX_Q	Poultry and Eggs: Number of Fowls 3 Months Old and Over, June 1, 1900: Chickens
EGG_XX_D	Poultry and Eggs: Dozens of Eggs Produced in 1899
WOL_XX_F	Fleeces Shorn: Number
WOL_XX_P	Wool: Weight, in Pounds of Fleeces, Unwashed
Market Value Variables	
FML_XX_V	Value of Farm Property: Land and Improvements (Except Buildings): Dollars
BLD_XX_V	Value of Farm Property: Buildings: Dollars
STK_XX_V	Value of Farm Property: Live Stock: Dollars
AFP_XQ_V	Value of Farm Products Not Fed to Livestock: Dollars

Codebook for ICPSR 04254

Great Plains Population and Environment Data: Agricultural Data

Dataset0004: 1900 Agricultural Data

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

NAME	NAME
------	------

Start: 1
End: 50
Width: 50
Type: character (ISO)
Interval: discrete

UNFIPS	State + county identifier
--------	---------------------------

Start: 51
End: 55
Width: 5
Type: character (ISO)
Interval: discrete

GP	Great Plains county status
----	----------------------------

Start: 56
End: 56
Width: 1
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	0.00	1.00	0.46	0.50

HAY_XH_T	Hay, tons
----------	-----------

Start: 57
End: 63
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Hay: All Types: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-

Variable	Variable Description
----------	----------------------

HAY_XH_T	Hay, tons (<i>cont.</i>)
----------	----------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-13.00	191240.00	29996.61	29897.88

HAY_XH_A	Hay, acres
----------	------------

Start: 64
End: 70
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Hay: All Types: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-13.00	194759.00	23083.23	24198.04

HAY_KT_A	Wild, salt and prairie grasses, acres
----------	---------------------------------------

Start: 71
End: 77

Wild, Salt and Prairie Grasses: Acres

Variable	Variable Description
----------	----------------------

HAY_KT_A

Wild, salt and prairie grasses, acres (*cont.*)

Width: 7

Type: numeric (ISO)

Interval: discrete

Missing: -15, -1, thru

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	192147.00	14562.71	19816.76

HAY_KT_T

Wild, salt and prairie grasses, tons

Start: 78

End: 84

Width: 7

Type: numeric (ISO)

Interval: discrete

Missing: -15, -1, thru

Wild, Salt and Prairie Grasses: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-

Variable	Variable Description
----------	----------------------

HAY_KT_T	Wild, salt and prairie grasses, tons (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	187901.00	16309.96	21182.53

HAY_KV_A	Millet and Hungarian grasses, acres
----------	-------------------------------------

Start: 85
End: 90
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Millet and Hungarian Grasses: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	15723.00	1319.69	2009.30

HAY_KV_T	Millet and Hungarian grasses, tons
----------	------------------------------------

Start: 91
End: 96
Width: 6
Type: numeric (ISO)

Millet and Hungarian Grasses: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

Variable	Variable Description
----------	----------------------

HAY_KV_T	Millet and Hungarian grasses, tons (<i>cont.</i>)
----------	---

Interval: discrete
Missing: -15, -1, thru

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	31506.00	2321.39	3736.22

HAY_KL_A	Alfalfa, acres
----------	----------------

Start: 97
End: 102
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Alfalfa, or Lucern: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-

Variable	Variable Description
----------	----------------------

HAY_KL_A	Alfalfa, acres (<i>cont.</i>)
----------	---------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	80147.00	1222.91	4360.02

HAY_KL_T	Alfalfa, tons
----------	---------------

Start: 103
End: 109
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Alfalfa, or Lucern: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	148866.00	2921.09	9981.70

HAY_KR_A	Clover, acres
----------	---------------

Start: 110
End: 115
Width: 6
Type: numeric (ISO)
Interval: discrete

Clover: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

Variable	Variable Description
----------	----------------------

HAY_KR_A	Clover, acres (<i>cont.</i>)
----------	--------------------------------

Missing: -15, -1, thru

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	11606.00	503.18	1476.22

HAY_KR_T	Clover, tons
----------	--------------

Start: 116

End: 121

Width: 6

Type: numeric (ISO)

Interval: discrete

Missing: -15, -1, thru

Clover: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

HAY_KR_T	Clover, tons (<i>cont.</i>)
----------	-------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	15633.00	768.90	2153.94

HAY_KW_T	Other tame and cultivated grasses, tons
----------	---

Start: 122
End: 127
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Other Tame and Cultivated Grasses: Tons
Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	80199.00	6742.69	14331.41

HAY_KW_A	Other tame and cultivated grasses, acres
----------	--

Start: 128
End: 133
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Other Tame and Cultivated Grasses: Acres
Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

Variable	Variable Description
----------	----------------------

HAY_KW_A Other tame and cultivated grasses, acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	75481.00	4931.19	10650.08

HAY_KY_T Grains cut green, tons

Start: 134
End: 139
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Grains Cut Green for Hay: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

HAY_KY_T	Grains cut green, tons (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	19202.00	931.96	1696.32

HAY_KY_A	Grains cut green, acres
----------	-------------------------

Start: 140
End: 144
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Grains Cut Green for Hay: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	8743.00	542.91	912.49

CRO_FP_T	Forage crops, tons
----------	--------------------

Start: 145
End: 151
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Forage Crops: Sown for forage: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

Variable	Variable Description
----------	----------------------

CRO_FP_T

Forage crops, tons (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	165688.00	5546.34	13419.58

CRO_FP_A

Forage crops, acres

Start: 152

End: 157

Width: 6

Type: numeric (ISO)

Interval: discrete

Missing: -15, -1, thru

Forage Crops: Sown for forage: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CRO_FP_A	Forage crops, acres (<i>cont.</i>)
----------	--------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	68447.00	2333.45	5142.39

FLX_XH_A	Flaxseed, acres
----------	-----------------

Start: 158
End: 163
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Flaxseed: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 14

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	74200.00	2213.56	6971.69

FLX_XH_B	Flaxseed, bushels
----------	-------------------

Start: 164
End: 170
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Flaxseed: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 14

Variable	Variable Description
----------	----------------------

FLX_XH_B	Flaxseed, bushels (<i>cont.</i>)
----------	------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	860980.00	21367.42	69941.87

BAR_XH_A	Barley, acres
----------	---------------

Start: 171
End: 176
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Barley: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

BAR_XH_A Barley, acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	72492.00	2667.42	7437.79

BAR_XH_B Barley, bushels

Start: 177
End: 184
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Barley: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	2032280.00	69203.90	204631.86

BWT_XH_B Buckwheat, bushels

Start: 185
End: 190
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Buckwheat: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

Variable	Variable Description
----------	----------------------

BWT_XH_B	Buckwheat, bushels (<i>cont.</i>)
----------	-------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	12930.00	306.40	1055.00

BWT_XH_A	Buckwheat, acres
----------	------------------

Start: 191
 End: 195
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Buckwheat: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

BWT_XH_A	Buckwheat, acres (<i>cont.</i>)
----------	-----------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1123.00	27.99	90.80

OAT_XH_B	Oats, bushels
----------	---------------

Start: 196
End: 203
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Oats: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	4188380.00	455159.29	716533.87

OAT_XH_A	Oats, acres
----------	-------------

Start: 204
End: 210
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Oats: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

Variable	Variable Description
----------	----------------------

OAT_XH_A

Oats, acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	114452.00	14054.65	20163.59

RYE_XH_A

Rye, acres

Start: 211
End: 216
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Rye: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

RYE_XH_A	Rye, acres (<i>cont.</i>)
----------	-----------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	14003.00	615.99	1404.86

RYE_XH_B	Rye, bushels
----------	--------------

Start: 217
End: 223
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Rye: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	200140.00	7579.28	17677.54

WHT_XH_A	Wheat, acres
----------	--------------

Start: 224
End: 230
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Wheat: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

Variable	Variable Description
----------	----------------------

WHT_XH_A	Wheat, acres (<i>cont.</i>)
----------	-------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	570620.00	28999.93	54158.11

WHT_XH_B	Wheat, bushels
----------	----------------

Start: 231
End: 238
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Wheat: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

WHT_XH_B Wheat, bushels (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	8873390.00	362608.09	734266.82

COT_XH_A Cotton, acres

Start: 239
End: 245
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Cotton: Reported by Farmers: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	197828.00	8097.04	25236.10

COT_XH_C Cotton, bales

Start: 246
End: 251
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Cotton: Reported by Farmers: Fiber: 500 Pound Bales

Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 10

Variable	Variable Description
----------	----------------------

COT_XH_C	Cotton, bales (<i>cont.</i>)
----------	--------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	91298.00	2985.33	10110.88

BEA_XH_A	Beans (dry), acres
----------	--------------------

Start: 252
End: 256
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Beans: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

BEA_XH_A Beans (dry), acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1078.00	19.19	64.70

BEA_XH_B Beans (dry), bushels

Start: 257
End: 262
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Beans: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	14742.00	203.25	757.85

PEA_XH_B Peas (dry), bushels

Start: 263
End: 268
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Pease: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

Variable	Variable Description
----------	----------------------

PEA_XH_B	Peas (dry), bushels (<i>cont.</i>)
----------	--------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	31300.00	544.80	2435.28

PEA_XH_A	Peas (dry), acres
----------	-------------------

Start: 269
End: 273
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Pease: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

PEA_XH_A Peas (dry), acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	2648.00	48.78	224.08

PNT_XH_B Peanuts, bushels

Start: 274
End: 279
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Peanuts: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	19137.00	265.61	1180.77

PNT_XH_A Peanuts, acres

Start: 280
End: 283
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Peanuts: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

Variable	Variable Description
----------	----------------------

PNT_XH_A	Peanuts, acres (<i>cont.</i>)
----------	---------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	918.00	13.22	66.84

SRG_MH_A	Sorghum cane, acres
----------	---------------------

Start: 284
End: 288
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sorghum Cane and Products: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

SRG_MH_A	Sorghum cane, acres (<i>cont.</i>)
----------	--------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1840.00	80.27	171.24

BET_XH_T	Sugar beets, tons
----------	-------------------

Start: 289
End: 294
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sugar Beets: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	31168.00	97.94	1160.73

BET_XH_A	Sugar beets, acres
----------	--------------------

Start: 295
End: 299
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sugar Beets: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

Variable	Variable Description
----------	----------------------

BET_XH_A

Sugar beets, acres (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	4251.00	12.14	164.05

VEG_XH_A

Vegetables, other, acres

Start: 300
End: 304
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Miscellaneous Vegetables: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

VEG_XH_A	Vegetables, other, acres (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	3530.00	409.19	519.23

POT_XH_B	Potatoes, bushels
----------	-------------------

Start: 305
End: 312
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Potatoes: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	2821285.00	68683.21	144877.16

POT_XH_A	Potatoes, acres
----------	-----------------

Start: 313
End: 318
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Potatoes: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

Variable	Variable Description
----------	----------------------

POT_XH_A	Potatoes, acres (<i>cont.</i>)
----------	----------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	23195.00	708.83	1310.72

CRN_GH_B	Corn for grain, bushels
----------	-------------------------

Start: 319
End: 326
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Corn: Bushels
Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CRN_GH_B	Corn for grain, bushels (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	9914660.00	1187373.72	1724539.15

CRN_GH_A	Corn for grain, acres
----------	-----------------------

Start: 327
End: 333
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Corn: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	273410.00	38892.04	50187.32

SRG_GH_A	Sorghum for grain, acres
----------	--------------------------

Start: 334
End: 339
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Kafir Corn: Acres

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 58

Variable	Variable Description
----------	----------------------

SRG_GH_A	Sorghum for grain, acres (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	18418.00	270.20	1227.87

SRG_GH_B	Sorghum for grain, bushels
----------	----------------------------

Start: 340
End: 346
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Kafir Corn: Bushels

Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 58

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

SRG_GH_B	Sorghum for grain, bushels (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	358954.00	5259.93	25669.03

FRM_XX_Q	Farms, number
----------	---------------

Start: 347
End: 351
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	7277.00	1402.60	1246.20

SIZ_AX_A	Average farm size, acres
----------	--------------------------

Start: 352
End: 358
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Average Size in Acres

Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

SIZ_AX_A	Average farm size, acres (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	450000.00	2689.94	18727.88

FRM_SA_Q	Farms under 3 acres, number
----------	-----------------------------

Start: 359
End: 362
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: Under 3 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_SA_Q	Farms under 3 acres, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	123.00	7.71	12.29

FRM_SB_Q	Farms of 3-9 acres, number
----------	----------------------------

Start: 363
End: 366
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 3 and Under 10 Acres: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	366.00	24.48	39.32

FRM_SC_Q	Farms of 10-19 acres, number
----------	------------------------------

Start: 367
End: 370
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 10 and Under 20 Acres: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_SC_Q Farms of 10-19 acres, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	503.00	41.82	72.90

FRM_SD_Q Farms of 20-49 acres, number

Start: 371
End: 375
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 20 and Under 50 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_SD_Q	Farms of 20-49 acres, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	3025.00	180.39	357.24

FRM_SE_Q	Farms of 50-99 acres, number
----------	------------------------------

Start: 376
End: 380
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 50 and Under 100 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	2511.00	261.90	367.53

FRM_SF_Q	Farms of 100-174 acres, number
----------	--------------------------------

Start: 381
End: 385
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 100 and Under 175 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_SF_Q Farms of 100-174 acres, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	5521.00	460.44	464.21

FRM_SG_Q Farms of 175-259 acres, number

Start: 386
End: 390
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 175 and Under 260 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_SG_Q	Farms of 175-259 acres, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1060.00	160.01	167.73

FRM_SH_Q	Farms of 260-499 acres, number
----------	--------------------------------

Start: 391
End: 395
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 260 and Under 500 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1163.00	182.61	173.03

FRM_SI_Q	Farms of 500-999 acres, number
----------	--------------------------------

Start: 396
End: 399
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 500 and Under 1000 Acres: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_SI_Q	Farms of 500-999 acres, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	522.00	53.48	60.81

FRM_SL_Q	Farms of 1000 acres or more, number
----------	-------------------------------------

Start: 400
End: 403
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified According to Acreage: 1000 Acres and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_SL_Q	Farms of 1000 acres or more, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	271.00	28.66	35.07

FRM_OX_Q	Farms of owners, number
----------	-------------------------

Start: 404
End: 408
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified by Tenure: Owners: Number

Twelfth Census of the United States, 1900 - Vol. V, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-13.00	5405.00	727.90	640.93

FRM_OP_Q	Farms of part owners, number
----------	------------------------------

Start: 409
End: 413
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified by Tenure: Part Owners: Number

Twelfth Census of the United States, 1900 - Vol. V, Sum

Variable	Variable Description
----------	----------------------

FRM_OP_Q	Farms of part owners, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1105.00	172.98	157.42

FRM_MX_Q	Farms of managers, number
----------	---------------------------

Start: 414
End: 416
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified by Tenure: Managers: Number

Twelfth Census of the United States, 1900 - Vol. V, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_MX_Q	Farms of managers, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-13.00	94.00	13.00	11.85

FRM_TC_Q	Farms rented for fixed money, number
----------	--------------------------------------

Start: 417
End: 421
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified by Tenure: Cash Tenants: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1254.00	129.81	190.01

FRM_TT_Q	Farms rented for shares of products, number
----------	---

Start: 422
End: 426
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

All Farms: Classified by Tenure: Share Tenants: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_TT_Q	Farms rented for shares of products, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	4386.00	346.99	534.45

FRM_XW_Q	Farms of whites, number
----------	-------------------------

Start: 427
End: 431
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of White Farmers: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_XW_Q	Farms of whites, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	7240.00	1316.40	1153.90

FRM_OW_Q	Farms of white owners, number
----------	-------------------------------

Start: 432
End: 436
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of White Farmers: Classified by Tenure: Owners: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	5377.00	698.79	625.69

FRM_MW_Q	Farms of white managers, number
----------	---------------------------------

Start: 437
End: 439
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of White Farmers: Classified by Tenure: Managers: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_MW_Q	Farms of white managers, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	94.00	12.90	11.66

FRM_XN_Q	Farms of nonwhites, number
----------	----------------------------

Start: 440
End: 444
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of Colored Farmers: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_XN_Q	Farms of nonwhites, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	2979.00	86.08	289.81

FRM_ON_Q	Farms of nonwhite owners, number
----------	----------------------------------

Start: 445
End: 449
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of Colored Farmers: Classified by Tenure: Owners: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1045.00	29.04	94.49

FRM_MN_Q	Farms of nonwhite managers, number
----------	------------------------------------

Start: 450
End: 452
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Farms of Colored Farmers: Classified by Tenure: Managers: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 10

Variable	Variable Description
----------	----------------------

FRM_MN_Q	Farms of nonwhite managers, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	9.00	0.03	1.41

FRM_BX_Q	Farms with buildings, number
----------	------------------------------

Start: 453
End: 457
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Number of Farms: With Buildings

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

FRM_BX_Q	Farms with buildings, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	7105.00	1335.74	1188.04

FML_XX_A	Land in farms, acres
----------	----------------------

Start: 458
End: 465
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Acres in Farms: Total

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	3500000.00	385952.15	307271.99

IML_XX_A	Improved land in farms, acres
----------	-------------------------------

Start: 466
End: 472
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Acres in Farms: Improved

Twelfth Census of the United States, 1900 - Vol. V, Table 19

Variable	Variable Description
----------	----------------------

IML_XX_A	Improved land in farms, acres (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	977951.00	160811.72	146616.71

UNL_XX_A	Unimproved land in farms, acres
----------	---------------------------------

Start: 473
End: 480
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Acres in Farms: Unimproved
Sum, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

UNL_XX_A	Unimproved land in farms, acres (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
888	-13.00	3489019.00	225436.66	312685.35

ARE_XX_A	Land area, acres
----------	------------------

Start: 481
End: 488
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Land Area: Acres
NOTE: Converted from square miles
Twelfth Census of the United States, 1900, Abstract, Table

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
864	58880.00	13443200.00	928600.64	1274592.14

IMP_XX_V	Value of implements and machinery, dollars
----------	--

Start: 489
End: 496
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Value of Farm Property: Implements and Machinery: Dollars
Twelfth Census of the United States, 1900 - Vol. V, Table 19

Variable	Variable Description
----------	----------------------

IMP_XX_V	Value of implements and machinery, dollars (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1309070.00	243419.61	228336.77

LAB_XX_V	Labor expense, dollars
----------	------------------------

Start: 497
 End: 504
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Expenditures: Labor: Dollar

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

LAB_XX_V Labor expense, dollars (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1524740.00	106183.22	120646.72

FRT_BX_V Value of fertilizer, dollars

Start: 505
End: 510
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Expenditures: Fertilizer: Dollars

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	21020.00	1354.20	2398.85

CTL_XU_Q Cattle, under 1 year, number

Start: 511
End: 516
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Calves Under 1 Year: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

CTL_XU_Q Cattle, under 1 year, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	34049.00	8160.02	5305.16

CTL_SV_Q Cattle, steers 1 and under 2 years, number

Start: 517
End: 522
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Steers 1 and Under 2 Years: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CTL_SV_Q	Cattle, steers 1 and under 2 years, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	24068.00	4233.20	3322.96

CTL_ST_Q	Cattle, steers 2 and under 3 years, number
----------	--

Start: 523
End: 528
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Steers 2 and Under 3 Years: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	41748.00	3270.51	4172.90

CTL_SX_Q	Steers and bulls including calves, number
----------	---

Start: 529
End: 533
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Steers 3 Years and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

CTL_SX_Q	Steers and bulls including calves, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	5748.00	193.80	664.24

CTL_BX_Q	Cattle, bulls 1 year and over, number
----------	---------------------------------------

Start: 534
End: 538
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Bulls 1 Year and Over: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CTL_BX_Q	Cattle, bulls 1 year and over, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	5573.00	660.79	564.33

CTL_HV_Q	Cattle, heifers 1 and under 2 years, number
----------	---

Start: 539
End: 544
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Heifers 1 and Under 2 Years: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	28784.00	3761.46	2708.79

CTL_MX_Q	Milk cows, number
----------	-------------------

Start: 545
End: 550
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Dairy Cows 2 Years and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

CTL_MX_Q

Milk cows, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	27612.00	5589.82	5311.13

CTL_LX_Q

Nondairy cattle and calves, number

Start: 551

End: 556

Width: 6

Type: numeric (ISO)

Interval: discrete

Missing: -15, -1, thru

Neat Cattle: Other Cows 2 Years and Over: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CTL_LX_Q	Nondairy cattle and calves, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	12313.00	584.61	1662.86

CTL_XX_Q	Cattle, number
----------	----------------

Start: 557
End: 562
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Total Number
NOTE: On farms and ranges

Twelfth Census of the United States, 1900 - Vol. V, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
197	-13.00	94771.00	36744.95	22608.21

HRS_XU_Q	Horses, under 1 year, number
----------	------------------------------

Start: 563
End: 567
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Horses: Colts Under 1 Year: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

HRS_XU_Q	Horses, under 1 year, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	7464.00	679.61	570.59

HRS_XV_Q	Horses, 1 and under 2 years, number
----------	-------------------------------------

Start: 568
End: 572
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Horses: Colts 1 and Under 2 Years: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

HRS_XV_Q	Horses, 1 and under 2 years, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	9426.00	736.65	631.00

HRS_XW_Q	Horses, 2 years and over, number
----------	----------------------------------

Start: 573
End: 578
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Horses: 2 Years and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	35025.00	6578.44	4572.29

HRS_XX_Q	Horses, number
----------	----------------

Start: 579
End: 584
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Horses: Total: Number
NOTE: On farms and ranges
Twelfth Census of the United States, 1900 - Vol. V, Sum

Variable	Variable Description
----------	----------------------

HRS_XX_Q

Horses, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	51915.00	7994.11	5611.68

MUL_XU_Q

Mules, under 1 year, number

Start: 585
End: 588
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Mules: Colts Under 1 Year: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

MUL_XU_Q	Mules, under 1 year, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	719.00	83.67	117.74

MUL_XV_Q	Mules, 1 and under 2 years, number
----------	------------------------------------

Start: 589
End: 592
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Mules: Colts 1 and Under 2 Years: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	811.00	94.08	130.92

MUL_XW_Q	Mules, 2 years and over, number
----------	---------------------------------

Start: 593
End: 598
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Mules: 2 Years and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

MUL_XW_Q	Mules, 2 years and over, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	10389.00	755.82	1394.99

MUL_XX_Q	Mules, number
----------	---------------

Start: 599
End: 604
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Mules: Total: Number
NOTE: On farms and ranges

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

MUL_XX_Q Mules, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	11620.00	934.05	1598.70

SHP_XU_Q Sheep, under 1 year, number

Start: 605
End: 611
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sheep: Lambs Under 1 Year: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-13.00	330987.00	8821.92	31851.95

SHP_EX_Q Sheep, ewes 1 year and over, number

Start: 612
End: 618
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sheep: Ewes 1 Year and Over: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

SHP_EX_Q Sheep, ewes 1 year and over, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	445978.00	14036.27	49423.91

SHP_RX_Q Sheep, rams 1 year and over, number

Start: 619
End: 625
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sheep: Rams and Wethers 1 Year and Over: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 35

Value	Label	Frequency	%
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

SHP_RX_Q	Sheep, rams 1 year and over, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	191270.00	4196.57	16036.94

SHP_XX_Q	Sheep, number
----------	---------------

Start: 626
End: 632
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Sheep: Total Number
NOTE: On farms and ranges

Twelfth Census of the United States, 1900 - Vol. V, Sum

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
876	0.00	931233.00	27456.76	96266.55

SWN_XX_Q	Swine, number
----------	---------------

Start: 633
End: 639
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Swine, All Ages: Number

Twelfth Census of the United States, 1900 - Vol. V, Table 35

Variable	Variable Description
----------	----------------------

SWN_XX_Q	Swine, number (<i>cont.</i>)
----------	--------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	193505.00	26253.35	36116.60

CTL_XN_Q	Cattle not on farms, number
----------	-----------------------------

Start: 640
End: 645
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Neat Cattle: Total: Number
NOTE: In barns and enclosures

Twelfth Census of the United States, 1900 - Vol. V, Table 40

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CTL_XN_Q	Cattle not on farms, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	21422.00	525.09	958.88

HRS_XN_Q	Horses not on farms, number
----------	-----------------------------

Start: 646
End: 651
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Horses: Total: Number
NOTE: In barns and enclosures

Twelfth Census of the United States, 1900 - Vol. V, Table 40

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	13156.00	738.03	1010.73

SWN_XN_Q	Swine not on farms, number
----------	----------------------------

Start: 652
End: 657
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Swine, All Ages: Number
NOTE: In barns and enclosures

Twelfth Census of the United States, 1900 - Vol. V, Table 40

Variable	Variable Description
----------	----------------------

SWN_XN_Q	Swine not on farms, number (<i>cont.</i>)
----------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	14553.00	505.26	854.14

MLK_XX_G	Milk, gallons
----------	---------------

Start: 658
End: 666
Width: 9
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Milk: Gallons Produced

Twelfth Census of the United States, 1900 - Vol. V, Table 44

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

MLK_XX_G

Milk, gallons (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	12101481.00	2007215.57	2133951.76

BUT_XX_P

Butter, pounds

Start: 667
End: 674
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Butter: Pounds Made

Twelfth Census of the United States, 1900 - Vol. V, Table 44

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1906042.00	304924.30	295488.03

CHS_XX_P

Cheese, pounds

Start: 675
End: 680
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Cheese: Pounds Made

Twelfth Census of the United States, 1900 - Vol. V, Table 44

Variable	Variable Description
----------	----------------------

CHS_XX_P	Cheese, pounds (<i>cont.</i>)
----------	---------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	51335.00	1989.76	4728.32

CHK_XX_Q	Chickens, number
----------	------------------

Start: 681
End: 687
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Poultry and Eggs: Number of Fowls 3 Months Old and Over, June 1, 1900: Chickens (including Guinea Fowls)

Twelfth Census of the United States, 1900 - Vol. V, Table 47

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

CHK_XX_Q Chickens, number (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	318151.00	76883.87	77298.36

EGG_XX_D Eggs, dozen

Start: 688
End: 695
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Poultry and Eggs: Dozens of Eggs Produced in 1899
Twelfth Census of the United States, 1900 - Vol. V, Table 47

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	1976710.00	409662.02	424302.33

WOL_XX_F Wool, fleeces, number

Start: 696
End: 702
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Fleeces Shorn: Number
Twelfth Census of the United States, 1900 - Vol. V, Table 49

Variable	Variable Description
----------	----------------------

WOL_XX_F	Wool, fleeces, number (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	633267.00	19800.36	67070.53

WOL_XX_P	Wool, pounds
----------	--------------

Start: 703
 End: 710
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Wool: Weight, in Pounds of Fleeces, Unwashed

Twelfth Census of the United States, 1900 - Vol. V, Table 49

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

WOL_XX_P Wool, pounds (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	4693224.00	123914.18	445419.13

FML_XX_V Value of land and improvements, dollars

Start: 711
End: 719
Width: 9
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Value of Farm Property: Land and Improvements (Except Buildings): Dollars

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	24223790.00	4592718.44	4651007.60

BLD_XX_V Value of buildings, dollars

Start: 720
End: 727
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Value of Farm Property: Buildings: Dollars

Twelfth Census of the United States, 1900 - Vol. V, Table 19

Variable	Variable Description
----------	----------------------

BLD_XX_V	Value of buildings, dollars (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	4440310.00	850749.37	901624.43

STK_XX_V	Value of livestock, dollars
----------	-----------------------------

Start: 728
End: 735
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Value of Farm Property: Live Stock: Dollars

Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-

Variable	Variable Description
----------	----------------------

STK_XX_V	Value of livestock, dollars (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	7137325.00	1440044.40	1058155.46

AFP_XQ_V	Value of products not fed to livestock, dollars
----------	---

Start: 736
End: 743
Width: 8
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Value of Farm Products Not Fed to Livestock: Dollars
Twelfth Census of the United States, 1900 - Vol. V, Table 19

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-15 (M)	Sum with missing value(s)	-	-
-14	Result of merge	-	-
-13	Sum of missing values	-	-
-11	Recorded under another unit	-	-
-10	Included under another entry	-	-
-9	Special problems	-	-
-8	Illegible in published volumes	-	-
-7	Combined with 'all other'	-	-
-5	Not published for this unit	-	-
-4	Withheld for privacy	-	-
-3	Less than half of the unit reported	-	-
-2	Not available	-	-
-1 (M)	Not applicable	-	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
889	-14.00	6825887.00	1237351.92	1109988.19

Table 2. Agricultural Variables Sources

Name	Table Title	Source	Keyed by
HAY_XH_T	Sum of the Variables (HAY_KL_T, HAY_KR_T, HAY_KT_T, HAY_KV_T, HAY_KW_T, HAY_KY_T)	Twelfth Census of the United States, 1900 - Vol. VI, Section II	Sum
HAY_XH_A	Sum of the Variables (HAY_KL_A, HAY_KR_A, HAY_KT_A, HAY_KV_A, HAY_KW_A, HAY_KY_A)	Twelfth Census of the United States, 1900 - Vol. VI, Section II	Sum
HAY_KT_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KT_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KV_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KV_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KL_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KL_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KR_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KR_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KW_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KW_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KY_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
HAY_KY_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
CRO_FP_T	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
CRO_FP_A	Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section II	GP Project
FLX_XH_A	Table 14. Acreage and Production of Flaxseed in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section IV	GP Project

FLX_XH_B	Table 14. Acreage and Production of Flaxseed in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section IV	GP Project
BAR_XH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
BAR_XH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
BWT_XH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
BWT_XH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
OAT_XH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
OAT_XH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
RYE_XH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
RYE_XH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
WHT_XH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
WHT_XH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
COT_XH_A	Table 10 . Acreage and Production of Cotton Fiber in 1899, and Quantity of Fiber Ginned, With Average Weight of Square Bales, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section IV	GP Project
COT_XH_C	Table 10 . Acreage and Production of Cotton Fiber in 1899, and Quantity of Fiber Ginned, With Average Weight of Square Bales, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section IV	GP Project
BEA_XH_A	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project
BEA_XH_B	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project
PEA_XH_B	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project

PEA_XH_A	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project
PNT_XH_B	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project
PNT_XH_A	Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section VI	GP Project
SRG_MH_A	Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section V	GP Project
BET_XH_T	Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section V	GP Project
BET_XH_A	Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section V	GP Project
VEG_XH_A	Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section III	GP Project
POT_XH_B	Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section III	GP Project
POT_XH_A	Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section III	GP Project
CRN_GH_B	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
CRN_GH_A	Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project

SRG_GH_A	Table 58. Acreage and Production of Kafir Corn in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
SRG_GH_B	Table 58. Acreage and Production of Kafir Corn in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. VI, Section I	GP Project
FRM_XX_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
SIZ_AX_A	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SA_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SB_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SC_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SD_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SE_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SF_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SG_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SH_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_SI_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR

FRM_SL_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_OX_Q	Sum of the Variables (FRM_OW_Q, FRM_ON_Q)	Twelfth Census of the United States, 1900 - Vol. V	Sum
FRM_OP_Q	Sum of the Variables (Part Owners White and Part Owners Non-White)	Twelfth Census of the United States, 1900 - Vol. V	Sum
FRM_MX_Q	Sum of the Variables (FRM_MN_Q, FRM_MW_Q)	Twelfth Census of the United States, 1900 - Vol. V	Sum
FRM_TC_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_TT_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_XW_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_OW_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_MW_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_XN_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_ON_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_MN_Q	Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRM_BX_Q	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR

FML_XX_A	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
IML_XX_A	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
UNL_XX_A	Sum	Sum	Sum
ARE_XX_A	Table 92.	Twelfth Census of the United States, 1900, Abstract	ICPSR
IMP_XX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
LAB_XX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
FRT_BX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_XU_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_SV_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_ST_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_SX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_BX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_HV_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_MX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project

CTL_LX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_XX_Q	Sum of the Variables (CTL_XU_Q, CTL_SV_Q, CTL_ST_Q, CTL_SX_Q, CTL_BX_Q, CTL_HV_Q)	Twelfth Census of the United States, 1900 - Vol. V	Sum
HRS_XU_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
HRS_XV_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
HRS_XW_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
HRS_XX_Q	Sum of the Variables (HRS_XU_Q, HRS_XV_Q, HRS_XW_Q)	Twelfth Census of the United States, 1900 - Vol. V	Sum
MUL_XU_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
MUL_XV_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
MUL_XW_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
MUL_XX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
SHP_XU_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
SHP_EX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
SHP_RX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
SHP_XX_Q	Sum of the Variables (SHP_XU_Q, SHP_EX_Q, SHP_RX_Q)	Twelfth Census of the United States, 1900 - Vol. V	Sum
SWN_XX_Q	Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CTL_XN_Q	Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
HRS_XN_Q	Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
SWN_XN_Q	Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project

MLK_XX_G	Table 44. Dairy Products of Farms and Ranges in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
BUT_XX_P	Table 44. Dairy Products of Farms and Ranges in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CHS_XX_P	Table 44. Dairy Products of Farms and Ranges in 1899, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
CHK_XX_Q	Table 47. Poultry and Eggs, and Bees, Honey, and Wax on Farms and Ranges, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
EGG_XX_D	Table 47. Poultry and Eggs, and Bees, Honey, and Wax on Farms and Ranges, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
WOL_XX_F	Table 49. Wool, Mohair and Goat Hair, Shorn in Fall of 1899 and Spring of 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
WOL_XX_P	Table 49. Wool, Mohair and Goat Hair, Shorn in Fall of 1899 and Spring of 1900, by Counties	Twelfth Census of the United States, 1900 - Vol. V	GP Project
FML_XX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
BLD_XX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
STK_XX_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR
AFP_XQ_V	Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties	Twelfth Census of the United States, 1900 - Vol. V	ICPSR