MATH 321: TRUTH TABLES

KAMERYN J. WILLIAMS

Here are the truth tables for the common logical connectives. The idea is, if we know the truth values of the inputs, then we know the truth value of the compound predicate.

 $\begin{array}{c|c}
P & \text{not } P \\
\hline
T & F \\
F & T
\end{array}$

P	Q	P and Q	P	Q	P or
Т	Т	T	Т	Т	Γ
\mathbf{T}	\mathbf{F}	F	${\rm T}$	F	Γ
\mathbf{F}	\mathbf{T}	F	\mathbf{F}	Τ	Γ
\mathbf{F}	\mathbf{F}	F	\mathbf{F}	F	F
P	Q	if P , then Q	P	Q	P if
Т	Т	T	Т	Т	Γ
\mathbf{T}	\mathbf{F}	F	${\rm T}$	F	F
\mathbf{F}	${ m T}$	${ m T}$	\mathbf{F}	\mathbf{T}	F
F	\mathbf{F}	${ m T}$	\mathbf{F}	F	Т

(Kameryn J. Williams) University of Hawai'i at Mānoa, Department of Mathematics, 2565 McCarthy Mall, Keller 401A, Honolulu, HI 96822, USA

 $E ext{-}mail\ address: kamerynw@hawaii.edu}$

 URL : http://kamerynjw.net

Date: February 2, 2021.

1