Customer Service Agent Empório da Música

Technical challenge · AI Engineer · Artefact

Author	Júlia Félix Giannandrea
Repository	https://github.com/juliafgiannandrea/agente-atendimento-artefact
Contents	Project README
Generated on	2026-11-04

Contents

README

- Documentation
- How to run
- How it works
- Technical decisions
- Conversation examples
- Known limitations
- With more time, I would
- Use of AI assistants
- Challenge checklist
- Repository structure

README

Versão em português: README.md.

Prototype of a text-message customer service agent for Empório da Música, a fictional musical instrument store in Campo Grande/MS, Brazil. Built by Júlia Félix Giannandrea as the technical challenge for the AI Engineer position at Artefact.

The agent answers the recurring questions that currently overload the staff (price, availability, order status, opening hours, exchanges, payment) by querying the store's data and its policy manual, in the store's tone and without making information up.

In short:

- **Strands agent** with a ReAct loop and 9 tools: recurring questions use closed-contract tools, and free-form, read-only SQL is kept as a last resort.
- **Data processed by a layered ETL** (bronze, silver, gold), with 21 data quality checks and an automatically generated report.
- **Policy manual curated into 9 sections.** The agent loads only the one it needs, and a test checks every value against the PDF.
- **Critical calculations and guardrails in code, not in the prompt:** prices, installments and deadlines reach the model already computed; identity verification and SQL restrictions do not depend on the model obeying.
- **Two channels:** terminal (CLI) and a Streamlit web interface, with cards built from the queried data and the agent's plan shown in real time.
- **216 automated tests** that run without an API key, plus a set of 36 questions to evaluate the answers.

Documentation

The detailed documents in `docs/` and the knowledge base in `kb/` are written in Portuguese.

Document	Contents
This README	How to run, technical decisions, limitations, AI usage and challenge checklist
`docs/arquitetura.md`	How the agent works internally, with diagrams
`docs/processo.md`	What was done at each stage, problems found and how they were solved
`docs/decisoes.md`	Decision log (D01 to D23) and assumptions (S01 to S07), with context and alternatives
`docs/uso-de-ia.md`	How I used AI assistants, stage by stage
`docs/data_quality.md`	Data quality report, generated by the ETL
`kb/pendencias_gerencia.md`	Contradictions and gaps in the manual, for the store management
`docs/documentacao.pdf`	**Full documentation in PDF (Portuguese):** README, architecture, process, decisions, AI usage and appendices

How to run

Prerequisites

- Python 3.11 or newer.
- An API key from one of the supported providers:

Provider	`PROVIDER`	`MODEL_ID` (example)	Key	Notes
Anthropic	`anthropic`	`claude-haiku-5-5`	`ANTHROPIC_API_KEY`, created at platform.claude.com	Paid (API credits). More reliable at choosing tools and following the persona
OpenRouter	`openrouter`	a model with the `:free` suffix and *tool calling* support	`OPENROUTER_API_KEY`, created at openrouter.ai	Free, limited to 20 requests per minute and 50 per day (1,000 per day for accounts that have purchased at least 10 credits)

No key is needed to run only the tests.

Installation

```
git clone https://github.com/juliafgiannandrea/agente-atendimento-artefact.git
cd agente-atendimento-artefact

python3 -m venv .venv
source .venv/bin/activate          # Windows: .venv\Scripts\activate
pip install -r requirements.txt

cp .env.example .env               # fill in PROVIDER, MODEL_ID and the provider's key
```

The `.env` file is kept out of Git. The other variables come with default values: `TEMPERATURE=0.2`, `MAX_TOKENS=1024`, `REFERENCE_DATE=2026-03-25` (simulated date for orders, see S01) and `DB_PATH=data/emporio.db`.

1. Build the database

```
python -m etl.pipeline
```

Reads the original files in `data/raw/` (which are never modified), generates `data/emporio.db` and updates the `docs/data_quality.md` report. It can be run as many times as you like: the database is rebuilt from scratch and the result is always the same.

To explore the database in a graphical interface (Linux):

```
sudo apt install sqlitebrowser
sqlitebrowser data/emporio.db
```

The `raw_*` tables are the source (bronze), the remaining tables are the cleaned layer (silver), and the `vw_catalogo` and `vw_pedidos` views are what the agent queries (gold). The result of each data quality check is stored in `dq_results`.

2. Chat through the web interface

```
streamlit run src/agente/ui/app.py
```

Opens the chat in the browser (by default at `http://localhost:8501`). Run the command from the repository root so that Streamlit uses the theme in `.streamlit/config.toml`.

Above the agent's text, cards built from the queried data are shown (product, product list, order with deadlines, opening hours, complaint ticket). For multi-step questions, the agent's plan appears as a checklist that gets ticked off in real time. The sidebar has sample questions and a "Nova conversa" (New conversation) button. Policy texts are not displayed, because the manual is internal store material.

The interface design was validated in a visual prototype before implementation. The prototype shows the initial design: in the final version, the cards were moved above the text and the excerpt of the consulted policy was removed from the screen (D21 and D23).

3. Chat through the terminal

```
python -m agente                  # new conversation
python -m agente --sessao maria   # creates or resumes the "maria" conversation (memory
across runs)
python -m agente --debug          # shows the tools used in each answer
```

On startup, the CLI makes a minimal call to the model to check the key, the model and the connection. If something is wrong, it explains the problem and exits (`--sem-verificacao` skips this check). During the conversation, `/exportar` saves the dialogue as Markdown in `exemplos/` and `/sair` exits.

4. Run the tests

```
pytest
```

The tests use a temporary database and do not modify `data/` or `docs/`. The agent is tested with a scripted model that simulates the tool calls, so **no API key is needed**.

5. Knowledge base (optional)

The policy base already comes ready in `kb/`. To redo the PDF extraction, for example when the manual is updated:

```
python -m etl.extrair_politicas
```

Generates `kb/_fonte/manual_extraido.md`. The sections in `kb/politicas/` are curated from this text and reviewed by hand.

6. Generate the PDFs (optional)

```
pip install -r requirements-docs.txt
playwright install chromium
python docs/gerar_pdf.py
```


Generates `docs/Júlia Félix - AI Engineer — Full-Stack para Aplicações com IA Generativa.pdf`, with this README only, and `docs/documentacao.pdf`, with the full documentation in Portuguese. Both are always built from the `.md` files, so they never diverge from the repository.

Common issues

Symptom	Likely cause and fix
"Configuração incompleta: PROVIDER inválido" (incomplete configuration: invalid PROVIDER)	`.env` missing or without `PROVIDER`. Run `cp .env.example .env` and fill it in
"Limite de requisições atingido" (rate limit reached)	Free model limit. Wait, change the `MODEL_ID` or use credits/Anthropic
"O provedor recusou este modelo" (the provider rejected this model)	Some free models only accept apps registered on OpenRouter. Change the `MODEL_ID`
"Banco não encontrado em .../data/emporio.db" (database not found) on startup	Run `python -m etl.pipeline` before chatting

---

How it works



In the preparation phase, the CSVs become a cleaned and validated SQLite database, and the manual becomes 9 reviewed Markdown sections. During customer service, the model decides which tools to call, the tools query the database or the policy base and return data already computed, and the model writes the answer. The details, including a step-by-step walkthrough of a return request, are in `docs/arquitetura.md`.

Technical decisions

The challenge asks for a justification of each choice. A summary is below; the full log, with context and discarded alternatives, is in `docs/decisoes.md`.

Agent framework and approach: Strands Agents, hybrid (D01, D16, D20)

ReAct loop with *function calling*, on Strands Agents. Strands is provider-agnostic, turns Python functions into tools and already ships the reasoning loop, so the effort went into what sets the agent apart: tools, context and guardrails. It is also the framework I use at work.

The approach is **hybrid**:

- **Closed-contract tools** for the recurring questions (product, catalog search, order, policy, opening hours, complaint). With typed parameters, the model makes fewer mistakes and cannot bypass rules.
- **Restricted SQL agent** as a last resort, for questions the tools don't anticipate (filtering by specification, counting, comparing): it first reads the schema documentation, then queries, only the catalog and read-only.
- **Explicit planning** (`planejar`) only for questions with multiple sources, with a missing-information field that leads the model to ask instead of assuming. The plan is visible in the interface.

Model and provider: configurable, Anthropic or OpenRouter (D02)

`PROVIDER` and `MODEL_ID` in `.env` select the model, and only the `build_model()` function knows the provider. OpenRouter's free models let anyone run the project at no cost, but they vary in tool support and have a daily limit. Claude (Anthropic) is more reliable at choosing tools, following the persona and respecting guardrails, and is the recommended option for the final conversations. Development and testing were done with `nvidia/nemotron-3.5-lightning:free`, free on OpenRouter (see Limitations). The temperature is low (0.2), because customer service calls for consistency, not creativity.

Retrieval architecture: two sources, no vector database (D15, D16)

- **Structured data** (catalog, promotions, orders) comes from SQLite through the tools, with values computed in code.
- **Policies** come from 9 Markdown sections. The prompt carries only the index (generated from the headings), and the agent loads the section it needs (progressive disclosure).

I did not use vector RAG because, with 9 short sections, a hand-written index is more precise than similarity search, does not cut a rule in half, and makes it auditable which section backed each answer. Putting the whole manual in the prompt would also fit, but it would mix rules from different subjects into every answer. With a much larger manual, vector search would become worthwhile.

Prompt strategy (D17, D18, D22, D23)

The system prompt is assembled in layers:

1. persona and non-negotiable principles (`kb/soul.md` , written from the tone guidelines in the manual);
2. a "the question is about... → tool" table and usage rules;
3. format per channel;
4. policy index;
5. reference date.

Three principles guide the rest:

- **The prompt guides, the code enforces.** What is critical (privacy, values, SQL) is guaranteed in the tools.
- **The model doesn't do math.** It repeats ready-made values.
- **The agent answers, it doesn't execute.** It does not offer to reserve, sell or notify later. It asks only for what is missing to answer and, when something depends on the staff, points to the right channels. The only action is registering a complaint, which the manual requires.

Interface: CLI and Streamlit web app (D04, D21)

I started with the CLI, which is faster to build and test. With the agent ready, I built the Streamlit web interface, reusing the same agent. The interface cards are built **from the tool results, not from the model's text**: the model has no way of inventing a card, and the reviewer sees exactly which data backed the answer.

Conversation history persistence (D18)

- **Within a conversation:** the history lives in the agent, with a sliding window of 40 messages, which keeps the context without exceeding the model's limit.
- **In the CLI:** `--sessao <id>` saves the conversation to disk (outside Git) and allows it to be resumed.
- **On the web:** each browser tab has its own conversation, which is lost when the page is reloaded.

I deliberately did not persist the web history. Storing conversations with personal data on a server would require authentication and a retention policy, which goes beyond a prototype.

Data processing (D09 to D14)

Layered ETL inside SQLite, rebuilt from scratch on every run. The original files are never modified. Inconsistencies are **flagged, not silently fixed**: the original value is kept, and the flag and the treatment sit beside it and in the report. Business rules (availability, active promotion, PIX, installments, deadlines) live in a single module, used by both the ETL and the agent, with `Decimal` for monetary values.

Assumptions

The challenge asks for ambiguities to be resolved with a reasonable, documented interpretation. The main ones:

	Assumption	Why
S01	Orders evaluated on a **simulated date, 2026-03-25**, configurable in `.env`	Orders go up to March 2026. With the real date, all of them would be months late and outside any deadline, and the deadline-reasoning cases would disappear. Store opening hours use the real clock
S02	Installments follow the **ranges in section 3.1** of the manual	The manual contradicts itself; section 3.1 is the specific rule
S03	WhatsApp **(67) 3321-4500**, phone (67) 3341-4444	The manual lists two numbers; the one in the channel's own section prevails
S04	**Status takes precedence over stock**	A product that is "coming soon" or discontinued is not sold, even if in stock
S05	Order details only after confirming **full name and phone or e-mail**	Privacy (LGPD, Brazil's data protection law); there are customers with similar names in the database
S06	With **two active promotions** on the same product, neither applies	Picking one would be a commercial decision made by the system; the ETL alerts the staff
S07	E-mail address **without accents**	The manual has two spellings; accented domains rarely work

The manual's contradictions and gaps were collected in `kb/pendencias_gerencia.md`, as if they were being brought to the store management.


Conversation examples

The sample conversation in text form is in `exemplos/conversa.md`, generated in stage 6 (evaluation). It covers 5 scenarios, recorded in a single CLI session:


Scenario	Why it matters
Acoustic guitars available up to R$ 1,000	Catalog search with combined filters (category, price, status, stock)
Change-of-mind return for order 4	Non-trivial: identity verification, order data and policy together, with computed deadlines
Out-of-stock product (Giannini GF-3D)	Similar alternatives, as the manual requires
Out-of-scope question and prompt injection attempt	Light-touch refusal and protection of customer data
Address, opening hours and "are you open now?"	Policy plus the real clock in the store's time zone

In the web interface


Real-time progress. While the agent works, the answer shows the current step. For questions with multiple sources, the plan appears as a checklist that gets ticked off.



Late order with a complaint. The agent verifies the identity, looks up the order and registers the complaint. The order card shows the delay computed on the reference date, and the ticket card shows the complaint number and the response deadline.



Product on promotion. The product card shows the original price, the discount, the PIX price (which does not stack with the promotion) and the maximum number of installments within the ranges in section 3.1 of the manual. All values are computed by the tool, not by the model.



Known limitations

- **Simulated date.** Order deadlines use 2026-03-25 (S01). With current data, just change `REFERENCE_DATE`.
- **Quality depends on the model, and I only tested one in depth.** I developed and tested with `nvidia/nemotron-3.5-lightning:free`, free on OpenRouter. It is an open-weights *mixture-of-experts* model from NVIDIA (30 billion parameters, 3 billion active per token), and Portuguese is not among its

officially supported languages (English, Spanish, French, German, Italian and Japanese). Several deviations observed in testing come from the model, not from the solution's rules:

  - ignoring warnings returned by the tools (for example, treating the estimated delivery date as the actual delivery date, despite the explicit warning in the result);
  - not calling the planning tool for multi-source questions, as the prompt instructs;
  - offering actions the prompt forbids ("if you'd like to close the purchase, just tell me...") and asking refinement questions;
  - Portuguese errors, such as non-existent words ("boawill") and agreement mistakes ("cordo de aço").

  What is critical does not depend on the model: values, deadlines, identity verification and SQL restrictions are guaranteed in code, and the interface cards show the source data. The wording of the answer, however, belongs to the model. Some of these deviations can also be reduced within the solution, and the fixes are described in the evaluation (stage 6 of `docs/processo.md`).

- **No output evaluator.** No step checks the final text against the tool results before sending it. The interface cards mitigate this by showing the source data.
- **Simple identity verification.** Name and phone or e-mail are not secrets. In a real system, orders would be looked up through an authenticated channel or with a code sent to the customer.
- **No real handoff to the staff.** Complaints are stored in a local SQLite database, with no notification to anyone. When something depends on the staff, the agent points to the channels but does not transfer the conversation.
- **No memory across sessions.** The web conversation is lost when the page is reloaded, on purpose (see Conversation history persistence), and the agent does not remember previous interactions with the same customer.
- **Plan progress is approximate.** The plan steps are free text from the model, and the interface ticks off one step for each completed tool call. It is an indication of progress, not exact tracking.
- **Hand-curated knowledge base.** If the manual changes, the sections need to be reviewed again. The tests catch values that are not in the PDF, but not rules that were left out.
- **Catalog and manual diverge.** The manual mentions wind and orchestral string instruments, but the system has no products in those categories. The agent follows the system.
- **Holidays not registered.** The manual does not list them, so "are you open?" only considers the day of the week and the time.
- **Prototype scale.** SQLite, a single process and in-memory sessions. It works for the challenge, not for many simultaneous conversations.

With more time, I would

Answer quality

- An **output evaluator** that checks values, dates and claims in the text against the tool results before sending.
- **Observability and evaluation to compare models.** Traces of each conversation (Strands exports OpenTelemetry: tools called, latency, tokens and cost) and an automated run of the 36 test questions

on every change to the prompt, tools or model, with rules for what is verifiable and an LLM judge for the qualitative criteria. That would make it possible to test several models on the same set, see how each one behaves (tool choice, adherence to the persona, Portuguese) and choose based on data. I couldn't do this comparison because I used free OpenRouter models and requests, limited to 50 per day: each question takes 3 to 5 model calls, so a single full run already exceeds 100 requests and the limit runs out quickly. That is why I only tested Nemotron 3.5 Lightning in depth, which is not optimized for Portuguese. Some of the deviations described in the limitations are expected to decrease with larger models or models with better Portuguese support, and that is exactly what this comparative evaluation would measure.

Customer experience

- **Memory persisted across sessions:** the customer comes back another day, or through another channel, and the agent remembers the conversation and what was already shared (order in progress, product of interest, open complaint). Today memory lasts only for the conversation; in the CLI, `--sessao` saves to local disk. In production, sessions would live in managed storage (Strands already has a session manager for S3), tied to an authenticated customer, with retention and deletion in line with the LGPD and personal data kept separate from the catalog.

Operations

- **Production monitoring:** cost and latency per answer, usage rate of each tool and alerts on provider failures.
- **Real handoff to the staff:** integration with the WhatsApp Business API and a human support queue, with complaints notified to the person in charge.
- **Production deployment:** a Docker container on ECS/Fargate or Lambda, keys in a secrets manager and the model via Amazon Bedrock.
- **Prompt caching** (the system prompt is fixed) to reduce cost and latency.

Security and data

- **Strong identity** for order lookups (code via SMS or e-mail) and a prompt injection classifier on the input.
- **Production ETL:** incremental loading, orchestration (Airflow) and validation with Pandera or Great Expectations once the data comes from a live system.
- **Versioned knowledge base,** with a management approval flow for every change to the manual, and vector search if the manual grows.

Use of AI assistants

I used **Claude (Anthropic)**, in the app connected to the project folder, as a work partner throughout the challenge. The detailed, stage-by-stage log is in `docs/uso-de-ia.md`.

My workflow:

1. **My own understanding first.** I read the challenge and the data and wrote my notes before involving AI.
2. **Full context.** I gave Claude access to the materials and my notes and asked it to understand everything before we started.

3. **Plan critiqued and validated.** It pointed out weak spots in my plan, and I decided the final order of the stages.
4. **Discussion before implementation.** At each stage, it laid out options and trade-offs, I decided, and only then did it implement.
5. **Small, reviewed pieces.** Each piece was reviewed by me, tested and committed by me.

Division of responsibilities:

- **Decisions are mine** and are recorded as such in `docs/decisoes.md`.
- **Code and documentation were written by Claude** based on our discussions and reviewed by me.
- **Commits and pull requests are mine.**

AI tools used beyond the conversation:

- **Claude Skills:** PDF reading, data exploration and validation, system design and documentation.
- **Visual prototype of the interface,** to validate the design before writing code.
- **Visual verification:** Claude ran the interface in an automated browser and checked the screens through screenshots, which revealed bugs the tests did not catch.

Human review made a difference at several points. In the first curation pass, interpretations had slipped into the policy text as if they came from the manual, and they were separated out after a line-by-line review I requested. The adjustments to the agent's behavior (not offering actions, not asking unnecessary questions, not showing internal policies) came from me using the agent as a customer.

Challenge checklist

Challenge requirement	How it was addressed	Status
Python as the main language	The whole project (ETL, agent, interface, tests)	Done
Adopt a persona aligned with the store	`kb/soul.md`, based on the manual's tone guidelines (section 7.1)	Done
Answer based on the provided context	Tools over the cleaned CSVs and a policy base curated from the PDF	Done
Know when to query data and when to query policies	Routing table in the prompt, policy index, `planejar` for questions involving both sources	Done
Handle out-of-scope questions	Scope principle in the persona; out-of-scope, accessories and prompt injection cases in the test set	Done
Justify framework, model, retrieval, prompt, interface, persistence and data	"Technical decisions" section and `docs/decisoes.md`	Done
Document assumptions when facing ambiguity	S01 to S07 and `kb/pendencias_gerencia.md`	Done
README with instructions to run	"How to run" section, tested on a clean copy	Done
Known limitations and what I would do with more time	Sections above	Done

Challenge requirement	How it was addressed	Status
Use of coding assistants	Section above and `docs/uso-de-ia.md`	Done
Public repository with a real commit history	One branch and one pull request per stage, with merge commits, no force-push	Done
3 to 5 sample conversations, at least one non-trivial	5 scenarios in `exemplos/conversa.md`, including the return of order 4 (identity, order data and policy together), and web interface screenshots on this page	Done
PDF of the README and documentation (Written Case)	`docs/Júlia Félix - AI Engineer — Full-Stack para Aplicações com IA Generativa.pdf` (this README, submission file) and `docs/documentacao.pdf` (full documentation, in Portuguese), generated by `python docs/gerar_pdf.py`	Done

---

Repository structure

```
data/raw/            original CSVs and policy PDF, untouched
etl/                 schema, pipeline, data quality checks, report and PDF extraction
kb/                  knowledge base: policies by section, persona, index,
                     database schema and open issues for the management
src/agente/          agent (Strands), business rules, prompt and CLI
src/agente/tools/    the agent's 9 tools
src/agente/ui/       web interface (Streamlit)
tests/               automated tests (pytest) and scripted model
tests/eval_set/      test questions with expected answers
docs/                architecture, process, decisions, AI usage, quality report and PDF
exemplos/            sample conversation with the 5 scenarios (stage 6)
```