Atividade 03 - Avaliação
Nome: Juliana de Freitas Pereira

Topologia:

R1
192.168.30.0/24 via 192.168.10.2

192.168.40.0/24 via 192.168.20.2

R2
192.168.10.0/24 via 192.168.20.1

192.168.30.0/24 via 192.168.40.2

Pings:

Physical   Config   Desktop   Programming

Command Prompt

```
Reply from 192.168.20.1: bytes=32 time<1ms TTL=255
Reply from 192.168.20.1: bytes=32 time<1ms TTL=255
Reply from 192.168.20.1: bytes=32 time<1ms TTL=255
Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.20.2

Pinging 192.168.20.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.20.2: bytes=32 time<1ms TTL=254
Reply from 192.168.20.2: bytes=32 time<1ms TTL=254
Reply from 192.168.20.2: bytes=32 time<1ms TTL=254

Ping statistics for 192.168.20.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.30.1

Pinging 192.168.30.1 with 32 bytes of data:

Reply from 192.168.30.1: bytes=32 time<1ms TTL=254
Reply from 192.168.30.1: bytes=32 time<1ms TTL=254
Reply from 192.168.30.1: bytes=32 time=1ms TTL=254
Reply from 192.168.30.1: bytes=32 time<1ms TTL=254

Ping statistics for 192.168.30.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.30.2

Pinging 192.168.30.2 with 32 bytes of data:
```

☐ Top

Physical   Config   Desktop   Programming

Command Prompt

```
C:\>ping 192.168.30.2

Pinging 192.168.30.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.30.2: bytes=32 time<1ms TTL=253
Request timed out.
Reply from 192.168.30.2: bytes=32 time<1ms TTL=253

Ping statistics for 192.168.30.2:
    Packets: Sent = 4, Received = 2, Lost = 2 (50% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.40.1

Pinging 192.168.40.1 with 32 bytes of data:

Reply from 192.168.40.1: bytes=32 time<1ms TTL=254
Reply from 192.168.40.1: bytes=32 time<1ms TTL=254
Reply from 192.168.40.1: bytes=32 time<1ms TTL=254
Reply from 192.168.40.1: bytes=32 time<1ms TTL=254

Ping statistics for 192.168.40.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.40.2

Pinging 192.168.40.2 with 32 bytes of data:

Reply from 192.168.40.2: bytes=32 time<1ms TTL=253
Reply from 192.168.40.2: bytes=32 time=1ms TTL=253
Reply from 192.168.40.2: bytes=32 time<1ms TTL=253
Reply from 192.168.40.2: bytes=32 time<1ms TTL=253

Ping statistics for 192.168.40.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

☐ Top

Physical   Config   Desktop   Programming

Command Prompt

```
Pinging 192.168.60.1 with 32 bytes of data:

Reply from 192.168.60.1: bytes=32 time<1ms TTL=253
Reply from 192.168.60.1: bytes=32 time<1ms TTL=253
Reply from 192.168.60.1: bytes=32 time<1ms TTL=253
Reply from 192.168.60.1: bytes=32 time<1ms TTL=253

Ping statistics for 192.168.60.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.60.2

Pinging 192.168.60.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.60.3

Pinging 192.168.60.3 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.3: bytes=32 time1ms TTL=125
Reply from 192.168.60.3: bytes=32 time<1ms TTL=125
Reply from 192.168.60.3: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.3:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.60.4
```

☐ Top

Physical   Config   Desktop   Programming

Command Prompt

```
Pinging 192.168.60.3 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.3: bytes=32 time1ms TTL=125
Reply from 192.168.60.3: bytes=32 time<1ms TTL=125
Reply from 192.168.60.3: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.3:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.60.4

Pinging 192.168.60.4 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.4:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.60.5

Pinging 192.168.60.5 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.5: bytes=32 time<1ms TTL=125
Reply from 192.168.60.5: bytes=32 time<1ms TTL=125
Reply from 192.168.60.5: bytes=32 time=2ms TTL=125

Ping statistics for 192.168.60.5:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 2ms, Average = 0ms

C:\>
```

☐ Top

Servidor web:

## Servidor FTP:

Acesso ao FTP:

## Acesso ao site com endereço salvo no DNS:

PC0 DHCP:

PC1 DHCP:

Ping servidor com endereço salvo no DNS:

Pings rede 192.168.70.0:

Physical   Config   Desktop   Programming

Command Prompt

```
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>ping 192.168.70.1

Pinging 192.168.70.1 with 32 bytes of data:

Reply from 192.168.70.1: bytes=32 time<1ms TTL=255
Reply from 192.168.70.1: bytes=32 time<1ms TTL=255
Reply from 192.168.70.1: bytes=32 time<1ms TTL=255
Reply from 192.168.70.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.70.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.70.2

Pinging 192.168.70.2 with 32 bytes of data:

Reply from 192.168.70.2: bytes=32 time=11ms TTL=253
Reply from 192.168.70.2: bytes=32 time=9ms TTL=253
Reply from 192.168.70.2: bytes=32 time=7ms TTL=253
Reply from 192.168.70.2: bytes=32 time=10ms TTL=253

Ping statistics for 192.168.70.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 7ms, Maximum = 11ms, Average = 9ms

C:\>
```

☐ Top

>

Serial DTE

Toggle PDU List Window