

Realizando comunicação com a API

The screenshot shows the Postman interface with a GET request to `http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart`. The response is displayed in the Body tab, showing a JSON object with a shopping cart and a list of items.

```
{
  "shopping_cart": 1,
  "sku": [
    "demo_2",
    "demo_1",
    "demo_7"
  ],
  "color": [
    "Black",
    "Orange",
    "Yellow"
  ]
}
```

Cadastrando um produto com id já existente, a API identifica e cadastra com um ID sequencial

The screenshot shows the Postman interface with a POST request to `http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart`. The request body is a JSON object with an existing ID. The response is displayed in the Body tab, showing a new JSON object with a sequential ID.

```
{
  "id": "96",
  "createdAt": "2020-10-01T12:09:04.690Z",
  "name": "Kendrick Stiedemann",
  "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
  "shopping_cart": 1,
  "sku": [
    "demo_2",
    "demo_1"
  ]
}
```

The response shows a new ID, "99", indicating that the API automatically generated a new ID for the product.

Pesquisando produto pelo ID

Launchpad GET Checag... GET Comuni... X POST Cadast... PUT Alteran... DEL Deletando API Local

Comunicando Examples 0 BUILD

GET http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart/96 Send Save

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies Code

Query Params

| KEY | VALUE | DESCRIPTION | ... | Bulk Edit |
|-----|-------|-------------|-----|-----------|
| Key | Value | Description | | |

Body Cookies Headers (12) Test Results Status: 200 OK Time: 510 ms Size: 729 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "96",
3   "createdAt": "2020-10-01T12:09:04.690Z",
4   "name": "Kendrick Stiedemann",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
6   "shopping_cart": 2,
7   "sku": [
8     "demo_8",
9     "demo_9",
10    "demo_7"
11  ]
12 }
```

Launchpad GET Checag... GET Comuni... POST Cadast... PUT Alteran... DEL Deletando API Local

Comunicando Examples 0 BUILD

GET http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart/99 Send Save

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies Code

Query Params

| KEY | VALUE | DESCRIPTION | ... | Bulk Edit |
|-----|-------|-------------|-----|-----------|
| Key | Value | Description | | |

Body Cookies Headers (12) Test Results Status: 200 OK Time: 191 ms Size: 728 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "99",
3   "createdAt": "2020-10-01T12:09:04.690Z",
4   "name": "Kendrick Stiedemann",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
6   "shopping_cart": 1,
7   "sku": [
8     "demo_2",
9     "demo_1",
10    "demo_7"
11  ]
12 }
```

Alterando cadastro

Launch...GET Chec...GET Com...POST Cad...PUT Alter...DEL Delet...PUT Alter...

API Local

Alterando

Examples 0BUILD

PUT

http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart/99

SendSave

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

Beautify

```
1 {
2   "id": "99",
3   "createdAt": "2020-10-01T12:09:04.690Z",
4   "name": "Stiedemann",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
6   "shopping_cart": 1,
7   "sku": [
8     "demo_8",
```

BodyCookiesHeaders (11)Test Results

Status: 200 OKTime: 492 msSize: 699 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": "99",
3   "createdAt": "2020-10-01T12:09:04.690Z",
4   "name": "Stiedemann",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
6   "shopping_cart": 1,
```

BootcampBuildBrowse

Deletando Cadastro

Launch...GET Chec...GET Com...POST Cad...PUT Alter...DEL Delet...PUT Alter...

API Local

Deletando

Examples 0BUILD

DELETE

http://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart/99

SendSave

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Query Params

| KEY | VALUE | DESCRIPTION |
|-----|-------|-------------|
| Key | Value | Description |

...Bulk Edit

BodyCookiesHeaders (11)Test Results

Status: 200 OKTime: 553 msSize: 699 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": "99",
3   "createdAt": "2020-10-01T12:09:04.690Z",
4   "name": "Stiedemann",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/vc27/128.jpg",
6   "shopping_cart": 1,
7   "sku": [
8     "demo_8",
9     "demo_1"
```

BootcampBuildBrowse

É possível pesquisar e alterar por qualquer cadastrado dentro da API, por não conter usuário de cadastro

Launch...GET Chec...GET Com... XPOST Cad...PUT Alter... ●DEL Delet... ●PUT Alter...+...

API Local

Comunicando

Examples 0BUILD

GEThttp://5d9cc58566d00400145c9ed4.mockapi.io/shopping_cart/80SendSave

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettingsCookiesCode

Query Params

| KEY | VALUE | DESCRIPTION | ... | Bulk Edit |
|-----|-------|-------------|-----|-----------|
| Key | Value | Description | | |

BodyCookiesHeaders (12)Test Results

Status: 200 OKTime: 175 msSize: 574 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": "80",
3   "createdAt": "2020-08-19T17:43:23.949Z",
4   "name": "Alex Jacobs III",
5   "avatar": "https://s3.amazonaws.com/uifaces/faces/twitter/carlosgavina/128.jpg",
6   "blue": ""
7 }
```

BootcampBuildBrowse