

Final Activity #4

PART A: PHP if Statements


Lab 1: Basic If Statement

```
<!DOCTYPE html>
<html>
<body>

<?php
$age = 18;

if ($age >= 18) {
    echo "You are eligible to vote";
}
?>

</body>
</html>
```



Lab 2: If-Else Statement

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form method="POST">
```

```
    Enter Number: <input type="number" name="num">
```

```
    <input type="submit" value="Check">
```

```
</form>
```

```
<?php
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $num = $_POST["num"];
```

```
    if ($num >= 0) {
```

```
        echo "Positive number";
```

```
    } else {
```

```


        echo "Negative number";
    }
}
?>

```

```

</body>
</html>

```



Lab 3: If-Elseif Statement

```

<!DOCTYPE html>
<html>
<head>
    <title>Grade Checker Form</title>
</head>
<body>

```

```

<div style="width:320px; margin:auto; border:1px solid #000; padding:15px;">

```

```

<h2 style="text-align:center;">Student Grade Checker</h2>

```

```

<form method="POST">

```

```

<label>Name:</label><br>
<select name="name" required style="width:100%; padding:5px;">
  <option value="">-- Select Name --</option>
  <option value="Manalo">Manalo</option>
  <option value="Nocido">Nocido</option>
  <option value="Pablo">Pablo</option>
  <option value="Mindalano">Mindalano</option>
  <option value="Malabanan">Malabanan</option>
  <option value="Bordeos">Bordeos</option>
</select>
<br><br>

<label>Grade:</label><br>
<input type="number" name="grade" min="0" max="100" required style="width:100%;
padding:5px;">
<br><br>

<input type="submit" value="Check Grade" style="width:100%; padding:7px;">

</form>

<br>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $name = $_POST["name"];
    $grade = $_POST["grade"];

    echo "<div style='margin-top:10px; padding:10px; border:1px solid green;'>";

    echo "Name: <b>$name</b><br>";

    if ($grade >= 90) {
        echo "Result: <b>Excellent</b>";
    } elseif ($grade >= 80) {
        echo "Result: <b>Good</b>";
    } elseif ($grade >= 70) {
        echo "Result: <b>Average</b>";
    } else {
        echo "Result: <b>Failed</b>";
    }

    echo "</div>";
}


```

```
}  
?>
```

```
</div>
```

```
</body>
```

```
</html>
```



Lab 4: Even or Odd Checker

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form method="POST">
```

```
    Number: <input type="number" name="num">
```

```
    <input type="submit" value="Check">
```

```
</form>
```

```
<?php
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```


$num = $_POST["num"];

if ($num % 2 == 0) {
    echo "Even Number";
} else {
    echo "Odd Number";
}
}
?>

```

```
</body>
```

```
</html>
```



Lab 5: Largest of Three Numbers

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form method="POST">
```

```
    A: <input type="number" name="a"><br>
```

```
    B: <input type="number" name="b"><br>
```

```
    C: <input type="number" name="c"><br>
```

```
<input type="submit" value="Find Largest">
</form>
```

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $a = $_POST["a"];
    $b = $_POST["b"];
    $c = $_POST["c"];
```

```
    if ($a >= $b && $a >= $c) {
        echo "Largest: $a";
    } elseif ($b >= $a && $b >= $c) {
        echo "Largest: $b";
    } else {
        echo "Largest: $c";
    }
}
?>
```

```
</body>
</html>
```

The screenshot shows a web browser window with a dark theme. The address bar shows a local file path. The page content is a form with three input fields labeled A, B, and C, and a submit button labeled "Find Largest". The form is submitted, and the output is displayed below the form: "Largest: 25". The browser's developer tools are open, showing the HTML and PHP code that generated the page. The code is the same as the one provided in the previous blocks. The browser's status bar at the bottom shows "Result Size: 818 x 868" and a link to "Get your own PHP server".

Run > Result Size: 818 x 868 Get your own PHP server

<!DOCTYPE html>
<html>
<body>

<form method="POST">
 A: <input type="number" name="a">

 B: <input type="number" name="b">

 C: <input type="number" name="c">

 <input type="submit" value="Find Largest">
</form>

<?php
if (\$_SERVER["REQUEST_METHOD"] == "POST") {
 \$a = \$_POST["a"];
 \$b = \$_POST["b"];
 \$c = \$_POST["c"];

 if (\$a >= \$b && \$a >= \$c) {
 echo "Largest: \$a";
 } elseif (\$b >= \$a && \$b >= \$c) {
 echo "Largest: \$b";
 } else {
 echo "Largest: \$c";
 }
}
}
?
</body>
</html>

A: 10
B: 25
C: 15
Find Largest

Largest: 25

Lab 6: Password Checker

```
<!DOCTYPE html>
<html>
<body>


<form method="POST">
  Password: <input type="text" name="pass">
  <input type="submit" value="Login">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $pass = $_POST["pass"];

    if ($pass == "admin123") {
        echo "Access Granted";
    } else {
        echo "Access Denied";
    }
}
?>

</body>
</html>
```

Lab 7: Leap Year Checker

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form method="POST">
```

```
    Year: <input type="number" name="year">
```

```
    <input type="submit" value="Check">
```

```
</form>
```

```
<?php
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $year = $_POST["year"];
```

```
    if (($year % 4 == 0 && $year % 100 != 0) || ($year % 400 == 0)) {
```

```
        echo "Leap Year";
```

```
    } else {
```

```
        echo "Not Leap Year";
```


```
    }
```

```
}
```

```
?>
```

```
</body>
```

```
</html>
```



Lab 8: Nested If

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form method="POST">
```

```
  Age: <input type="number" name="age"><br>
```

```
  Citizenship: <input type="text" name="citizen"><br>
```

```
  <input type="submit" value="Check">
```

```
</form>
```

```
<?php
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $age = $_POST["age"];
```

```
    $citizen = $_POST["citizen"];
```

```
    if ($age >= 18) {
```

```
        if ($citizen == "Filipino") {
```

```
            echo "Eligible to vote";
```


```
        } else {
```

```

        echo "Not eligible (Not Filipino)";
    }
} else {
    echo "Not eligible (Below 18)";
}
}
?>

</body>
</html>

```



Lab 9: Discount Calculator

```

<!DOCTYPE html>
<html>
<body>

<form method="POST">
    Amount: <input type="number" name="amount">
    <input type="submit" value="Check Discount">
</form>

```

```

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $amount = $_POST["amount"];

    if ($amount >= 1000) {
        echo "20% Discount";
    } elseif ($amount >= 500) {
        echo "10% Discount";
    } else {
        echo "No Discount";
    }
}
?>

```

```


</body>

```

```

</html>

```



Lab 10: Simple Login System

```

<!DOCTYPE html>

```

```
<html>
<body>


<form method="POST">
  Username: <input type="text" name="user"><br>
  Password: <input type="text" name="pass"><br>
  <input type="submit" value="Login">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $user = $_POST["user"];
    $pass = $_POST["pass"];

    if ($user == "admin" && $pass == "1234") {
        echo "Login Successful";
    } else {
        echo "Login Failed";
    }
}
?>

</body>
</html>
```



◆ PART B: PHP switch Statements

Lab 11: Day of the Week


```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
  Number (1-7): <input type="number" name="day">
  <input type="submit" value="Check">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    switch($_POST["day"]) {
        case 1: echo "Monday"; break;
        case 2: echo "Tuesday"; break;
        case 3: echo "Wednesday"; break;
        case 4: echo "Thursday"; break;
        case 5: echo "Friday"; break;
        case 6: echo "Saturday"; break;
        case 7: echo "Sunday"; break;
        default: echo "Invalid";
    }
}
?>

</body>
</html>
```



Lab 12: Grade Description

```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
  Grade (A-F): <input type="text" name="grade">
  <input type="submit" value="Check">
</form>


<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

  switch($_POST["grade"]) {
    case "A": echo "Excellent"; break;
    case "B": echo "Good"; break;
    case "C": echo "Average"; break;
    case "D": echo "Poor"; break;
    case "F": echo "Failed"; break;
    default: echo "Invalid";
  }
}
```


?>

</body>

</html>



Lab 13: Simple Calculator

<!DOCTYPE html>

<html>

<body>

<form method="POST">

Num1: <input type="number" name="a">

Num2: <input type="number" name="b">

Operator: <input type="text" name="op">

<input type="submit" value="Calculate">

</form>

<?php

if (\$_SERVER["REQUEST_METHOD"] == "POST") {

\$a = \$_POST["a"];

\$b = \$_POST["b"];

```

$op = $_POST["op"];


switch($op) {
    case "+": echo $a + $b; break;
    case "-": echo $a - $b; break;
    case "*": echo $a * $b; break;
    case "/": echo $a / $b; break;
    default: echo "Invalid operator";
}
}
?>

```

```

</body>
</html>

```



Lab 14: Menu Selection

```

<!DOCTYPE html>
<html>
<body>

<form method="POST">


```

```
Select (1-3): <input type="number" name="menu">
<input type="submit" value="Go">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    switch($_POST["menu"]) {
        case 1: echo "Add"; break;
        case 2: echo "Edit"; break;
        case 3: echo "Delete"; break;
        default: echo "Invalid";
    }
}
?>

</body>
</html>
```



Lab 15: Month Name Generator


```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
  Month (1-12): <input type="number" name="month">
  <input type="submit" value="Check">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    switch($_POST["month"]) {
        case 1: echo "January"; break;
        case 2: echo "February"; break;
        case 3: echo "March"; break;
        case 4: echo "April"; break;
        case 5: echo "May"; break;
        case 6: echo "June"; break;
        case 7: echo "July"; break;
        case 8: echo "August"; break;
        case 9: echo "September"; break;
        case 10: echo "October"; break;
        case 11: echo "November"; break;
        case 12: echo "December"; break;
        default: echo "Invalid";
    }
}
?>

</body>
</html>
```



Lab 16: Traffic Light System

```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
  Color: <input type="text" name="color">
  <input type="submit" value="Check">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

  switch($_POST["color"]) {
    case "red": echo "Stop"; break;
    case "yellow": echo "Ready"; break;
    case "green": echo "Go"; break;
```

```
        default: echo "Invalid color";
    }
}
?>
```

</body>

</html>

The screenshot shows a web application interface with two main panes. The left pane displays the PHP code, and the right pane shows the rendered HTML form.

PHP Code (Left Pane):

```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
    Color: <input type="text" name="color">
    <input type="submit" value="Check">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    switch($_POST["color"]) {
        case "red": echo "Stop"; break;
        case "yellow": echo "Ready"; break;
        case "green": echo "Go"; break;
        default: echo "Invalid color";
    }
}
?>
```

Rendered Form (Right Pane):

Color:

The right pane also displays the text "Result Size: 818 x 868" and a link "Get your own PHP server".