Boring but important disclaimers:

If you are not getting this from the GitHub repository or the associated Canvas page (e.g. CourseHero, Chegg etc.), you are probably getting the substandard version of these slides Don't pay money for those, because you can get the most updated version for free at

https://github.com/julianmak/academic-notes

The repository principally contains the compiled products rather than the source for size reasons.

- Associated Python code (as Jupyter notebooks mostly) will be held on the same repository. The source data however might be big, so I am going to be naughty and possibly just refer you to where you might get the data if that is the case (e.g. JRA-55 data). I know I should make properly reproducible binders etc., but I didn't...
- ▶ I do not claim the compiled products and/or code are completely mistake free (e.g. I know I don't write Pythonic code). Use the material however you like, but use it at your own risk.
- As said on the repository, I have tried to honestly use content that is self made, open source or explicitly open for fair use, and citations should be there. If however you are the copyright holder and you want the material taken down, please flag up the issue accordingly and I will happily try and swap out the relevant material.

OCES 2003 : Descriptive Physical Oceanography

(a.k.a. physical oceanography by drawing pictures)

Lecture 18: intro to sea level



Outline

Surveys in Geophysics (2019) 40:1251–1289 https://doi.org/10.1007/s10712-019-09525-z



Concepts and Terminology for Sea Level: Mean, Variability and Change, Both Local and Global

Jonathan M. Gregory^{1,2} • Stephen M. Griffies³ · Chris W. Hughes⁴ · Jason A. Lowe^{2,14} · John A. Church⁵ · Ichiro Fukimori⁶ · Natalya Gomez⁷ · Robert E. Kopp⁸ · Felix Landerer⁶ · Gonéri Le Cozannet⁹ · Rui M. Ponte¹⁰ · Detlef Stammer¹¹ · Mark E. Tamisiea¹² · Roderik S. W. van de Wal¹³

descriptive outline of some content in this paper

Outline

- ► sea level
 - \rightarrow but relative to what?
 - \rightarrow sea level **rise**, but also relative to what?
- contributions to sea level (a collection of definitions)
 - → thermosteric, halosteric, inverse barometer,
- solid earth contributions
 - \rightarrow GIA
- storm surges


Key terms: (mean) sea level, (mean) sea level rise

Recap: observational data

sea level spiral

Historical reconstruction of Global Mean Sea Level (GMSL) data of Church & White (2011), relative to 1880.


Recap: impact of sea level rise



Recap: impact of sea level rise



Relative to what though? (space)



Relative to what though? (time)




Figure: Daily maximum and minimum sea surface elevation (blue and green) and their difference (red) over a six month period. Data from BODC, see tobermory.tides.ipynb.

▶ how to define a (useful) reference/mean?



Summary figure





Figure: Schematic figure from Gregory et al. (2019), Fig. 2.

▶ observations are relative to **ellipsoid**, dynamics relative to **geoid**, can differ quite a bit (*O*(100 m))

Sea surface




- sea surface $\tilde{\eta}$
 - \rightarrow instantaneous
- ightharpoonup mean sea surface η
 - \rightarrow **time averaged**, but over how long?

$$\tilde{\eta}(\mathbf{x},t) = \eta(\mathbf{x}) + \eta'(\mathbf{x},t)$$

- subtlety: η could be time-dependent...
- when **sea**-ice is present, convert ice to equivalent water and then add it on (cf. inverse barometer later)



Sea floor and water depth



- ightharpoonup sea floor \tilde{F}
 - \rightarrow time-independent for reasonable time-scales
 - \rightarrow can move around though (e.g. VLM, GIA...)


ightharpoonup water depth \tilde{H} and H

$$\tilde{H}=\tilde{\eta}-\tilde{F}\geq 0,$$

$$H = \eta - F \ge 0$$

where $\tilde{F} \approx F$

Geoid



geoid G

- \rightarrow time-independent for reasonable time-scales
- \rightarrow can move around (e.g. GRD...)
- ▶ *G* is where it is the geopotential that bounds the same volume of the ocean between η and *F*, i.e.

$$\iint G - F \, \mathrm{d}A = \iint \eta - F \, \mathrm{d}A$$

- $\rightarrow \eta$ and *F* can both evolve in time...
- → more useful definition (ocean is never at rest anyway...)
- ightarrow associated with it the dynamic sea level $\tilde{\zeta}$



Variations in η (and ζ)

▶ tides

- ightarrow instantaneous response from astronomical forcing \Rightarrow equilibrium tides (Lec 17)
- \rightarrow wave propagation \Rightarrow **dynamical tide**





Figure: Daily maximum and minimum sea surface elevation (blue and green) and their difference (red) over a six month period. Data from BODC, see tobermory.tides.ipynb.

Variations in η (and ζ)



- inverse barometer effect
 - → atmosphere presses down on the ocean
 - \rightarrow low atmospheric pressure \Leftrightarrow rise in sea surface
- ▶ $10 \text{ hPa} \Leftrightarrow \text{about } 10 \text{ cm change}$
 - \rightarrow only really get this level with **storms** (cyclones, low pressure; Lec 7, 8)
- global mean contribution is zero
 - \rightarrow local pressure variations moves the ocean around though, affecting $\tilde{\eta}$ (and $\tilde{\zeta}$)

Variations in η (and ζ)




- wind driven waves (Lec 16)
 → distinguished from tidally forced waves
 → surface intensified, effect diminishing with depth (Lec 9, 10)
- storm surge the sea level with respect to predicted tidal sea level

$$\sigma = \tilde{\eta} - \tilde{\eta}_{\text{tide}}$$

where $\tilde{\eta}$ is the observed sea level, $\tilde{\eta}_{\text{tide}}$ the predicted sea level with tides, and σ the surge residual

- \rightarrow can lead to extreme sea level
- → distinguish from tsunami, which is triggered by earthquakes (sometimes tidal wave, but possibly confusing naming)





- ► GMSL: Global Mean Sea Level
 - \rightarrow averaged in space, globally
 - → averaged over some time window
- distinguished from regional mean sea level
 - → different choices of averaging

- dynamic sea level change: $\Delta \zeta$
 - \rightarrow relative to **geoid**
 - → average out to zero globally by definition (why?)

- dynamic sea level change: $\Delta \zeta$
 - \rightarrow relative to **geoid**
 - → average out to zero globally by definition (why?)
- geocentric sea level change: $\Delta \eta$
 - \rightarrow relative to **ellipsoid**

- dynamic sea level change: $\Delta \zeta$
 - \rightarrow relative to **geoid**
 - \rightarrow average out to zero globally by definition (why?)
- geocentric sea level change: $\Delta \eta$
 - \rightarrow relative to **ellipsoid**
- relative sea level change (RSLC):

$$\Delta R = \Delta \eta - \Delta F$$

- \rightarrow relative to **sea floor** F (which can evolve in time)
- \rightarrow this is the one of practical interest




- sea level affected by volume of sea water:
 - \rightarrow density of sea water (steric effects)

- sea level affected by volume of sea water:
 - → density of sea water (steric effects)
 - → change in local mass distribution (manometric effects)

- sea level affected by volume of sea water:
 - → density of sea water (steric effects)
 - → change in local mass distribution (manometric effects)
 - → change in overall mass (barystatic effects)

- sea level affected by volume of sea water:
 - → density of sea water (steric effects)
 - → change in local mass distribution (manometric effects)
 - → change in overall mass (barystatic effects)
 - → change in containing volume (e.g. isostatic adjustments)

Contributions to sea level: steric effects



- density affected by temperature and salinity through EOS (see Lec 5)
 - \rightarrow thermosteric effects: $\Delta \rho$ from ΔT and $\alpha = \alpha(T, S, p)$ (in-situ here!)
 - \rightarrow halosteric effects: $\Delta \rho$ from ΔS and $\beta = \beta(T, S, p)$
- ▶ ocean heat context increasing⇒ thermosteric sea level rise

Contributions to sea level: steric effects

- ▶ note the use of **in-situ** temperature here
 - \rightarrow not contradictory: for **dynamics** you almost never care about in-situ temperature (Lec 6)
- global mean steric sea level would be contribution to GMSL by steric effects
 - \rightarrow some care regarding nonlinear EOS required (Lec 6)
 - \rightarrow contribution mostly from $thermo{\rm steric}$ effects
 - \rightarrow halosteric effects locally non-negligible, but averages out to zero globally (see HW question for why)

Contributions to sea level: manometric effects

- ► manometric ~ pressure
 - → local mass changes (not addition)
 - \rightarrow e.g. atmospheric and circulation effects
- measured through bottom pressure (see Lec 20)
 - \rightarrow hydrostatic balance (Lec 5, 7) \sim weight \sim mass/volume




Figure: GRACE schematics. Modified image originally taken from NASA.

Contributions to sea level: barystatic contributions

- actual changes in mass
 - \rightarrow changes in hydrological cycle
 - → **land** ice melting adding water to ocean
 - \rightarrow nothing really from **sea** ice
 - → atmospheric contribution minimal?



Figure: Ice calving off the Perito Moreno Glacier in Patagonia, Argentina. Image of user durktalsma on VistaCreate.

sometimes called eustatic, but barystatic been around since IPCC AR3




Figure: Image by Jim Houghton, modified for the EarthHome project.

- ▶ sea floor *F* can change (vertical land movement, VLM)
 - → sedimentation, land reclamation, landslides / erosion, ...
 - \rightarrow crustal movements
 - → rebounds from loading (elastic earth)
 - → Glacial Isostatic Adjustment (GIA) (research at PolyU)



Summary

- many different contributors to sea level
 - \rightarrow operating on different time-scales
 - \rightarrow importance varies regionally
 - \rightarrow important to distinguish these for **attribution** purposes
- observations (Lec 19, 20) are relative to ellipsoid, but dynamics are relative to geoid
 - → conversion / comparison between observation and numerical model data not trivial
 - \rightarrow extra complication from multiple contributors evolving in time and interacting nonlinearly...
- observations later (Lec 20 in particular)

