
FDR: 4.884e−04
Coefficient: −2.08e+00
Value: NovaSeq_Mar_Twenty
PWY.5180
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 4.884e−04
Coefficient: −2.08e+00
Value: NovaSeq_Mar_Twenty
PWY.5182
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 7.712e−04
Coefficient: −3.26e−01
Value: NovaSeq_Mar_Twenty
PWY.5913
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 4.547e−03
Coefficient: −2.07e−01
Value: NovaSeq_Mar_Twenty
TCA
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 6.498e−03
Coefficient: −6.92e−01
Value: NovaSeq_Mar_Twenty
PWY.5345
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 8.407e−03
Coefficient: −1.68e−01
Value: NovaSeq_Mar_Twenty
PWY.6612
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 9.107e−03
Coefficient: 3.77e−01
Value: NovaSeq_Jan_Twenty
PWY.6630
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.038e−02
Coefficient: 3.78e−01
Value: NovaSeq_Jan_Twenty
PWY.6628
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.307e−02
Coefficient: −5.04e−01
Value: NovaSeq_Mar_Twenty
PWY.6545
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.605e−02
Coefficient: −3.25e−01
Value: NovaSeq_Mar_Twenty
PWY.7211
0.25
0.00
−0.25
−0.50
−0.75
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.674e−02
Coefficient: 7.33e−01
Value: NovaSeq_Jan_Twenty
PWY.5265
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 2.043e−02
Coefficient: −1.57e−01
Value: NovaSeq_Mar_Twenty
PANTOSYN.PWY
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 3.436e−02
Coefficient: 1.40e+00
Value: NovaSeq_Jan_Twenty
PWY.5855
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 3.436e−02
Coefficient: 1.40e+00
Value: NovaSeq_Jan_Twenty
PWY.5856
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 3.436e−02
Coefficient: 1.40e+00
Value: NovaSeq_Jan_Twenty
PWY.5857
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 3.436e−02
Coefficient: 1.40e+00
Value: NovaSeq_Jan_Twenty
PWY.6708
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 4.603e−02
Coefficient: −3.11e−01
Value: NovaSeq_Jan_Twenty
P23.PWY
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 4.613e−02
Coefficient: −4.07e−01
Value: NovaSeq_Jan_Twenty
GLUCARDEG.PWY
0.0
−0.4
−0.8
−1.2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 6.188e−02
Coefficient: −1.14e−01
Value: NovaSeq_Mar_Twenty
FOLSYN.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 6.281e−02
Coefficient: −2.10e−01
Value: NovaSeq_Mar_Twenty
PWY.6892
0.50
0.25
0.00
−0.25
−0.50
−0.75
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 6.406e−02
Coefficient: 1.31e+00
Value: NovaSeq_Jan_Twenty
PWY0.1338
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 6.406e−02
Coefficient: 1.35e+00
Value: NovaSeq_Jan_Twenty
UBISYN.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 7.795e−02
Coefficient: 5.88e−01
Value: NovaSeq_Jan_Twenty
PWY.7254
0.4
0.0
−0.4
−0.8
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 7.813e−02
Coefficient: 7.15e−01
Value: NovaSeq_Jan_Twenty
PWY0.862
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 7.886e−02
Coefficient: +2.12e−01
Value: NovaSeq_Mar_Twenty
P42.PWY
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 9.179e−02
Coefficient: 7.07e−01
Value: NovaSeq_Jan_Twenty
PWY.6629
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 9.312e−02
Coefficient: 6.39e−01
Value: NovaSeq_Mar_Twenty
PWY.7377
0.0
−0.4
−0.8
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 9.465e−02
Coefficient: −1.53e+00
Value: NovaSeq_Mar_Twenty
PWY.5860
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 9.592e−02
Coefficient: −3.93e−01
Value: NovaSeq_Mar_Twenty
SULFATE.CYS.PWY
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.005e−01
Coefficient: −1.37e−01
Value: NovaSeq_Mar_Twenty
PRPP.PWY
0.4
0.3
0.2
0.1
0.0
−0.1
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.029e−01
Coefficient: −4.85e−01
Value: NovaSeq_Mar_Twenty
P23.PWY
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.252e−01
Coefficient: 5.25e−01
Value: NovaSeq_Jan_Twenty
PWY.6282
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.335e−01
Coefficient: −1.85e+00
Value: NovaSeq_Jan_Twenty
ALL.CHORISMATE.PWY
0
−1
−2
−3
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.369e−01
Coefficient: 3.59e−01
Value: NovaSeq_Jan_Twenty
PWY.6891
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.401e−01
Coefficient: 1.30e−01
Value: NovaSeq_Mar_Twenty
P4.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.402e−01
Coefficient: −2.37e−01
Value: NovaSeq_Mar_Twenty
NAGLIPASYN.PWY
0.0
−0.5
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.416e−01
Coefficient: 5.25e−01
Value: NovaSeq_Jan_Twenty
PWY.5989
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.517e−01
Coefficient: 6.44e−02
Value: NovaSeq_Jan_Twenty
PENTOSE.P.PWY
0.5
0.4
0.3
0.2
0.1
0.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.648e−01
Coefficient: −1.17e−01
Value: NovaSeq_Mar_Twenty
FERMENTATION.PWY
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.806e−01
Coefficient: 7.31e−01
Value: NovaSeq_Jan_Twenty
GLUCOSE1PMETAB.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 1.906e−01
Coefficient: 1.43e−01
Value: NovaSeq_Mar_Twenty
PWY0.781
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 2.013e−01
Coefficient: −1.07e−01
Value: NovaSeq_Mar_Twenty
PANTO.PWY
0.4
0.3
0.2
0.1
0.0
−0.1
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 2.049e−01
Coefficient: 3.59e−01
Value: NovaSeq_Jan_Twenty
PWY0.1479
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 2.091e−01
Coefficient: −9.94e−02
Value: NovaSeq_Mar_Twenty
PWY.6969
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run


FDR: 2.265e−01
Coefficient: 6.29e−01
Value: NovaSeq_Mar_Twenty
PWY.6891
0
−1
−2
Hiseq_April_Nineteen (n=94)
NovaSeq_Jan_Twenty (n=38)
NovaSeq_Mar_Twenty (n=6)
Sequencing_Run