
FDR: 5.851e−06
Coefficient: −1.79e−01
Value: NovaSeq_Jan_Twenty
RIBOSYN2.PWY
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.922e−05
Coefficient: −1.60e−01
Value: NovaSeq_Jan_Twenty
FERMENTATION.PWY
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.672e−04
Coefficient: −3.89e−01
Value: NovaSeq_Jan_Twenty
PWY.5913
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.673e−04
Coefficient: −4.45e−01
Value: NovaSeq_Jan_Twenty
SULFATE.CYS.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.724e−04
Coefficient: −1.60e−01
Value: NovaSeq_Jan_Twenty
PENTOSE.P.PWY
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.873e−04
Coefficient: 2.52e+00
Value: NovaSeq_Jan_Twenty
PWY.6470
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.961e−04
Coefficient: −1.08e−01
Value: NovaSeq_Jan_Twenty
P441.PWY
0.6
0.4
0.2
0.0
−0.2
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.168e−03
Coefficient: −2.14e−01
Value: NovaSeq_Mar_Twenty
FERMENTATION.PWY
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.419e−03
Coefficient: −3.36e−01
Value: NovaSeq_Jan_Twenty
PWY.6353
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.812e−03
Coefficient: −2.15e−01
Value: NovaSeq_Mar_Twenty
RIBOSYN2.PWY
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.017e−03
Coefficient: −1.57e−01
Value: NovaSeq_Jan_Twenty
HEMESYN2.PWY
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.329e−03
Coefficient: −1.71e−01
Value: NovaSeq_Jan_Twenty
PWY.6897
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.512e−03
Coefficient: −5.34e−01
Value: NovaSeq_Mar_Twenty
PWY.5913
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.983e−03
Coefficient: −5.79e−02
Value: NovaSeq_Jan_Twenty
TRNA.CHARGING.PWY
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.495e−03
Coefficient: −1.00e−01
Value: NovaSeq_Jan_Twenty
FOLSYN.PWY
0.5
0.4
0.3
0.2
0.1
0.0
−0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.536e−03
Coefficient: 2.86e+00
Value: NovaSeq_Mar_Twenty
PWY.6470
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.094e−03
Coefficient: −7.12e−02
Value: NovaSeq_Jan_Twenty
CALVIN.PWY
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.028e−03
Coefficient: −1.24e−01
Value: NovaSeq_Jan_Twenty
PWY.6612
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.545e−03
Coefficient: −5.93e−02
Value: NovaSeq_Jan_Twenty
GLYCOLYSIS
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.799e−03
Coefficient: −8.35e−02
Value: NovaSeq_Jan_Twenty
PWY.7392
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.198e−03
Coefficient: −6.18e−02
Value: NovaSeq_Jan_Twenty
PWY.5484
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.373e−03
Coefficient: −6.07e−02
Value: NovaSeq_Jan_Twenty
GLUCONEO.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.373e−03
Coefficient: −5.28e−01
Value: NovaSeq_Mar_Twenty
SULFATE.CYS.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.138e−02
Coefficient: −9.14e−02
Value: NovaSeq_Mar_Twenty
TRNA.CHARGING.PWY
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.163e−02
Coefficient: −4.47e−01
Value: NovaSeq_Mar_Twenty
PWY.6588
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.167e−02
Coefficient: −6.77e−02
Value: NovaSeq_Jan_Twenty
GLYCOCAT.PWY
0.6
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.167e−02
Coefficient: −1.06e−01
Value: NovaSeq_Jan_Twenty
GLYCOLYSIS.E.D
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.167e−02
Coefficient: −1.93e−01
Value: NovaSeq_Mar_Twenty
PENTOSE.P.PWY
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.269e−02
Coefficient: −6.04e−02
Value: NovaSeq_Jan_Twenty
ANAEROFRUCAT.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.316e−02
Coefficient: −3.18e−01
Value: NovaSeq_Jan_Twenty
P164.PWY
0
−1
−2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.473e−02
Coefficient: −1.31e−01
Value: NovaSeq_Mar_Twenty
PWY.621
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.480e−02
Coefficient: −1.16e−01
Value: NovaSeq_Mar_Twenty
GLYCOGENSYNTH.PWY
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.491e−02
Coefficient: −9.15e−02
Value: NovaSeq_Jan_Twenty
PWY0.1586
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.572e−02
Coefficient: −6.11e−01
Value: NovaSeq_Jan_Twenty
PWY0.1479
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.654e−02
Coefficient: −6.74e−02
Value: NovaSeq_Jan_Twenty
X1CMET2.PWY
0.0
0.2
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.769e−02
Coefficient: −3.61e−01
Value: NovaSeq_Jan_Twenty
P23.PWY
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.872e−02
Coefficient: −1.18e−01
Value: NovaSeq_Jan_Twenty
PWY.7539
0.4
0.0
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.944e−02
Coefficient: −1.70e−01
Value: NovaSeq_Jan_Twenty
PYRIDNUCSAL.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.961e−02
Coefficient: −3.55e−01
Value: NovaSeq_Jan_Twenty
PWY.7371
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.981e−02
Coefficient: −1.92e−01
Value: NovaSeq_Jan_Twenty
GLUCUROCAT.PWY
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.981e−02
Coefficient: −1.72e−01
Value: NovaSeq_Jan_Twenty
PWY.7242
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.981e−02
Coefficient: −1.35e−01
Value: NovaSeq_Jan_Twenty
TRPSYN.PWY
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.057e−02
Coefficient: −5.87e−02
Value: NovaSeq_Jan_Twenty
PWY.3001
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.119e−02
Coefficient: −9.30e−02
Value: NovaSeq_Jan_Twenty
PWY.7200
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.164e−02
Coefficient: −1.02e−01
Value: NovaSeq_Mar_Twenty
ANAGLYCOLYSIS.PWY
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.164e−02
Coefficient: −9.27e−02
Value: NovaSeq_Mar_Twenty
GLYCOLYSIS
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.303e−02
Coefficient: −9.66e−02
Value: NovaSeq_Mar_Twenty
PWY.5484
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.352e−02
Coefficient: −1.43e+00
Value: NovaSeq_Mar_Twenty
FUC.RHAMCAT.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.468e−02
Coefficient: −1.03e−01
Value: NovaSeq_Mar_Twenty
PWY.5097
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.574e−02
Coefficient: −1.08e−01
Value: NovaSeq_Mar_Twenty
GLYCOCAT.PWY
0.6
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.604e−02
Coefficient: −9.34e−02
Value: NovaSeq_Mar_Twenty
GLUCONEO.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.613e−02
Coefficient: −6.69e−02
Value: NovaSeq_Jan_Twenty
PWY.621
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.660e−02
Coefficient: −1.01e−01
Value: NovaSeq_Mar_Twenty
PWY.2942
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.758e−02
Coefficient: −1.29e−01
Value: NovaSeq_Mar_Twenty
P441.PWY
0.6
0.4
0.2
0.0
−0.2
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.758e−02
Coefficient: −1.08e−01
Value: NovaSeq_Mar_Twenty
PWY4FS.7
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.758e−02
Coefficient: −1.08e−01
Value: NovaSeq_Mar_Twenty
PWY4FS.8
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.799e−02
Coefficient: −3.47e−01
Value: NovaSeq_Jan_Twenty
SALVADEHYPOX.PWY
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.818e−02
Coefficient: −9.85e−02
Value: NovaSeq_Mar_Twenty
PWY.7219
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.864e−02
Coefficient: −5.82e−02
Value: NovaSeq_Jan_Twenty
GLYCOGENSYNTH.PWY
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.864e−02
Coefficient: −1.06e−01
Value: NovaSeq_Mar_Twenty
PHOSLIPSYN.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.864e−02
Coefficient: −1.01e−01
Value: NovaSeq_Mar_Twenty
PWY.5667
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.864e−02
Coefficient: −1.01e−01
Value: NovaSeq_Mar_Twenty
PWY0.1319
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.950e−02
Coefficient: −9.98e−02
Value: NovaSeq_Mar_Twenty
PWY.5686
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.955e−02
Coefficient: −1.03e−01
Value: NovaSeq_Mar_Twenty
PWY.7221
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.960e−02
Coefficient: −1.93e−01
Value: NovaSeq_Jan_Twenty
PWY.5188
0
−1
−2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.165e−02
Coefficient: −1.05e−01
Value: NovaSeq_Jan_Twenty
PWY.6147
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.165e−02
Coefficient: −5.85e−02
Value: NovaSeq_Jan_Twenty
PWY4FS.7
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.165e−02
Coefficient: −5.85e−02
Value: NovaSeq_Jan_Twenty
PWY4FS.8
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.299e−02
Coefficient: −1.01e−01
Value: NovaSeq_Mar_Twenty
PWY.6386
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.319e−02
Coefficient: −5.25e−02
Value: NovaSeq_Jan_Twenty
ANAGLYCOLYSIS.PWY
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.452e−02
Coefficient: −1.71e−01
Value: NovaSeq_Mar_Twenty
PWY.2941
0.5
0.0
−0.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.457e−02
Coefficient: −1.12e−01
Value: NovaSeq_Jan_Twenty
PWY.6700
0
−1
−2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.473e−02
Coefficient: −5.41e−02
Value: NovaSeq_Jan_Twenty
THRESYN.PWY
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.486e−02
Coefficient: −6.43e−02
Value: NovaSeq_Jan_Twenty
PWY.6737
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.501e−02
Coefficient: −1.45e−01
Value: NovaSeq_Mar_Twenty
GLCMANNANAUT.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.521e−02
Coefficient: −9.92e−02
Value: NovaSeq_Mar_Twenty
PEPTIDOGLYCANSYN.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.616e−02
Coefficient: −5.63e−02
Value: NovaSeq_Jan_Twenty
PHOSLIPSYN.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.616e−02
Coefficient: −1.01e−01
Value: NovaSeq_Mar_Twenty
PWY.6385
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.670e−02
Coefficient: −9.83e−02
Value: NovaSeq_Mar_Twenty
PWY.6387
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.695e−02
Coefficient: −5.32e−02
Value: NovaSeq_Jan_Twenty
PWY.5667
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.695e−02
Coefficient: −5.32e−02
Value: NovaSeq_Jan_Twenty
PWY0.1319
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.701e−02
Coefficient: −9.80e−02
Value: NovaSeq_Mar_Twenty
PWY.5100
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.701e−02
Coefficient: −9.57e−02
Value: NovaSeq_Mar_Twenty
THRESYN.PWY
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.715e−02
Coefficient: −9.52e−02
Value: NovaSeq_Mar_Twenty
PWY.7208
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.772e−02
Coefficient: −5.24e−02
Value: NovaSeq_Jan_Twenty
PWY.5097
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.973e−02
Coefficient: −8.12e−02
Value: NovaSeq_Jan_Twenty
PWY.7196
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 3.974e−02
Coefficient: −8.88e−02
Value: NovaSeq_Mar_Twenty
ANAEROFRUCAT.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.019e−02
Coefficient: −5.37e−02
Value: NovaSeq_Jan_Twenty
PWY.5100
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.061e−02
Coefficient: −5.87e−02
Value: NovaSeq_Jan_Twenty
ASPASN.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.075e−02
Coefficient: −5.15e−02
Value: NovaSeq_Jan_Twenty
PWY.2942
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.075e−02
Coefficient: −5.06e−02
Value: NovaSeq_Jan_Twenty
PWY.7219
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.075e−02
Coefficient: −6.85e−02
Value: NovaSeq_Jan_Twenty
PWY0.1297
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.077e−02
Coefficient: −6.10e−01
Value: NovaSeq_Jan_Twenty
PWY.7374
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.129e−02
Coefficient: −9.76e−02
Value: NovaSeq_Mar_Twenty
PWY.6126
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.152e−02
Coefficient: −1.41e−01
Value: NovaSeq_Jan_Twenty
P461.PWY
0.4
0.0
−0.4
−0.8
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.152e−02
Coefficient: −9.92e−02
Value: NovaSeq_Mar_Twenty
PWY.6317
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.152e−02
Coefficient: −5.34e−02
Value: NovaSeq_Jan_Twenty
PWY.7221
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.152e−02
Coefficient: −9.54e−02
Value: NovaSeq_Mar_Twenty
PWY.7229
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.278e−02
Coefficient: −1.35e−01
Value: NovaSeq_Mar_Twenty
PWY0.1586
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.355e−02
Coefficient: −1.00e−01
Value: NovaSeq_Mar_Twenty
COA.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.448e−02
Coefficient: −1.00e−01
Value: NovaSeq_Mar_Twenty
X1CMET2.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.460e−02
Coefficient: −5.07e−02
Value: NovaSeq_Jan_Twenty
PWY.5686
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.460e−02
Coefficient: −5.22e−02
Value: NovaSeq_Jan_Twenty
PWY.6386
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.595e−02
Coefficient: −5.31e−02
Value: NovaSeq_Jan_Twenty
PWY.6385
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.617e−02
Coefficient: −7.62e−02
Value: NovaSeq_Jan_Twenty
GLCMANNANAUT.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.798e−02
Coefficient: −5.37e−02
Value: NovaSeq_Jan_Twenty
PWY.6609
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.798e−02
Coefficient: −5.93e−02
Value: NovaSeq_Jan_Twenty
PWY.7111
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.892e−02
Coefficient: −5.76e−02
Value: NovaSeq_Jan_Twenty
NONOXIPENT.PWY
0.6
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 4.998e−02
Coefficient: −6.15e−02
Value: NovaSeq_Jan_Twenty
SER.GLYSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.001e−02
Coefficient: −5.20e−02
Value: NovaSeq_Jan_Twenty
PWY.6126
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.025e−02
Coefficient: −4.95e−02
Value: NovaSeq_Jan_Twenty
PWY.7208
0.8
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.099e−02
Coefficient: −5.07e−02
Value: NovaSeq_Jan_Twenty
PWY.7229
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.142e−02
Coefficient: −1.70e−01
Value: NovaSeq_Jan_Twenty
PWY0.1261
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.154e−02
Coefficient: −5.06e−02
Value: NovaSeq_Jan_Twenty
PEPTIDOGLYCANSYN.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.328e−02
Coefficient: −7.62e−02
Value: NovaSeq_Jan_Twenty
PWY.6471
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.349e−02
Coefficient: −5.01e−02
Value: NovaSeq_Jan_Twenty
PWY.6387
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.391e−02
Coefficient: −2.00e−01
Value: NovaSeq_Mar_Twenty
PWY.6897
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 5.665e−02
Coefficient: −1.20e−01
Value: NovaSeq_Mar_Twenty
FOLSYN.PWY
0.5
0.4
0.3
0.2
0.1
0.0
−0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 6.230e−02
Coefficient: −8.34e−02
Value: NovaSeq_Mar_Twenty
PWY.3001
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 6.253e−02
Coefficient: −5.31e−02
Value: NovaSeq_Jan_Twenty
PWY.7663
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 6.281e−02
Coefficient: −2.64e−01
Value: NovaSeq_Mar_Twenty
GLUCUROCAT.PWY
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 6.425e−02
Coefficient: −5.47e−02
Value: NovaSeq_Jan_Twenty
PWY.5973
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 6.429e−02
Coefficient: −1.00e−01
Value: NovaSeq_Mar_Twenty
PWY.6737
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.029e−02
Coefficient: −4.88e−02
Value: NovaSeq_Jan_Twenty
PWY.6317
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.329e−02
Coefficient: −5.14e−02
Value: NovaSeq_Jan_Twenty
PWY.7400
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.329e−02
Coefficient: −5.11e−02
Value: NovaSeq_Jan_Twenty
ARGSYN.PWY
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −4.91e−02
Value: NovaSeq_Jan_Twenty
COA.PWY
0.8
0.6
0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −1.96e−01
Value: NovaSeq_Jan_Twenty
GALACT.GLUCUROCAT.PWY
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −4.90e−02
Value: NovaSeq_Jan_Twenty
PWY.6121
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −4.95e−02
Value: NovaSeq_Jan_Twenty
PWY.6122
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −5.04e−02
Value: NovaSeq_Jan_Twenty
PWY.6123
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −4.95e−02
Value: NovaSeq_Jan_Twenty
PWY.6277
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −1.27e−01
Value: NovaSeq_Mar_Twenty
PWY.6471
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −1.07e−01
Value: NovaSeq_Mar_Twenty
PWY0.1297
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.333e−02
Coefficient: −2.01e−01
Value: NovaSeq_Jan_Twenty
RUMP.PWY
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.335e−02
Coefficient: −1.77e−01
Value: NovaSeq_Jan_Twenty
PWY.6545
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.558e−02
Coefficient: −2.27e−01
Value: NovaSeq_Mar_Twenty
PWY.7242
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.771e−02
Coefficient: −5.58e−02
Value: NovaSeq_Jan_Twenty
ILEUSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.771e−02
Coefficient: −5.58e−02
Value: NovaSeq_Jan_Twenty
VALSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.798e−02
Coefficient: −8.57e−02
Value: NovaSeq_Mar_Twenty
PWY.6609
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 7.954e−02
Coefficient: −4.58e−02
Value: NovaSeq_Jan_Twenty
OANTIGEN.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −6.80e−01
Value: NovaSeq_Jan_Twenty
FUC.RHAMCAT.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −8.25e−02
Value: NovaSeq_Mar_Twenty
OANTIGEN.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −6.71e−02
Value: NovaSeq_Jan_Twenty
P161.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −4.40e−01
Value: NovaSeq_Mar_Twenty
P23.PWY
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −6.45e−02
Value: NovaSeq_Jan_Twenty
POLYISOPRENSYN.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −1.17e−01
Value: NovaSeq_Mar_Twenty
POLYISOPRENSYN.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −6.05e−02
Value: NovaSeq_Jan_Twenty
PWY.5104
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −1.62e−01
Value: NovaSeq_Jan_Twenty
PWY.5509
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −8.83e−02
Value: NovaSeq_Mar_Twenty
PWY.6123
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.005e−02
Coefficient: −6.41e−02
Value: NovaSeq_Jan_Twenty
PWY0.1298
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.127e−02
Coefficient: −5.23e−02
Value: NovaSeq_Jan_Twenty
PWY.5121
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.228e−02
Coefficient: −9.69e−02
Value: NovaSeq_Mar_Twenty
PWY.6151
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.281e−02
Coefficient: −7.05e−02
Value: NovaSeq_Jan_Twenty
P42.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.281e−02
Coefficient: −6.37e−02
Value: NovaSeq_Jan_Twenty
PWY.841
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.341e−02
Coefficient: −6.05e−02
Value: NovaSeq_Jan_Twenty
DENOVOPURINE2.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.347e−02
Coefficient: −1.48e−01
Value: NovaSeq_Jan_Twenty
PWY.6269
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.347e−02
Coefficient: −9.59e−02
Value: NovaSeq_Mar_Twenty
SER.GLYSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.476e−02
Coefficient: −5.58e−02
Value: NovaSeq_Jan_Twenty
BRANCHED.CHAIN.AA.SYN.PW
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.476e−02
Coefficient: −1.83e−01
Value: NovaSeq_Jan_Twenty
GALACTUROCAT.PWY
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.514e−02
Coefficient: −7.91e−02
Value: NovaSeq_Mar_Twenty
CALVIN.PWY
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.514e−02
Coefficient: −5.37e−02
Value: NovaSeq_Jan_Twenty
PWY.5101
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.653e−02
Coefficient: −1.91e−01
Value: NovaSeq_Jan_Twenty
PWY.6630
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.822e−02
Coefficient: −1.39e−01
Value: NovaSeq_Mar_Twenty
PWY.6612
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.822e−02
Coefficient: −1.87e−01
Value: NovaSeq_Jan_Twenty
PWY.6628
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.822e−02
Coefficient: −8.63e−02
Value: NovaSeq_Mar_Twenty
PWY.7663
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.822e−02
Coefficient: −2.14e−01
Value: NovaSeq_Jan_Twenty
PWY490.3
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.867e−02
Coefficient: −5.22e−02
Value: NovaSeq_Jan_Twenty
PWY.6151
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.867e−02
Coefficient: −9.47e−02
Value: NovaSeq_Mar_Twenty
PWY.7392
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.899e−02
Coefficient: −9.47e−02
Value: NovaSeq_Mar_Twenty
UDPNAGSYN.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.984e−02
Coefficient: −8.34e−02
Value: NovaSeq_Mar_Twenty
PWY.6122
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 8.984e−02
Coefficient: −8.34e−02
Value: NovaSeq_Mar_Twenty
PWY.6277
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.007e−02
Coefficient: −8.25e−02
Value: NovaSeq_Mar_Twenty
PWY.6121
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.112e−02
Coefficient: −3.18e−01
Value: NovaSeq_Mar_Twenty
GALACT.GLUCUROCAT.PWY
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.259e−02
Coefficient: −8.83e−02
Value: NovaSeq_Jan_Twenty
PWY.7199
0.4
0.0
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.334e−02
Coefficient: −1.41e−01
Value: NovaSeq_Jan_Twenty
PWY.1269
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.526e−02
Coefficient: −8.73e−02
Value: NovaSeq_Mar_Twenty
PWY.5973
0.7
0.6
0.5
0.4
0.3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.653e−02
Coefficient: −5.56e−02
Value: NovaSeq_Jan_Twenty
FASYN.ELONG.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.737e−02
Coefficient: −1.15e−01
Value: NovaSeq_Mar_Twenty
PWY.7200
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.738e−02
Coefficient: −1.13e−01
Value: NovaSeq_Jan_Twenty
PWY.6969
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.801e−02
Coefficient: −6.28e−02
Value: NovaSeq_Jan_Twenty
PWY0.162
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 9.951e−02
Coefficient: −3.02e−01
Value: NovaSeq_Mar_Twenty
PWY.6353
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.016e−01
Coefficient: −8.10e−02
Value: NovaSeq_Jan_Twenty
PYRIDNUCSYN.PWY
0.3
0.0
−0.3
−0.6
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.032e−01
Coefficient: −4.97e−02
Value: NovaSeq_Jan_Twenty
PWY.7220
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.032e−01
Coefficient: −4.97e−02
Value: NovaSeq_Jan_Twenty
PWY.7222
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.060e−01
Coefficient: −7.81e−01
Value: NovaSeq_Mar_Twenty
RHAMCAT.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.069e−01
Coefficient: −1.41e−01
Value: NovaSeq_Jan_Twenty
TCA
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.098e−01
Coefficient: 6.47e−01
Value: NovaSeq_Mar_Twenty
PWY.7377
0
−1
−2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.099e−01
Coefficient: −5.64e−02
Value: NovaSeq_Jan_Twenty
PWY.5103
0.5
0.4
0.3
0.2
0.1
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.099e−01
Coefficient: −6.73e−02
Value: NovaSeq_Jan_Twenty
PWY.6163
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.099e−01
Coefficient: −6.12e−02
Value: NovaSeq_Jan_Twenty
PWY.7187
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.115e−01
Coefficient: −1.16e−01
Value: NovaSeq_Mar_Twenty
GLYCOLYSIS.E.D
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.130e−01
Coefficient: −1.08e−01
Value: NovaSeq_Mar_Twenty
PWY.7196
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.153e−01
Coefficient: −5.41e−02
Value: NovaSeq_Jan_Twenty
PWY0.1296
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.162e−01
Coefficient: −1.75e−01
Value: NovaSeq_Jan_Twenty
HEXITOLDEGSUPER.PWY
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.163e−01
Coefficient: −8.65e−02
Value: NovaSeq_Mar_Twenty
PWY.7220
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.163e−01
Coefficient: −8.65e−02
Value: NovaSeq_Mar_Twenty
PWY.7222
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.163e−01
Coefficient: −6.13e−02
Value: NovaSeq_Jan_Twenty
PWY0.166
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.183e−01
Coefficient: −4.73e−02
Value: NovaSeq_Jan_Twenty
UDPNAGSYN.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.196e−01
Coefficient: −8.12e−02
Value: NovaSeq_Mar_Twenty
PWY.7111
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.201e−01
Coefficient: −1.21e−01
Value: NovaSeq_Mar_Twenty
P124.PWY
0.8
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.205e−01
Coefficient: −1.06e−01
Value: NovaSeq_Mar_Twenty
P161.PWY
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.206e−01
Coefficient: −6.25e−02
Value: NovaSeq_Jan_Twenty
COMPLETE.ARO.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.206e−01
Coefficient: −1.34e−01
Value: NovaSeq_Mar_Twenty
PWY.7539
0.4
0.0
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.216e−01
Coefficient: −3.18e−01
Value: NovaSeq_Mar_Twenty
P164.PWY
0
−1
−2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.225e−01
Coefficient: −1.00e−01
Value: NovaSeq_Mar_Twenty
PWY0.1298
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.236e−01
Coefficient: −1.34e−01
Value: NovaSeq_Jan_Twenty
PWY.5189
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.236e−01
Coefficient: −9.62e−02
Value: NovaSeq_Mar_Twenty
DENOVOPURINE2.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.242e−01
Coefficient: −9.24e−02
Value: NovaSeq_Mar_Twenty
FASYN.ELONG.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.242e−01
Coefficient: −7.84e−02
Value: NovaSeq_Mar_Twenty
NONOXIPENT.PWY
0.6
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.245e−01
Coefficient: −6.54e−02
Value: NovaSeq_Jan_Twenty
ARO.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.250e−01
Coefficient: −1.00e−01
Value: NovaSeq_Mar_Twenty
PWY.841
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.273e−01
Coefficient: −6.86e−02
Value: NovaSeq_Jan_Twenty
PANTOSYN.PWY
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.274e−01
Coefficient: −6.45e−02
Value: NovaSeq_Jan_Twenty
P124.PWY
0.8
0.6
0.4
0.2
0.0
−0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.274e−01
Coefficient: −6.44e−02
Value: NovaSeq_Jan_Twenty
PWY.6125
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.274e−01
Coefficient: −1.47e−01
Value: NovaSeq_Jan_Twenty
PWY.6892
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.274e−01
Coefficient: −1.25e−01
Value: NovaSeq_Jan_Twenty
PWY.7003
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.286e−01
Coefficient: −1.29e−01
Value: NovaSeq_Jan_Twenty
P108.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.290e−01
Coefficient: −1.41e−01
Value: NovaSeq_Mar_Twenty
P122.PWY
0.5
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.304e−01
Coefficient: −4.76e−02
Value: NovaSeq_Jan_Twenty
ARGSYNBSUB.PWY
0.5
0.4
0.3
0.2
0.1
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.311e−01
Coefficient: −1.03e−01
Value: NovaSeq_Mar_Twenty
PWY0.162
0.8
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.311e−01
Coefficient: −1.87e−01
Value: NovaSeq_Mar_Twenty
PYRIDNUCSAL.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.342e−01
Coefficient: −2.31e−01
Value: NovaSeq_Mar_Twenty
P108.PWY
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.342e−01
Coefficient: −1.04e−01
Value: NovaSeq_Mar_Twenty
PWY.7187
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.342e−01
Coefficient: −1.46e−01
Value: NovaSeq_Mar_Twenty
TRPSYN.PWY
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.353e−01
Coefficient: −5.15e−02
Value: NovaSeq_Jan_Twenty
NONMEVIPP.PWY
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.353e−01
Coefficient: −5.15e−02
Value: NovaSeq_Jan_Twenty
PWY.7560
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.432e−01
Coefficient: −6.60e−02
Value: NovaSeq_Jan_Twenty
PWY.7228
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.447e−01
Coefficient: −2.00e−01
Value: NovaSeq_Jan_Twenty
ARG.POLYAMINE.SYN
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.460e−01
Coefficient: −1.03e−01
Value: NovaSeq_Mar_Twenty
PWY0.166
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.504e−01
Coefficient: −7.34e−02
Value: NovaSeq_Jan_Twenty
P122.PWY
0.5
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.541e−01
Coefficient: −1.21e−01
Value: NovaSeq_Mar_Twenty
PWY.6147
0.50
0.25
0.00
−0.25
−0.50
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.548e−01
Coefficient: −7.09e−02
Value: NovaSeq_Mar_Twenty
ASPASN.PWY
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.548e−01
Coefficient: −7.82e−02
Value: NovaSeq_Mar_Twenty
ILEUSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.548e−01
Coefficient: −7.82e−02
Value: NovaSeq_Mar_Twenty
VALSYN.PWY
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.572e−01
Coefficient: −7.09e−02
Value: NovaSeq_Mar_Twenty
ARGSYN.PWY
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.575e−01
Coefficient: −7.12e−02
Value: NovaSeq_Mar_Twenty
PWY.7400
0.5
0.4
0.3
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.576e−01
Coefficient: −1.34e−01
Value: NovaSeq_Jan_Twenty
PWY.6588
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.648e−01
Coefficient: −8.62e−02
Value: NovaSeq_Mar_Twenty
PWY0.1296
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.675e−01
Coefficient: −7.30e−02
Value: NovaSeq_Jan_Twenty
PWY.7197
0.6
0.4
0.2
0.0
−0.2
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.706e−01
Coefficient: −6.98e−02
Value: NovaSeq_Jan_Twenty
PWY.7184
0.75
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.731e−01
Coefficient: −5.45e−02
Value: NovaSeq_Jan_Twenty
PWY.7234
0.75
0.50
0.25
0.00
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.733e−01
Coefficient: −9.46e−01
Value: NovaSeq_Mar_Twenty
POLYAMSYN.PWY
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.733e−01
Coefficient: −7.48e−02
Value: NovaSeq_Mar_Twenty
PWY.5101
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.765e−01
Coefficient: −7.71e−02
Value: NovaSeq_Mar_Twenty
BRANCHED.CHAIN.AA.SYN.PW
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.835e−01
Coefficient: −6.79e−02
Value: NovaSeq_Jan_Twenty
COLANSYN.PWY
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.863e−01
Coefficient: −1.02e−01
Value: NovaSeq_Mar_Twenty
PWY.6125
0.8
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.867e−01
Coefficient: −5.48e−02
Value: NovaSeq_Jan_Twenty
PWY.2941
0.5
0.0
−0.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.885e−01
Coefficient: −7.94e−02
Value: NovaSeq_Mar_Twenty
PWY.5104
0.5
0.4
0.3
0.2
0.1
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.891e−01
Coefficient: −1.23e−01
Value: NovaSeq_Jan_Twenty
PWY.1861
0.5
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.915e−01
Coefficient: −5.68e−02
Value: NovaSeq_Jan_Twenty
PWY.5659
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 1.987e−01
Coefficient: −1.16e−01
Value: NovaSeq_Jan_Twenty
PWY.7328
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.037e−01
Coefficient: −1.25e−01
Value: NovaSeq_Jan_Twenty
NAGLIPASYN.PWY
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.061e−01
Coefficient: −1.05e−01
Value: NovaSeq_Mar_Twenty
PWY.7228
0.6
0.4
0.2
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.128e−01
Coefficient: −1.52e−01
Value: NovaSeq_Mar_Twenty
PWY.6969
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.128e−01
Coefficient: −2.35e−01
Value: NovaSeq_Mar_Twenty
RUMP.PWY
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.176e−01
Coefficient: −1.22e−01
Value: NovaSeq_Mar_Twenty
PWY.7197
0.6
0.4
0.2
0.0
−0.2
−0.4
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.209e−01
Coefficient: −6.70e−02
Value: NovaSeq_Jan_Twenty
PANTO.PWY
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.262e−01
Coefficient: −7.66e−02
Value: NovaSeq_Mar_Twenty
PWY.5103
0.5
0.4
0.3
0.2
0.1
0.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.304e−01
Coefficient: −8.92e−02
Value: NovaSeq_Mar_Twenty
PWY.7234
0.75
0.50
0.25
0.00
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.317e−01
Coefficient: −1.13e−01
Value: NovaSeq_Mar_Twenty
PWY.7184
0.75
0.50
0.25
0.00
−0.25
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.317e−01
Coefficient: 2.54e−01
Value: NovaSeq_Jan_Twenty
PYRIDOXSYN.PWY
0
−1
−2
−3
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.334e−01
Coefficient: −4.35e−02
Value: NovaSeq_Jan_Twenty
PWY.5695
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.350e−01
Coefficient: −1.02e−01
Value: NovaSeq_Jan_Twenty
LACTOSECAT.PWY
0.5
0.0
−0.5
−1.0
−1.5
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.373e−01
Coefficient: −1.86e−01
Value: NovaSeq_Mar_Twenty
TCA
0.0
−0.5
−1.0
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run


FDR: 2.440e−01
Coefficient: −6.29e−02
Value: NovaSeq_Mar_Twenty
PWY.5121
0.6
0.4
0.2
Hiseq_April_Nineteen (n=190)
NovaSeq_Jan_Twenty (n=76)
NovaSeq_Mar_Twenty (n=11)
Sequencing_Run