
commscube · bananacube · tessa



meilenstein uno

Fabian Fahmüller · Dominik Dethlefsen · Julian Störig · Florian Rößler

Inhaltsverzeichnis

Problemstellung - Übersicht 3
Hardware - POC 4
Funk - LoRa 5
Protokoll - Meshtastic 6
Demo Setup 7
Geführte Demo 8
Interactive Demo 9
Literatur 10

now, the coconut nut is a big, big nut But this delicious nut is not a nut

Problemstellung - Übersicht

Apokalypsen Szenario

- Dezentral
- Minimale Kommunikation Gewährleisten
- Unabhänging von jeglicher Infrastruktur
- Einfache Bedienung
- Robust/Stoßfest

POC - Proof of Concept

- Kommunikation [1]
- Demo board [1]



Concept: [2]



KI Haftungsausschluss: [3]

Hardware - POC

LILYGO LoR32 [1]

- ESP32s3
- LoRa Modul SX1276 (868/915MHz)
- 0.96″ Oled Display
- SMA Female Antenna Connector



LILYGO LoRa32: [1]

Funk - LoRa

Modulation


- Chirp Spread Spectrum, Sub-GHz [4]
- SF7–SF12 beim SX1276 [5] wir nutzen SF7
- SF +1: 2x Airtime, +2,5 dB [5]

Eigenschaften

- Praxis 10 km, Rekord 331 km [4], [6]
- Bandbreite 62,5 kHz: im 868-MHz-Band erlaubt, unkritischer Oszillator [5]
- Coding Rate 4/5: Coderate 0,8, reduziert Kanalüberlastung

Regulierung

- Region `EU_868`: 868-MHz-ISM-Band 10 % Duty Cycle, +27 dBm [5]
- 868 MHz: beliebtestes Band in EU [5]



LoRa Modulation: [7]

Protokoll - Meshtastic

Generelles


- Open Source, 100 % Community [8]
- Managed Flooding (SNR-basiert) [9]
- Hop Limit 3 (max. 7): Kapazität vor Reichweite [10]
- DMs: Next-Hop-Routing [9]
- Roles: `ROUTER`, `CLIENT`… [9]
- Verschlüsselt: AES, Channel-Key [11]

Commscube Einstellungen

- Preset „Long Fast“ (auch Muc): ca. 156 dB Linkbudget, 1,07 kbit/s [5]
- Sendeleistung `0` (Auto): Rundstrahlantenne < 3 dBi[10]


Custom Features

- vordefinierte Nachrichten
- Knopf interface Pin14 Select, Pin4 Send



Meshtastic Logo

Demo Setup



Lokale Node

- Verbunden mit Meshtastic
- Custom Firmware

Remote Node

- Verbunden mit Meshtastic
- Custom Firmware
- Im Roterwürfel

Standard Node

- Verbunden mit Meshtastic
- Standard Firmware
- Per Serial von Laptop gesteuert

Offline Laptop

- locale Website
- Steuert Standard Client per Serial


Geführte Demo

Local Demo

- laptop zu docucam
- docucam zu laptop

Longrange Demo

- laptop zu weg
- weg zu laptop



Pinout Diagram [1]

Interactive Demo

Toben Sie sich aus Herr Gerstner

Literatur

[1] LILYGO, “LILYGO T3 LoRa32 V1.6.1.” Accessed: Nov. 10, 2026. [Online]. Available: https://lilygo.cc/en-us/products/lora3?srsltid=AYCX9vJ4uRN8yMaHEdf2v5igufuE9AZnRw5ozTf8uaRyQ9kd6GTGyk57

[2] G. openAI, “Beispiel: Konzeptbild des Geräts.” Accessed: Nov. 10, 2026. [Online]. Available: https://openai.com/

[3] R. Wolfcastle, “"My eyes! The goggles do nothing!".” Accessed: Nov. 10, 2026. [Online]. Available: https://patdavid.net/2014/08/clarity-in-gimp-local-contrast%E2%80%93mid-tones/

[4] Wikipedia contributors, “LoRa.” Accessed: Nov. 10, 2026. [Online]. Available: https://en.wikipedia.org/wiki/LoRa

[5] Meshtastic, “Radio Settings.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/overview/radio-settings/

[6] Meshtastic, “Range Tests.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/overview/range-tests/

[7] User:Xofc, “LoRa modulation.” Accessed: Nov. 10, 2026. [Online]. Available: https://en.wikipedia.org/wiki/LoRa

[8] Meshtastic, “Introduction.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/introduction/

[9] Meshtastic, “Mesh Broadcast Algorithm.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/overview/mesh-algo/

[10] Meshtastic, “LoRa Configuration.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/configuration/radio/lora/

[11] Meshtastic, “Meshtastic Encryption.” Accessed: Nov. 10, 2026. [Online]. Available: https://meshtastic.org/docs/overview/encryption/