





Using oTree LabLauncher

Put your oTree project on the lab computer, in a folder on the desktop identified with your name. The oTree Lab Launcher is a shortcut on that desktop that opens the app. Your lab manager sets it up once, and after that any oTree study runs from the launcher.


0. Put your project on the lab computer, in a desktop folder named after you.
1. Double-click **Start oTree LabLauncher** on the desktop (the shortcut with the little icon).



2. Click **Browse** and point it at your oTree study folder.



3. Get it ready for the lab. In one step this wires up the participant computer seat links, the seat labels, and the shared lab database.



4. Launch. This starts the server and makes each lab computer open its own seat link.



The screenshot shows the 'oTree Lab Launcher' interface. On the left, a sidebar lists 'SAVED CONFIGS' with a list of studies: Dictator study, Bargaining wave 2, Trust game pilot, Public goods, Risk elicitation, and Auction study. The main panel is titled 'Config: Lab default (Large lab)' and includes a 'Save as new config...' button. It is divided into three sections: 1. oTree project, 2. Database, and 3. Lab. Section 1 shows the project path 'C:\Desktop\TAIT\hiding_mistakes' and a list of files (Intro, Game, Outro, Results). Section 2 shows the database as 'Lab shared database (Postgres)' with a 'Reset before start' checkbox. Section 3 shows two lab options: 'Large lab' (localhost - 31 seats) and 'Small lab' (localhost - 22 seats). Below these, there are tabs for 'localhost' and 'Other host...', a 'Room' dropdown set to 'study', and a 'Participant list' dropdown set to 'Lab default'. A 'ROOM LAYOUT - 31 SEATS' grid is displayed, showing a 6x5 grid of seat labels (E4-E1, D4-D1, C8-C1, B8-B1, A8-A1) with some seats marked as occupied or unavailable. At the bottom right, there are buttons for 'Save one-click shortcut' and 'Launch'. An 'Activity log' button is at the bottom left of the main panel.

5. Optional: Save a one-click shortcut to the desktop for next time.

Tips and troubleshooting

Running one session across both labs at once. To pool the small and large lab into a single session, pick one computer to host the server, get ready as normal, and set the participant list to None before launching. When a participant list is selected, oTree only admits the seat labels that appear in it, so the other lab's seat labels are refused. With the participant list set to None, any label is accepted, so both labs can join the same session.