

A Mini Project Report On
**PRECISION FARMING: A MACHINE LEARNING-BASED CROP
RECOMMENDER**

submitted to
Jawaharlal Nehru Technological University, Hyderabad
in partial fulfilment of the requirements for the award of the Degree

BACHELOR OF TECHNOLOGY
in
COMPUTER SCIENCE & ENGINEERING

Submitted by

TEJAVATH SRAVYA	Roll No:22831A05J8
RAMATHIRTHAM VAISHNAVI	Roll No:22831A05G4
SHAIK VASEEM	Roll No:22831A05H7

Under the Guidance of
Dr. K. Madan Mohan
Associate Professor



Department of Computer Science & Engineering
Guru Nanak Institute of Technology
Ibrahimpattam, Hyderabad, R.R. District – 501506
May, 2025



GURU NANAK INSTITUTE OF TECHNOLOGY
(Affiliated to JNTUH-Hyderabad)
Ranga Reddy District-501506

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

CERTIFICATE

This is to certify that the Mini-project/project entitled PRECISION FARMING: A MACHINE LEARNING-BASED CROP RECOMMENDER is being submitted by **Ms. Tejavath Sravya**, bearing Roll No. **22831A05J8**, **Ms. Ramathirtham Vaishnavi**, bearing Roll No. **22831A05G4**, **Mr. Shaik Vaseem**, bearing **Roll No. 22831A05H7**, in partial fulfilment for the award of the Degree of Bachelor of the Technology in Computer Science & Engineering to the Jawaharlal Nehru Technological University is a record of Bonafide work carried out by them under my guidance and supervision.

The results embodied in this Mini-project/project report have not been submitted to any other University or Institute for the award of any Degree or Diploma

Dr. K. Madan Mohan
INTERNAL GUIDE

DR. B. Santhosh Kumar
HEAD OF DEPARTMENT

External Examiner



RAM Innovative Infotech

M : +91 9581 012 012
E : raminnovativeinfotech@gmail.com

Flat No.#309, Amrutha Ville,
Opp: Yashoda Hospital, Somajiguda,
Hyderabad-82, Telangana, India
www.raminnovativeinfotech.webs.com

PROJECT COMPLETION CERTIFICATE

This is to certify that the following students of 3rd year B. Tech, Department of Computer Science and Engineering, Guru Nanak Institute of Technology (GNIT) have completed their training and project at GNIT successfully.

STUDENT NAME:

1. **Tejavath Sravya**
2. **Ramathirtham Vaishnavi**
3. **Shaik Vaseem**

ROLL NO:

- 22831A05J8**
- 22831A05G4**
- 23835A05H7**

The training was conducted on **ML &DL with Python** Technology for the completion of the project titled **PRECISION FARMING: A MACHINE LEARNING-BASED CROP RECOMMENDER** in **2024-2025**. The project has been completed in aspects.



Mini & Major IEEE Live Projects For
M.E /M.Tech, B.E / B.Tech, MCA, M.S,

DECLARATION OF STUDENTS

We, **Tejavath Sravya (22831A05J8), Ramathirtham Vaishnavi (22831A05G4), Mr. SK Vaseem (22831A05H7)**, hereby declare that the minor project titled **“PRECISION FARMING: A MACHINE LEARNING-BASED CROP RECOMMENDER”** has been carried out by us as part of the requirements for the award of the **Degree of Bachelor of Technology in the Department of Computer Science and Engineering at Guru Nanak Institute of Technology.**

We confirm the following:

1. The project was undertaken by us under the supervision of our guide, Dr. K. Madan Mohan, from the selection of the topic to the completion of the final report.
2. We have ensured that the results presented in the report are accurate and based on our original work.
3. To the best of our knowledge, the content of this report is free from plagiarism and adheres to ethical standards.
4. Each member of the team has contributed significantly and appropriately to the project work.
5. The project report has been prepared with diligence, ensuring clarity, accuracy, and adherence to academic standards.

We further declare that this report has not been submitted, in part or full, to any other institution or university for the award of any degree or diploma.

22831A05J8

22831A05G4

22831A05H7

TEJAVATH SRAVYA

RAMATHIRTHAM VAISHNAVI

SHAIK VASEEM

DECLARATION OF GUIDE

I, Dr. K. Madan Mohan, hereby declare that I have guided the minor project titled “PRECISION FARMING: A MACHINE LEARNING-BASED CROP RECOMMENDER” undertaken by, Tejavath Sravya (22831A05J8), Ramathirtham Vaishnavi (22831A05G4), Mr. Shaik Vaseem (22831A05H7). This project was carried out towards the fulfilment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering at Guru Nanak Institute of Technology.

As the guide, I confirm the following:

1. I have overseen the entire project process, from the selection of the project title to the submission of the final report.
2. I have reviewed and certified the accuracy and relevance of the results presented in the report.
3. The work carried out is original, free from plagiarism, and adheres to ethical guidelines.
4. The contributions of each student have been appropriately recognized and assessed.
5. The project report has been prepared under my supervision, ensuring adherence to high standards of quality, clarity, and structure.

I further certify that this project report has not been previously submitted in part or full for the award of any degree or diploma by any institution or university.

Name of Guide: Dr. K. Madan Mohan

Signature of the Guide

Date:

Place:

Name of HOD: Dr. B. Santhosh Kumar

Signature of the HOD

Department: Computer Science and Engineering

Date:

Place:

ACKNOWLEDGEMENT

We would like to express our sincere gratitude to our internal guide, **Dr. K. Madan Mohan**, Assistant Professor, Computer Science & Engineering, for his valuable guidance, encouragement, and continuous support throughout the duration of this project.

We are also thankful to **Dr. B. Santhosh Kumar**, Head of Department, Computer Science & Engineering, for his expert supervision and helpful suggestions, which contributed significantly to the successful completion of this project.

We would also like to thank the **faculty members of the Computer Science & Engineering** and the **Lab Technicians** for their assistance and cooperation during the practical work of our project.

We are grateful to our **friends** and **well-wishers** for their encouragement, collaboration, and useful feedback throughout the project journey.

Lastly, we sincerely thank our parents for their constant support, patience, and motivation, which helped us complete this project successfully.



GURU NANAK INSTITUTE OF TECHNOLOGY

(Affiliated to JNTUH-Hyderabad)

Ranga Reddy District-501506

CO-PO MAPPING

COs	Course Outcome	BL
CO1	Independently carry out literature survey in identified domain, and consolidate it to formulate a problem statement	4
CO2	Apply identified knowledge to solve a complex engineering problem and design a solution, implement and test the proposed solution	3
CO3	Use synthesis/Modeling to simulate and solve a problem or apply appropriate method of analysis to draw valid conclusions and present, demonstrate, execute final version of project	3
CO4	Contribute effectively as a team member or leader to manage the project timeline and Incorporate the social, environmental and ethical issues effectively into solution of an engineering problem	6
CO5	Write pertinent project reports and make effective Project Presentations	3

COs	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO10	PO11	PO12	PSO 1	PSO 2	PSO 3
CO1	—	3	—	—	—	—	—	—	—	—	—	3	3	3	3
CO2	3	—	3	—	—	—	—	—	—	—	—	—	3	3	3
CO3	—	—	—	3	3	-	-	-	—	—	—	—	3	3	3
CO4	—	—	—	—	—	3	3	3	3	—	3	—	—	3	—
CO5	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—



GURU NANAK INSTITUTE OF TECHNOLOGY
(Affiliated to JNTUH-Hyderabad)
Ranga Reddy District-501506

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

VISION

To be recognized as a leading department of Computer Science and Engineering in the region by students, employers and be known for leadership, Ethics, and commitment to fostering quality teaching-learning, research, and innovation.

MISSION

- Nurture young individuals into knowledgeable, skill-full and ethical professionals in their pursuit of Computer Science and Engineering.
- Nurture the faculty to expose them to world-class infrastructure.
- Sustain high performance by excellence in teaching, research and innovations.
- Extensive partnerships and collaborations with foreign universities for technology upgradation.
- Develop Industry-Interaction for innovation and product development.

ABSTRACT

Agriculture, along with its associated sectors, remains the primary source of income for the vast majority of rural Indians. It also contributes considerably to the national GDP. The country's enormous agricultural industry is one of its most valuable assets. However, agricultural yields per acre in India remain disappointingly low when compared to worldwide standards. This discrepancy is considered one of the contributing causes to the growing suicide rates among marginal farmers. To solve this issue, the research provides a realistic and user-friendly crop production forecast system designed for farmers. The solution provides accessibility via a mobile application that connects and helps the agricultural community.

GPS technology is utilized to determine a user's location. The user enters information about the area and soil type. The system can employ machine learning algorithms to propose the most lucrative crops or to forecast the yield of a crop selected by the user. Yield is predicted using a variety of machine learning models, including Support Vector Machine (SVM), Artificial Neural Network (ANN), Random Forest (RF), Multivariate Linear Regression (MLR), and K-Nearest Neighbour. Among them, the Random Forest algorithm obtained the best accuracy, reaching 95%. Furthermore, the algorithm suggests the optimal time to apply fertilizer to enhance crop output.

TABLE OF CONTENT

S.NO	CONTENT	PG.NO
	Certificate	ii
	Project Completion certificate	iii
	Declaration by the Students	iv
	Declaration by the Guide	v
	Acknowledgement	vi
	CO-PO Mapping	vii
	Department Vision & Mission	viii
	Abstract	ix
	Table of Content	x
	List of Figures	xii
	Abbreviations/ Notation	xiii
1	CHAPTER 1: INTRODUCTION	
1.1	GENERAL	1
1.2	OBJECTIVE	1
2	CHAPTER 2: LITERATURE SURVEY	
2.1	LITERATURE REVIEW	3
2.2	SCOPE OF PROJECT	6
2.2.1	Problem Statement	6
2.2.2	Existing System	6
2.2.3	Disadvantages of Existing System	7
2.3	PROPOSED SYSTEM	7
2.4	REQUIREMENTS	8
2.4.1	Software requirements	8
2.4.2	Hardware requirements	8
2.4.3	Functional requirements	8

	2.4.4	Non-Functional requirements	9
	2.5	METHODOLOGY	9
	2.5.1	Module Names	9
	2.5.2	Module Explanation	10
	2.6	TECHNIQUES OR ALGORITHMS	11
	2.6.1	Random Forest Algorithm	11
	2.6.2	Random Forest Working	13
	2.6.3	Random Forests vs Decision Trees	14
3	CHAPTER 3: DESIGN AND DEVELOPMENT		
	3.1	SYSTEM ARCHITECTURE	17
	3.2	GENERAL - UML DIAGRAMS	17
	3.2.1	Data Flow Diagram	18
	3.2.2	Use Case Diagram	19
	3.2.3	Object Diagram	20
	3.2.4	Class Diagram	21
	3.2.5	Activity Diagram	22
	3.2.6	Sequence Diagram	23
	3.2.7	Collaboration Diagram	24
	3.2.8	Component Diagram	25
	3.2.9	Deployment Diagram	25
	3.2.10	State Diagram	26
4	CHAPTER 4: RESULTS		27
5	CHAPTER 5: CONCLUSION		
	5.1	CONCLUSION	31
	5.2	FUTURE ENHANCEMENTS	31
	References		32

LIST OF FIGURES

FIGURE NO	NAME OF THE FIGURE	PAGE NO.
2.6.1.1	Random forest Algorithm Figure	12
2.6.2.1	Random Forest Working Figure	13
3.1	System Architecture	17
3.2.1	Data Flow Diagram (DFD)	18
3.2.2	Use Case Diagram	19
3.2.3	Object Diagram	20
3.2.4	Class diagram	21
3.2.5	Activity Diagram	22
3.2.6	Sequence diagram	23
3.2.7	Collaboration Diagram	24
3.2.8	Component Diagram	25
3.2.9	Deployment Diagram	25
3.2.10	State Diagram	26
4.1	Login Page Snapshot	27
4.2	File Upload Snapshot	27
4.3	Dataset Review Snapshot	28
4.4	Crop Yield Prediction Snapshot	28
4.5	Crop Recommendation Snapshot	29
4.6	Weather Report Snapshot	29
4.7	Analysis Chart	30

LIST OF ABBREVIATIONS

S.NO	ABBREVIATIONS	EXPANSION
1	GDP	Gross Domestic Product
2	KNN	K-Nearest Neighbor
3	MLR	Multi variate Linear Regression
4	RF	Random Forest
5	SVM	Support Vector Machine
6	UML	Unified Modelling Language

CHAPTER 1

INTRODUCTION

1.1 GENERAL

Agriculture has a long history in India. Recently, India was rated second in the world for agriculture output. Agriculture-related Industries related to forest and marine resources contributed for 16.6% of 2009 GDP and around 50 percent of the working population. Agriculture's monetary contribution to India's GDP is decreasing. The production per hectare is a important component in agricultural economics. Several factors influence harvest outcomes, including meteorological, geographic, organic, and economical aspects. Farmers struggle to select when and which crops to grow due to shifting market prices. Citing to Wikipedia figures India's suicide rate ranges from 1.4-1.8% per 100,000 populations, over the last 10 years.

Farmers frequently lack understanding about the most ideal crops to produce, as well as the best time and site for planting, due to the unpredictability of climatic circumstances. Fertilizer application becomes uncertain due to changes in seasonal weather patterns and fundamental resources such as soil, water, and air. As a result, agricultural yields continue to drop. To overcome this difficulty, farmers can be provided with a clever and user-friendly suggestion system to help them make decisions.

Crop production prediction is a significant difficulty in the agriculture business. Farmers want to know if the expected crop output fulfils their expectations, and they frequently forecast the yield based on previous experiences with certain crops. Weather conditions, insect management, and harvesting operations' preparation all have a significant impact on agricultural productivity. Accurate information on crop history is critical for making decisions on agriculture risk management.

1.2 Objective

This research describes a realistic and user-friendly yield forecast system developed for farmers. The system connects farmers via a mobile application. GPS helps to determine the user's position. The user provides the area & soil type as input. Machine learning algorithms enable the selection of the most lucrative crop possibilities as well as the forecast of crop yield for a crop chosen by the user.

To forecast yield, a variety of machine learning algorithms are utilized, including the Support Vector Machine (SVM), Artificial Neural Network (ANN), Random Forest (RF), Multivariate Linear Regression (MLR), and K-Nearest Neighbor. Among them, the Random Forest algorithm obtained the best accuracy (95%).

The major contributions of the paper are enlisted below,

1. Use different Machine Learning methods to estimate crop production in specific locations and compare accuracy and error margins.
2. A user-friendly mobile application to recommend the most beneficial crop.
3. A GPS based location identifier to retrieve the rainfall estimation at the given area.
4. A guidance system to recommend when to apply fertilizers.

CHAPTER 2

LITERATURE SURVEY

2.1 LITERATURE REVIEW

TITLE : BIoT: Block chain-based IoT for Agriculture

AUTHOR : Uma Maheswari S, Sreeram S, Kritika N, Prasanth DJ

YEAR : 2019

The most fundamental promise of blockchain for the agriculture business is that it minimizes the requirement for third parties that would normally be necessary to establish confidence in buyer-seller connections, or any source-destination link. In a blockchain-enabled system, transactions become peer-to-peer, eliminating the need for middlemen. Apart from providing the means to transact peer-to-peer, block chain can create 'smart contracts' that execute the terms of any agreement when specified conditions are met. Every time value is exchanged, whether in the form of physical items, services, or money, the transaction may be documented, resulting in a permanent record of the product or transaction from origin to destination. Blockchain has the potential to be extremely useful in this sector. Storing all agricultural event information on a blockchain can help to create a transparent and trustworthy system. Farmers may also get real-time data on seed quality, climatic data, payments, soil moisture, demand, selling prices, and other topics from a single platform. The purpose of this project is to store sensor-based Blockchain data and develop a smart contract that can be placed on the Ethereum blockchain to ease agricultural and land purchasing and selling.

TITLE: Analysis of growth and instability in the area, production, yield, and price of rice in India

AUTHOR : Jain A.

YEAR : 2018

India has prioritized agricultural growth stability. This research evaluates 41 years of paddy acreage, output, and yield data (from 1970-71 to 2011-12) to investigate India's rice production volatility. The research reveals that at the national level, the compound annual growth rate for rice area, output, and yield has been positive, but steadily dropping over time. In the past decade (2000-01 to 2011-12), national-level instability has grown for all criteria, including rice area, production, and yield.

Potential explanations of the growth in instability include the low proportion of irrigated land to the total cultivated area, a decline in the usage of seeds, manure, and other critical agricultural inputs. During the post-reform period (1990-91 to 2016-17), the wholesale price of rice in various states became more variable, while the farm harvest cost of paddy declined.

TITLE : A model for prediction of crop yield

AUTHOR : Manjula E, Djodiltachoumy S

YEAR : 2017

Data mining is a growing area of study in crop production analysis. Predicting production is a important topic in agriculture, since every farmer wants to know how much harvest is expected. Traditionally, yield prediction relied on farmer's experience with particular fields and crops. However, estimating yield remains a key difficulty that must be addressed with current data. These data mining approaches provide a viable answer to this challenge. Several data mining approaches have been studied and applied in agriculture to anticipate crop production for the future year. This paper develops and executes a technique for forecasting agricultural production using prior data. This is performed by using association rule mining on agricultural data. This research seeks to develop a prediction model that may be used to estimate future crop yields. The experimental findings demonstrate that the suggested approach successfully predicts crop production.

TITLE : Agriculture Data Analytics in Crop Yield Estimation: A Critical Review

AUTHOR : Sagar BM, Cauvery NK

YEAR : 2018

Data mining is a growing area of study in crop production analysis. Yield prediction is a important topic in agriculture, since farmers want to know how much their crops will produce. Historically, yield prediction relied on a farmer's experience with a specific field and crop. However, predicting yield remains a significant challenge that necessitates solutions based on existing data. Data mining techniques are recognized as the most effective method for this aim. Several data mining approaches have been created and tried in agriculture to predict future crop yield. The fundamental objective of this study is to develop a predictive model for projecting agricultural yields. This study gives a brief description of agricultural production prediction utilizing data mining techniques, especially association rules, in the Tamil Nadu area of India. The experimental findings demonstrate that the suggested technique successfully predicts crop production.

TITLE : Big data in smart farming– a review. Agricultural Systems

AUTHOR : Wolfert S, Ge L, Verdouw C, Bogaardt MJ

YEAR : 2017

Smart farming is a new approach that stresses the use of information and communication technologies into the cyber-physical farm management process. Technological advancements, such as the Internet of Things and Cloud Computing, are projected to capitalize on this development by introducing more robots and artificial intelligence to agriculture. This is a subset of the greater notion of Big Data, which refers to huge volumes of data with varied properties that may be collected, evaluated, and used to make sound judgments. This research seeks to give an knowledge of current developments in Big Data applications in Smart Farming, as well as to highlight socioeconomic difficulties that need to be solved. Following a structured approach, an intellectual framework for analysis was developed, which can also be used to guide future research on this topic. The assessment underlines that the application of Big Data in Smart Farming extends beyond primary agriculture and impacts the whole food supply chain. Big data is being utilized to give predictive insights into farming operations, allow for real-time decision-making, and revolutionize commercial processes, resulting in groundbreaking business models. Several experts claim that the use of Big Data will cause substantial alterations in roles and power dynamics among various participants in today's agricultural supply chain networks. The stakeholder landscape reveals a dynamic interaction between major technology corporations, venture capital investors, and small-scale start-ups or new market entrants. Simultaneously, numerous public institutions make open data available, provided that individual privacy is adequately protected.

The future of Smart Agriculture evolves along a spectrum defined by two contrasting scenarios:

- 1) Closed ecosystems involve tightly controlled and integrated food production and distribution networks, or...
- 2) open, collaborative systems in which the farmer and every other stakeholder in the The chain network is flexible in selecting business partners for both technology and food production.

The continued development of data and application infrastructures, such as platforms and standards, as well as their incorporation into institutional frameworks, will be essential in determining which scenario wins. The authors argue for additional research on organizational aspects, particularly governance structures and successful business models for data sharing across different supply chain configurations, from a socioeconomic perspective.

2.2 Scope

The mobile application includes multiple features that users can leverage for Crop choice. Farmers may use the integrated prediction system to anticipate the production of certain crops. The integrated recommender system enables users to explore various crops and their prospective yields, helping them to make better judgments. Several machine learning algorithms, such as Random Forest, ANN, SVM, MLR, and KNN, were tested on datasets from Maharashtra and Karnataka. The various algorithms are compared for accuracy. The findings reveal that Random Forest Regression outperforms the other common methods evaluated on the supplied datasets, with an accuracy of 95%. The proposed algorithm also looked at the best timing for fertilizer application and gave suggestions on duration.

2.2.1 Problem Statement

In the following paper, we propose a model to address these issues. The suggested approach is unique in that it may assist farmers in maximizing crop productivity while also proposing the most lucrative crop for a certain location. The suggested methodology simplifies crop selection by considering both economic and environmental considerations, with the objective of boosting agricultural output and contributing to the country's growing food need. This model anticipates crop output by considering a variety of characteristics such as rainfall, temperature, land size, season, and soil type.

Current crop production prediction systems are either hardware-based and hence expensive to maintain, or they are difficult to access. GPS helps to determine the user's position. The user provides an area under cultivation and a soil type as inputs. Based on the needs, the model anticipates a crop's production. In addition, the model suggests the most lucrative crop and the best time to apply fertilizer.

2.2.2 Existing System Features

- Extensive research has been conducted, and several machine learning algorithms have been deployed in diverse agricultural applications. The primary difficulty in agriculture is to increase farm yield and make it accessible to the end-user with the best possible price and quality. It is also observed that Fifty percent or more of the farm area produce gets wasted, and it never reaches the end users.
- The suggested model provides techniques to decrease agricultural waste. A recent study by S. Pavani et al. introduced a model that predicts crop harvest using K-Nearest Neighbours (KNN) algorithm through the formation of clusters. It has been shown that KNN clustering proved much better than SVM or regression.

- In the work of Nishant and others forecasted the crop production for a particular year using advanced regression techniques such as Enet, Lasso, and Kernel Ridge algorithms. Regression based on stacking improved the algorithms' accuracy.

2.2.3 Existing System Disadvantages

- The biggest difficulty in the agriculture business is a lack of understanding of climate change. Each crop requires specific climatic conditions, which can be managed effectively through precision farming techniques. The precision farming not only ensures the productivity of crops but also increases the yield rate of production.
- The existing crop yield recommendation system is either hardware-dependent and hence expensive to maintain, or it lacks convenient accessibility.
- In spite of the various solutions lately offered, there are still open obstacles in creating a user-friendly application with respect to crop suggestion.

2.3 Proposed System Features

- In this project, we proposed a model to address the existing problems. By assisting farmers in increasing crop yield and suggesting the most lucrative crop for a particular area, the suggested system is innovative.
- In order to maximize crop yield and thereby satisfy the nation's increasing food demand, the suggested model permits crop-based selection based on both economic and environmental factors.
- The user enters the soil type and cultivation area. The model forecasts crop yield, suggests the most lucrative crop, and indicates when fertilizer should be applied based on these inputs.
- Finding superior crop varieties that can be grown all season long is the main objective. The suggested method would maximize yield while assisting farmers in reducing the challenges associated with crop selection.

Proposed System Advantages

- Crop yield is predicted by the suggested model using data sets from the designated area. By increasing yields and maximizing resource use, the combination of machine learning and agriculture will result in notable advancements in the industry. The data from previous years are the key elements in forecasting current performance. The suggested prototype employs a recommender model to determine the optimal timing for fertilizer application.

- The methods in the suggested system involve enhancing crop yield, performing real-time crop analysis, selecting optimal parameters, making informed decisions, and achieving improved yields.

2.4 REQUIREMENTS

These are the criteria for doing the project. Without using these features and software's we can't do the project. So, we have two requirements to do the project. They are

1. Hardware Requirements.
2. Software Requirements.

2.4.1 SOFTWARE REQUIREMENTS

The software criteria document is the specification of the system. It should include both a definition and a specification of requirements. It shows the system's behaviour, not the way it should be implemented. The software requirements provide a basis for creating the software requirements specification. It is useful in estimating cost, planning team activities, performing tasks and tracking the teams and tracking the team's progress throughout the development activity.

- OPERATING SYSTEM : WINDOWS 7/8/10
- PLATFORM : SPYDER3
- PROGRAMMING LANGUAGE : PYTHON, HTML
- FRONT END : SPYDER3

2.4.2 HARDWARE REQUIREMENTS

The hardware specifications may serve as the basis for a contract for the system's execution, so they should be a comprehensive and consistent specification of the entire system.

They are used by software engineers as the foundation for system design. It explains what the system performs, but not the implementation process.

- PROCESSOR : CORE i5
- RAM : 16GB RAM
- HARD DISK : 1 TB

2.4.3 FUNCTIONAL REQUIREMENTS

A functional requirement specifies the tasks or services a software system or component must deliver. A function is defined as a collection of inputs, the behavior, and the provided outcome, which will assist us in detecting the behavior of employees who can be attained in the future.

Experimental findings show that the logistic regression technique outperforms other machine learning algorithms with up to 86% accuracy.

2.4.4 NON-FUNCTIONAL REQUIREMENTS

The following are the system's main non-functional requirements.

○ Usability

The system is designed with completely automated process Therefore; it operates with little to no user interaction.

○ Reliability

The system is more reliable because of the qualities that are inherited from the chosen platform java. Java provides a more reliable environment for building code.

○ Performance

This system is developing in the high-level languages and using the advanced front-end and back-end technologies it will give response to the end user on client system with in very less time.

○ Supportability

The system is designed to be the cross platform supportable. The system is functioning on diverse hardware systems and any software platform, which is having JVM, built into the system.

○ Implementation

The system is implemented in web environment using struts framework. Apache Tomcat is used as the web server, and Windows XP Professional serves as the platform. The user interface is built using Struts, which provides HTML tags for UI development.

2.5 METHODOLOGIES

The current chapter discusses various Supervised algorithmic learning approaches are used. This section provides a general description of these approaches.

2.5.1 MODULE:

User Classes and Characteristics

- Data Collection
- Dataset
- Data Preparation
- Model Selection

- Analyse and Prediction
- Accuracy on test set
- Saving the Trained Model

2.5.2 MODULES DESCRIPTION:

Data Collection:

This is the first and most important step in creating a machine learning model: collecting data.

This is an important step that will influence how good the model is; the more and better data we collect, the better our model will perform.

There are multiple techniques to collect the data, like web scraping, manual interventions and etc. We attached data set in the document. The file name is crop_yield.csv

Dataset:

The dataset consists of 94375 individual data. There are 6 columns in the dataset, which are described below.

State Name: India is a federation of 29 states and union territories in terms of administration.

Season:

- ☐ Winter lasts from December to February
- ☐ Summer, which extends from March to May. ...
- ☐ Monsoon or rainy season or kharif crops, lasting from June to September....
- ☐ Post-monsoon or autumn season, occurring from October to November.
- ☐ Whole Year
- ☐ Rabi crops are typically sown around mid-November.

Crop: crop name

Area: how much area? They harvested.

Production: production amount

Soil Types: Different types of soil

CROP SELECTION PREDICTION

Data Preparation:

we will transform the data. By getting rid of missing data and removing some columns. Our first step will be to create a list of column names that we want to keep or retain. Next, we drop or remove all columns except for the columns that we intend to keep. Finally, we drop or remove the rows that have null values from the data set.

Model Selection:

While developing a machine learning model, we need two datasets, one for training and other for testing. But now we have only one. So, let's split this in two with a ratio of 80:20. We will also divide the data frame into feature column and label column.

Here we imported `train_test_split` function of `sklearn`. Then use it to partition the dataset.

Also, *test size* = 0.2, it makes the split with 80% as train dataset and 20% as test dataset.

The *random state* parameter seeds random number generator that helps to break the dataset.

The function returns four datasets. Labelled them as *train_x*, *train_y*, *test_x*, *test_y*. If we see shape of this datasets we can see the split of dataset.

We used Random Forest Classifier, which fits Multiple tree-based models to the data. Finally, I fit the model by passing *train_x*, *train_y* to the *fit* method.

When the model has been trained, we should Test the model. For that we will pass *test_x* to the method for prediction.

2.6 TECHNIQUE USED OR ALGORITHM USED

2.6.1 The Random Forests Algorithm

Let's understand the algorithm in layman's terms. Picture yourself wanting to go on a trip and you wish to travel to a place which you will enjoy. So, what do you do to find a place that you will like? You can search online, read reviews on travel blogs and portals, or you might also consider asking your friends.

Let's say you decided to ask your friends about their previous travel experiences to various places. Every friend will give you some recommendations. Now you should make a list of the recommended places.

Then you ask them to vote (or choose the best place for the trip) from the list of recommended locations you created. The destination with the most votes will be your final choice for the trip. In the above decision process, there are two parts. First, inquiring about your friends' personal travel experiences and selecting one recommendation from the many places they've been is similar to applying the decision tree algorithm. Here, each friend makes a selection of the places he or she has visited so far.

The second part, after collecting all the recommendations, is the voting procedure for selecting the best place in the compilation of recommendations. This whole process of getting recommendations from friends and voting on them to find the best place is termed as the random forest's algorithm.

It technically is an Aggregate approach (based on the divide-and-conquer approach) regarding decision trees generated on a randomly split dataset. The term "forest" refers to this collection of decision tree classifiers. Each decision tree is constructed using an attribute selection metric, such as information gain, gain ratio, and the Gini index for each attribute. Each tree depends on a different random sample. In a classification problem, each tree votes, and the class with the most votes wins. The final regression result is calculated as the average of all the tree outputs. It is simpler and more effective than the other non-linear classification algorithms.

Random Forest (RF): A decision tree serves as the foundation for the algorithm, which significantly increases accuracy.

RANDOM FOREST STRUCTURE




Fig No: 2.6.1.1 Random Forest Algorithm

A supervised learning method that employs an ensemble approach for both regression and classification is the Random Forest algorithm. As a bagging technique, Random Forest differs from boosting. There is no interaction during the tree-building process because the trees in a Random Forest operate in parallel. During training, it builds several decision trees and outputs the average prediction for regression or the most common class (mode) for classification.

2.6.2 Random Forest Working




Fig No: 2.6.2.1 Random Forest Working

Random Forest operates in four steps:

Choose random samples from the provided dataset.

Build a decision tree for each sample and obtain a prediction from each tree.

Collect votes for each predicted result.

Select the final prediction is the result with the most votes.

Advantages:

- Since multiple decision trees are used in the prediction process, random forests are thought to be a very accurate and dependable method.
- It avoids the problem of overfitting primarily because it averages the predictions from multiple decision trees, effectively reducing individual biases.
- The algorithm is flexible enough to be used for tasks involving both regression and classification.
- Random forests can also handle missing values. These can be handled in two ways: by computing the proximity weighted average of missing values and by substituting continuous variables with median values.
- You can get the relative feature importance, which helps in selecting the most contributing features for the classifier.

Disadvantages:

- Due to the use of multiple decision trees, random forests typically produce predictions more slowly. Every time it makes a prediction, every tree in the forest makes a prediction for the same input. The outcome is then decided by a voting process. This whole process is time-consuming.
- Interpreting the model can be challenging compared to a decision tree, where you can simply follow the tree's path to make a decision.

Finding important features

Random forests also offer a good feature selection indicator. An extra variable that shows the relative significance or contribution of each feature to the prediction is included in the model by Scikit-learn. This score will help you choose the most important features and drop the least important ones for model building.

Random forest uses Gini importance or mean decrease in impurity (MDI) to assess the significance of each feature. Gini importance is another name for the overall reduction in node impurity. This is the amount that removing a variable reduces the model's fit or accuracy. The more significant the variable, the greater the decrease.

One important criterion for selecting variables in this case is the mean decrease. The total explanatory power of the variables can be described by the Gini index.

2.6.3 Random Forests vs Decision Trees

- Multiple decision trees form the basis of a random forest.
- Deep decision trees may suffer from overfitting, but random forests prevent overfitting by creating trees on random subsets.
- Decision trees are quicker to compute.
- Random forests are more difficult to interpret than decision trees, which are simple to understand and convert into rules.

Analyse and Prediction:

In the actual dataset, we chose only 4 features:

State Name: For administrative purposes, India is a union of States and Union Territories, and it consists of 29 States.

Season:

- ☐ Winter occurs between December and February.
- ☐ The summer or pre-monsoon season spans from March to May.
- ☐ Monsoon or rainy season, associated with kharif crops, lasts from June to September.

- The post-monsoon or autumn season lasts from October to November.
- Whole Year
- The sowing of rabi crops begins around mid-November.

Soil Types: Different types of soil

Area: How much area? They harvested

Accuracy on test set:

We got an accuracy of 0.87% on test set.

Project The Crop Yield:

Data Preparation:

we will transform the data. By getting rid of missing data and removing some columns. The first step is to create a list of the column names we aim to keep. Subsequently, we will drop the unnecessary columns and retain only the selected ones. Finally, we drop or remove the rows that have missing values in the data set.

Model Selection:

While building a machine learning model, we need two datasets, one for training and other for testing. But now we have only one. So, let's split this in two with a ratio of 80:20. We will also divide the data frame into feature column and label column.

Here we imported `train_test_split` function of `sklearn`. Then use it to divide the dataset.

Also, `test_size = 0.2`, it makes the split with 80% as train dataset and 20% as test dataset.

The `random_state` parameter seeds random number generator that helps to partition the dataset.

The function returns four datasets. Labelled them as `train_x`, `train_y`, `test_x`, `test_y`. If we see shape of this datasets we can see the split of dataset.

We used Random Forest Regressor, which applies multiple decision trees to the data. Finally, I train the machine learning model by passing `train_x`, `train_y` to the `fit` method.

Once the model is trained, we must Test the model. For that we will pass `test_x` for the prediction function.

Model Selection:

We employed the Random Forest Regressor for machine learning.

One of the most widely used machine learning algorithms is random forests. They are highly successful due to their strong predictive performance, low risk of overfitting, and ease of interpretation. This interpretability stems from the simplicity of determining the importance of each variable in the tree's decision-making process. In other words, it is easy to compute how much each variable is adding to the decision.

Feature selection via Random Forest belongs to the Embedded methods category, which combines the strengths of filter and wrapper methods. These methods are executed by algorithms that offer their own inherent feature selection mechanisms. The advantages of embedded methods are:

- They are highly accurate.
- They generalize better.
- They are interpretable

Analyse and Prediction:

In the actual dataset, we chose only 4 features:

State Name: India is divided into 29 States, as part of its union of States and Union Territories for administration.

Crop: crop name

Soil Types: Different types of soil

Area: how much area? They harvested

Accuracy on test set:

We got an accuracy of 0.96% on test set.

Saving the Trained Model:

Once you're confident enough to take your trained and tested model into the production-ready environment, the first action is to save it into a .h5 or .pkl file using a library like pickle.


Make sure you have pickle installed in your environment.

Next, let's import the module and dump the model into.pkl file

CHAPTER 3

DESIGN AND DEVELOPMENT

3.1 SYSTEM ARCHITECTURE:



3.2 GENERAL

Design Engineering deals with the various UML [Unified Modelling language] diagrams for the deployment of project. Design serves as a detailed engineering representation of the product to be built. In software design, requirements are turned into a meaningful representation of the software. Design is the creation of place where quality is rendered in software engineering. Design is the means to accurately translate customer requirements into finished product.

UML DIAGRAMS

UML stands for Unified Modelling Language. UML is a standardized, general-purpose modelling language used in object-oriented software engineering. The standard is managed, and was created by, the OMG (Object Management Group).

The objective is for UML to emerge as the standard language for modeling object-oriented software. UML, as it stands today, is made up of two primary elements: a Meta-model and a notation. In the future, UML might be expanded to include a method or process, or it could be associated with one.

The Unified Modelling Language provides a standard method for specifying, visualizing, constructing, and documenting software system artifacts, and it also applies to business modelling and non-software systems. The UML is a collection of the most effective engineering practices for modeling large and complicated systems.

Object-oriented software development and the software development process both rely heavily on UML. The software project design is primarily represented by graphical notations.

3.2.1 DATA FLOW DIAGRAM:





Fig 3.2.1 Data Flow Diagram (DFD)

1. The Data Flow Diagram (DFD) is also called as bubble chart. It is a simple graphical model that represents a system through its input data, the processing performed, and the output produced.
2. The data flow diagram (DFD) is an essential tool for modelling systems. It is utilized to depict the system components. These components are the system process, the data used by the process, A participant outside the system that interacts with it and contributes to the information flow.

3. The DFD shows how information moves through the system and goes through transformations. It is a graphical method that shows the flow of information and the changes applied as data progresses from input to output.
4. The DFD, also referred to as a bubble chart, is able to model a system at any level of abstraction. It can be divided into various levels, each of which provides more in-depth information about the flow of information and functional aspects.


3.2.2 USE CASE DIAGRAM



In Unified Modelling Language (UML), a use case diagram illustrates how a system interacts with its users. Users have a login into inputs. The dataset provides input data for it. It was also an open and load model to the data. It involves the preprocessing of data. It uses a random forest classifier for analysis, regressions and other algorithm has a occurs. It has predictions in values. It includes the crop growth rate.


3.2.3 OBJECT DIAGRAM

The above diagram talks about the movement of objects between the classes. It has user inputs which has a data it was connected with a dataset. It also has an open and load model. It was a preprocessing a data. It utilizes a Random Forest classifier, regression models, and predictions based on user data. It also provides crop growth rates.




3.2.4 CLASS DIAGRAM

In UML, a class diagram often includes a user with a login functionality. It features the user's farming data. It stores dataset inputs. It supports opening and loading models. It handles the preprocessing of data. It applies a random forest classifier for regression. and other it has applied algorithm. It was also having a prediction of values. It has a crop a growth rate it displays output.




3.2.5 ACTIVITY DIAGRAM

Activity diagrams graphically depict workflows, outlining stepwise activities and actions, with iteration support. In the Unified Modelling Language (UML), activity diagrams are capable of being used to describe the business and operational step-by-step workflows of constituents of a system. It has user input that is tied to dataset input from the data. It also has an open and load model. It also has a pre-processing of data to remove unnecessary data. It includes random forest regression classifiers and other data. It also has a prediction of a user's data. It also has a crop growth rate.




3.2.6 SEQUENCE DIAGRAM

A sequence diagram in UML in sequence manner holds the user's farming-related information. It manages dataset input and stores data. It can open and load models. It includes data preprocessing. It implements a random forest regression model and other it has applied algorithm. It was also having a prediction of values. It has a crop a growth rate it displays output.




3.2.7 COLLABORATION DIAGRAM

A collaboration diagram, also called a communication diagram or interaction diagram evolved with another classes of attributes it also has a user has a login. From input dataset it has an open and load models. It also has a pre-processing a data. It has predictions of an apply algorithm. It also has crop growth rate it displays an output from a web.




3.2.8 COMPONENT DIAGRAM



In Unified Modelling Language, a component diagram it also has a user input has a data it was connected with a dataset. It also has an open and load model. It was a preprocessing a data. It combines a random forest regression classifier and also forecasts user data. It has crop growth rates.


3.2.9 DEPLOYMENT DIAGRAM



Deployment diagrams it was an all-box link with an each other's It also takes user input data, which is connected to the dataset. It also has an open and load model. It was a preprocessing a data. It utilizes a random forest classifier for regression and besides that, it also provides prediction of a user data. It has crop growth rates.

3.2.10 STATE DIAGRAM

A state diagram loosely depicts the interaction between user input and dataset input from the data. It also has an open and load model it also has a pre-processing a data it removes an unnecessary data. It features random forest regression classifiers and other data. It also predicts user data. It also has a crop growth rate.



CHAPTER 4

RESULTS




Fig No: 4.1 LOGIN PAGE






Fig No: 4.2 FILE UPLOAD



Area	State	Season	Crop	Area (ha)	Yield (kg/ha)	Soil Type
23314	Madhya Pradesh	Kharif	Groundnut	2809.00	2.693000e+03	Sandy
23315	Madhya Pradesh	Whole Year	Groundnut	4448.00	4.332000e+03	Sandy
23316	Madhya Pradesh	Kharif	Groundnut	5345.00	5.960000e+03	Sandy
23317	Madhya Pradesh	Kharif	Groundnut	5159.00	5.543000e+03	Sandy
23318	Madhya Pradesh	Kharif	Groundnut	6088.00	8.493000e+03	Sandy
23319	Madhya Pradesh	Kharif	Groundnut	6599.00	7.842000e+03	Sandy
23320	Madhya Pradesh	Kharif	Groundnut	500.00	5.000000e+02	Sandy

Click to Train | Test

Fig No: 4.3 DATASET PREVIEW



Crop Yield Prediction

Enter your Details

State_Name: Andaman and Nicobar Islands

Crop: Areca nut

Area: 5

Soil_Type: Sandy

submit

Production would be 28665 KGs

Yield would be 5733000 KGs/acre

Fig No: 4.4 CROP YIELD PREDICTION




Fig No: 4.5 CROP RECOMMENDATION




Fig No: 4.6 WEATHER REPORT




Fig No: 4.7 ANALYSIS CHART

CHAPTER 5

CONCLUSION

5.1 Conclusion

This study discussed the limits of current technologies and their practical use in yield prediction. Then lead the farmers through a credible yield forecast system; a suggested system connects farmers. Farmers can use the built-in predictor system to predict how much of a particular crop will be produced. In order to make more informed decisions, users can use the integrated recommender system to investigate potential crops and yields. Machine learning algorithms were created and evaluated on the supplied datasets to improve yield and accuracy. Additionally, the suggested model investigated the timing of fertilizer application and offered suggestions for an appropriate duration.

5.2 FUTURE ENHANCEMENT

Future study will focus on periodically updating the datasets to make reliable forecasts, and the procedures may be automated. The capacity to deliver the fertilizer that is appropriate for the crop and the region will also be added. To put this into practice, a full understanding of available fertilizers and their interactions with soil and climate is required. A study of accessible statistical data must be done.

REFERENCES

- [1] Uma Maheswari S, Sreeram S, Kritika N, Prasanth DJ, “BIoT: Blockchain-based IoT for Agriculture”, 11th International Conference on Advanced Computing (ICoAC), 2019 Dec 18 (pp. 324-327). IEEE.
- [2] Jain A. “Analysis of growth and instability in the area, production, yield, and price of rice in India”, Journal of Social Change and Development, 2018; 2:46-66
- [3] Manjula E, Djodiltachoumy S, “A model for prediction of crop yield “International Journal of Computational Intelligence and Informatics, 2017 Mar; 6(4):2349-6363.
- [4] Sagar BM, Cauvery NK., “Agriculture Data Analytics in Crop Yield Estimation: A Critical Review”, Indonesian Journal of Electrical Engineering and Computer Science, 2018 Dec; 12(3):1087-93.
- [5] Wolfert S, Ge L, Verdouw C, Bogaardt MJ, “Big data in smart farming—a review. Agricultural Systems”, 2017 May 1; 153:69-80.
- [6] Jones JW, Antle JM, Basso B, Boote KJ, Conant RT, Foster I, Godfray HC, Herrero M, Howitt RE, Janssen S, Keating BA, “Toward a new generation of agricultural system data, models, and knowledge products: State of agricultural systems science. Agricultural systems”, 2017 Jul 1; 155:269-88.
- [7] Johnson LK, Bloom JD, Dunning RD, Gunter CC, Boyette MD, Creamer NG, “Farmer harvest decisions and vegetable loss in primary production. Agricultural Systems”, 2019 Nov 1; 176:102672.
- [8] Kumar R, Singh MP, Kumar P, Singh JP, “Crop Selection Method to maximize crop yield rate using a machine learning technique”, International conference on smart technologies and management for computing, communication, controls, energy, and materials (ICSTM), 2015 May 6 (pp. 138-145). IEEE.
- [9] SriramRakshith.K, Dr. Deepak.G, Rajesh M, Sudharshan K S, VasanthS, Harish Kumar N, “A Survey on Crop Prediction using Machine Learning Approach”, In International Journal for Research in Applied Science & Engineering Technology (IJRASET), April 2019, pp (3231-3234)
- [10] Veenadhari S, Misra B, Singh CD, “Machine learning approach for forecasting crop yield based on climatic parameters”, In 2014 International Conference on Computer Communication and Informatics, 2014 Jan 3 (pp. 1-5). IEEE.
- [11] Ghadge R, Kulkarni J, More P, Nene S, Priya RL, “Prediction of crop yield using machine learning”, Int. Res. J. Eng. Technol. (IRJET), 2018 Feb; 5.

- [12] Priya P, Muthaiah U, Balamurugan M, “Predicting yield of the crop using machine learning algorithm”, International Journal of Engineering Sciences & Research Technology, 2018 Apr;7(1):1-7.
- [13] S. Pavani, Augusta SophyBeulet P., “Heuristic Prediction of Crop Yield Using Machine Learning Technique”, International Journal of Engineering and Advanced Technology (IJEAT), December 2019, pp (135-138)
- [14] <https://web.dev/progressive-web-apps/>
- [15] <https://www.wikipedia.org/>
- [16] Plewis I, “Analysing Indian farmer suicide rates”, Proceedings of the National Academy of Sciences, 2018 Jan 9;115(2): E117.
- [17] Nishant, PotnuruSai, PinapaSaiVenkat, Bollu Lakshmi Avinash, and B. Jabber. "Crop Yield Prediction based on Indian Agriculture using Machine Learning." In 2020 International Conference for Emerging Technology (INCET), pp. 1-4. IEEE, 2020.
- [18] Kale, Shivani S., and Preeti S. Patil. "A Machine Learning Approach to Predict Crop Yield and Success Rate." In 2019 IEEE Pune Section International Conference (PuneCon), pp. 1-5. IEEE, 2019.
- [19] Kumar, Y. Jeevan Nagendra, V. Spandana, V. S. Vaishnavi, K. Neha, and V. G. R. R. Devi. "Supervised Machine learning Approach for Crop Yield Prediction in Agriculture Sector. “In 2020 5th International Conference on Communication and Electronics Systems (ICCES), pp.736-741.IEEE, 2020.
- [20] Nigam, Aruvansh, Saksham Garg, Archi Agrawal, and Parul Agrawal. “Crop yield prediction using machine learning algorithms. “In 2019Fifth International Conference on Image Information Processing (ICIIP), pp. 125-130.IEEE, 2019.
- [21] Bang, Shivam, Rajat Bishnoi, Ankit Singh Chauhan, AkshayKumarDixit, and Indu Chawla. "Fuzzy logic-based crop yield prediction using temperature and rainfall parameters predicted through ARMA, SARIMA, and ARMAX models." In 2019 Twelfth International Conference on Contemporary Computing (IC3), pp. 1-6. IEEE, 2019.

