

Below is a single, compiled, ready-to-drop **Appendix A1** with **A1.0** folded in and all suggested edits integrated. It includes a one-page executive summary for policymakers, unified definitions and clocks, the seven Acts, cross-references, unified templates, and a 30/60/90 rollout plan.

Appendix A1 — Rails-First Model Laws & Policy Tiles

One-Page Executive Summary (for policymakers)

What this does. Appendix A1 establishes thin, enforceable **Rails**—exit/safe passage, non-hostility/non-dispossession, rescue-first, neutral courts, open corridors & multi-implementation standards, and leashed replication—so diverse local charters can coexist without empire. Force is minimized; **sanctions-before-shots** dominate.

Why it matters. Predictable corridors and fast tribunals shrink crisis windows, lower transaction costs, and prevent monoculture fragility. We centralize only in a **CUCC Cage**—narrow, time-boxed emergency command—to **reopen rails** and then devolve power on a posted timeline.

How it works.

- **A1.0** harmonizes clocks, definitions, bond mechanics, evidence rules, and “red/yellow” severity cards.
- **A1.1** codifies Confederated Baselines for exit, non-dispossession, SAR, neutral tribunals, open standards (≥ 3 independent implementations), and leashed replication.
- **A1.2** sets corridor SLAs: capacity elasticity, price caps, green lanes, transparent maintenance via commit-reveal, real-time metrics, and strong cartel deterrence.
- **A1.3** gives tribunals hard SLAs ($IO \leq 72h$; $FO \leq 14/30d$), machine-readable orders, and a reproducible evidence chain.
- **A1.4** defines CUCC tripwires, a strict scope box, two-key signing (Commander+Ombuds), hard sunsets, and a re-federalization Gantt.

- **A1.5** governs replication (wet/dry): signed lineage, throttles, randomized teardowns, reversibility escrow, and anti-laundersing import caps.
- **A1.6** protects consent/exit for hives/collectives with consent ledgers, cool-off windows, individuation corridors, and anti-retaliation.
- **A1.7** secures augmentation safety/portability: ABoM/SBOM transparency, right-to-repair, vendor switching in 7 days, plural certification.

Benefits. Faster crisis containment; lower outage/queue costs; open competition without lock-in; clear duties for ports, tribunals, and operators; auditable decisions.

Costs/Risks, with mitigations.

- **Price-cap pushback:** tie caps to audited median costs + regulated margin; publish elasticity and rebates.
- **Vendor lock-in claims:** mandate portability packs and escrowed debug/safety keys.
- **Overcentralization drift:** CUCC sunsets, audits, and public ledgers prevent mandate creep.
- **Trade barriers:** hazard-class neutral licensing lanes and open conformance suites avoid discrimination.

Rollout (first 90 days). Enact A1.0; accredit tribunals; publish corridor registry and green-lane reserves; launch lineage registry and teardown lottery; stand up cert bodies; run a CUCC drill; publish the first quarterly SLA report.

A1.0 — General Provisions

Article 1 — Scope & Hierarchy

1.1 These provisions apply to all Acts in Appendix A1.

1.2 In case of conflict: A1.4 (Emergency Cage) governs only during a valid activation; otherwise A1.1 (CB Charter) controls baselines; A1.2–A1.7 govern their domains.

Article 2 — Time, Clocks, and SLAs

2.1 All clocks run in UTC with posted local offsets.

2.2 SLA timers start at filing receipt (tribunals), at ingress timestamp (corridors), and at order publication (CUCC).

2.3 “Business day” references are prohibited; use 24-hour periods.

Article 3 — Cards & Severity

3.1 **Red Card:** Immediate risk to life/rails; FO $\leq$ 14 days.

3.2 **Yellow Card:** Material but non-immediate risk; FO $\leq$ 30 days.

3.3 Card assignment must be reasoned and is appealable on classification only.

Article 4 — Bonds, Ports & Slots (Sanctions-Before-Shots)

4.1 Bond accounts must support programmable burns, escrow, and tiered freezes.

4.2 **Port/Slot** includes physical, spectrum, frequency, compute, and schedule reservations.

4.3 Graduated sanctions: notice $\rightarrow$ fee uplift $\rightarrow$ slot throttles $\rightarrow$ slot denial $\rightarrow$ trustee control (time-boxed).

Article 5 — Multi-Implementation Standards

5.1 “ $\geq$ 3 implementations” means independent development **and independent governance**.

5.2 Conformance suites are open; failing tests published within 72 hours.

5.3 Rolling grace windows (6–12 months) are risk-tiered (see A1.2/A1.7).

Article 6 — Evidence & Privacy

6.1 **Golden Chain of Custody:** signed ingest $\rightarrow$ hash-chain $\rightarrow$ reproducible audit trail.

6.2 Publish reasons and evidence summaries with necessary redactions; raw artifacts under access controls.

Article 7 — Definitions Harmonization

7.1 “Corridor” covers route/port/slot/beam/interface.

7.2 “Replication” covers wet/dry lineages (hardware, bio, software, models).

7.3 “Emergency (Fallback)” means an A1.4 activation with live clocks and a posted scope box.

A1.1 — Confederated Baselines (CB) Charter Act

Article 1 — Purpose

1.1 Establish minimal, enforceable baselines (“Rails”) enabling plural local charters to coexist under a thin law of peace.

1.2 Protect exit and safe passage, non-hostility and non-dispossession, rescue-first obligations, neutral adjudication, open corridors and standards, and responsible replication.

Article 2 — Definitions

2.1 **Local Sovereignty Charter (LSC):** A posted constitution of a community, association, or polity.

2.2 **Corridor:** Any designated route, port, slot, beam, or interface enabling movement, trade, or access.

2.3 **CB Minima:** Baseline guarantees in Articles 3–5.

2.4 **Tribunal:** Neutral adjudicator accredited under A1.3.

2.5 **Emergency (Fallback):** Time-boxed powers invoked under A1.4.

2.6 **Replication:** Creation or forking of factories, tooling, agents, or lineages (wet or dry).

Article 3 — Exit & Safe Passage

3.1 Every person retains the right to depart an LSC with their property, including encrypted personal data and lawful tools.

3.2 Corridors must be posted publicly with price ceilings and capacities.

3.3 Denial of exit is prohibited except per Tribunal Interim Order (IO) not exceeding 72 hours **from issuance**.

Article 4 — Non-Hostility & Non-Dispossession

4.1 No LSC may dispossess non-members of essentials (water, air, power, medical triage, basic food, safe shelter).

4.2 Collective punishments are prohibited.

Article 5 — Rescue First & Neutral Minima

5.1 Search-and-Rescue (SAR) and emergency aid precede litigation.

5.2 Triage hubs must serve without discrimination, subject to safety protocols.

5.3 Costs are allocable post hoc by Tribunal Final Order (FO).

Article 6 — Neutral Courts & Tribunals

6.1 Accredited Tribunals must meet SLAs per A1.3: IO $\leq$ 72 hours; FO $\leq$ 14 days (red) / $\leq$ 30 days (yellow).

6.2 Reasons and evidence summaries shall be published with privacy safeguards; IO/FO medians published quarterly.

Article 7 — Open Corridors & Standards

7.1 Critical rails (Dock/Beam/Sched/Traffic/Comms) shall have $\geq$ 3 independently developed, **independently governed**, certified implementations.

7.2 Conformance suites shall be open, with 12-month grace windows for upgrades.

Article 8 — Leashed Replication

8.1 Replication requires signed lineage, rate limits, bonds, and teardown audit randomization per **A1.5 Replication Code**.

Article 9 — Governance

9.1 CB Authority accredits Tribunals, registers corridors, and publishes conformance results.

9.2 CB Authority may not legislate LSC internals beyond CB Minima.

Article 10 — Enforcement & Sanctions

10.1 Primary tools: bond burns, port/slot denial, fee uplifts, and corridor access throttles.

10.2 Use of force is limited to protection of life, green lanes, and immediate threats, with **automatic black-box log dump to Tribunal in ≤ 24 hours**.

Article 11 — Sunset & Review

11.1 CB provisions are permanent; emergency exceptions sunset per **A1.4 Articles 6–7**.

11.2 Biennial public review of SLAs and corridor price ceilings.

Appendix Templates

A. Corridor Posting (capacity, price cap, schedule, **green-lane %**).

B. Tribunal Accreditation Form (**privacy redaction rubric**).

C. SAR Compact (triage protocol, audit schedule).

Implementation Checklist (10)

- Publish corridor registry with caps/capacity/green-lane %.
- Accredit ≥ 2 Tribunals initially; scale to demand.
- Stand up SAR hubs with audit cadence.
- Adopt open conformance suites (≥ 3 stacks).
- Post exit procedures and timelines.

- Draft fee uplift and slot denial SOPs.
- Privacy safeguards for evidence summaries.
- Bond escrow and burn mechanics wired to finance.
- Annual corridor elasticity test.
- Biennial CB review docketed.

A1.2 — Corridor Service Level Agreement (SLA) Statute

Article 1 — Purpose

1.1 Guarantee predictable, fair access to corridors (routes/ports/slots/beams/interfaces) supporting exit, trade, SAR, and essential services.

Article 2 — Definitions

2.1 **Elasticity Floor:** Minimum surge capacity above rolling 95th percentile **hourly** load, computed over 180 days, recomputed monthly.

2.2 **Price Cap:** Max fee per unit (time/throughput/berth) = median rolling 90-day cost + 15%.

2.3 **Commit–Reveal Schedule:** Cryptographic pre-commitment of maintenance windows, revealed ≥ 14 days prior.

Article 3 — Requirements

3.1 Capacity: maintain elasticity $\geq 20\%$ over rolling 95th percentile hourly demand **per corridor**.

3.2 Price: cap at median rolling 90-day cost + 15%; no surge pricing beyond cap.

3.3 Maintenance: commit–reveal; overlapping critical corridors prohibited unless Tribunal-approved.

3.4 Green Lanes: SAR/medical/essentials reserved $\geq 5\%$ capacity at zero or regulated cost.

3.5 Transparency: publish real-time capacity, median and p95 queue times (**targets: ≤ 15 min median; ≤ 60 min p95**), and outages.

Article 4 — Governance

4.1 CB Corridor Office verifies schedules, capacity, and caps.

4.2 Annual third-party audit of elasticity and pricing accuracy.

Article 5 — Enforcement & Sanctions

5.1 Breach triggers fee rebate (150% of overcharge) and—on a **second breach within 180 days**—a 14-day slot denial on discretionary (non-green-lane) traffic.

5.2 Cartel behavior (price/maintenance coordination) → joint red card: trustee control 90 days; **common-mode maintenance without posted independent necessity is prima facie coordination**.

Article 6 — Sunset & Review

6.1 Statute stands; individual maintenance exceptions auto-expire at window end.

6.2 Semiannual review of elasticity and caps.

Appendix Templates

A. Corridor SLA Posting (**p95 baseline, elasticity floor, price-cap figure**).

B. Maintenance Commit–Reveal Form.

C. Green Lane Allocation Table.

Implementation Checklist

- Compute rolling 95th percentile demand baseline.
- Set elasticity and price caps in registry.
- Enable commit–reveal tooling.
- Configure green-lane reservations.
- Stand up live dashboard (capacity/queues).
- Contract annual auditor.

- Define rebate & red-card SOPs.
- Publish grievance channel to Tribunal.
- Train operators on SLA breaches.
- First semiannual review scheduled.

A1.3 — Tribunal Service Levels & Procedure Act

Article 1 — Purpose

1.1 Ensure fast, fair, transparent adjudication supporting sanctions-before-force.

Article 2 — Definitions

2.1 **Interim Order (IO):** Reversible order pending final adjudication.

2.2 **Final Order (FO):** Determination on merits.

2.3 **Red/Yellow Cards:** Severity classes mapping to FO SLAs.

Article 3 — SLAs

3.1 IO issuance within ≤ 72 hours of **complete filing** in urgent rail cases; ≤ 7 days otherwise.

3.2 FO: red card ≤ 14 days; yellow card ≤ 30 days.

3.3 Publication of reasons and evidence summaries within 72 hours of IO/FO.

Article 4 — Procedure

4.1 Filing Stake refundable upon prevailing or precedent-setting contribution; bands by claimed value/harm class; indigency waiver available.

4.2 Summary-judgment lane for patterned disputes (target ≤ 7 days).

4.3 Evidence handling: Golden Chain of Custody; privacy-respecting disclosure.

4.4 Appeals affect damages, not immediate containment, except manifest error;
containment IOs auto-review at 7 days if FO not yet issued.

Article 5 — Governance

5.1 Accreditation standards; ombuds rotation; **machine-readable orders (JSON + signed PDF)**; reproducibility bounties for public datasets and code.

Article 6 — Enforcement & Sanctions

6.1 Orders bind corridor/port operators; non-compliance → bond burns and slot denial.

6.2 Frivolous litigation → stake forfeiture and filing rate limits; **pattern threshold: ≥ 3 dismissals/90 days → escalating limits.**

Article 7 — Sunset & Review

7.1 IOs auto-expire at FO or 30 days, whichever earlier.

7.2 Quarterly SLA audit; publish IO/FO latency medians.

Appendix Templates

A. Filing Stake Schedule.

B. Evidence Pack Checklist (“**complete filing**” **minimum fields**).

C. Summary Judgment Criteria.

Implementation Checklist

- Staff 24/7 IO desk.
- Publish stake schedule and exemptions.
- Stand up Golden Chain tooling.
- Create summary-judgment catalog.
- Wire operator compliance channels.
- Launch reproducibility bounties.
- Quarterly SLA report template.
- Appeals SOP published.

- Ombuds rotation calendar.
- Privacy redaction policy.

A1.4 — Emergency Command Cage (CUCC Cage) Statute

Article 1 — Purpose

1.1 Permit narrow, time-boxed central command solely to **reopen rails** during extreme failure.

Article 2 — Tripwires (any two required)

2.1 ≥ 2 of {Traffic/Beam/Replication} down $> 30\%$ concurrently for > 14 days across $> 60\%$ nodes.

2.2 SAR/medical uptime $< 95\%$ for > 7 days in ≥ 2 regions.

2.3 IO median > 7 days or unenforceable in $> 40\%$ cases over 14 days.

2.4 Cooling price spikes $> 500\%$ for > 10 days in ≥ 2 hubs despite circuit breakers.

2.5 Debris growth > 0 for 30 days under max bounties.

2.6 **Catastrophic local exception:** Single hub outage $> 90\%$ for > 72 hours with spillover risk qualifies as one tripwire.

Article 3 — Allowed Powers (Scope Box)

3.1 Orchestrate Traffic/Beam scheduling across existing stacks.

3.2 Ration cooling via AMM controls.

3.3 Coordinate SAR and corridor protection.

3.4 **No new data-retention mandates** beyond incident telemetry.

Article 4 — Forbidden Powers

4.1 Alter LSC membership/privileges; close exit; control media/education; merge tribunals; mandate a single stack.

Article 5 — Two-Key & Quorum Engines

5.1 Every order requires Commander + Ombuds signatures; Ombuds roster and rotation schedule published.

5.2 Maintain ≥ 3 certified implementations; monthly rotating registry editors.

Article 6 — Sunsets

6.1 Tactical orders: 7 days; Operational: 30 days; Strategic: 90 days.

6.2 Renewal requires supermajority + published causal brief + independent audit; **audit must include a counterfactual** (“what reopens rails faster without CUCC?”); missed audit → automatic lapse.

Article 7 — Re-Federalization Timeline (dated)

7.1 T+30 restore Tribunal independence.

7.2 T+60 devolve corridor control to regions.

7.3 T+120 dissolve central Cooling Board to AMM+circuit breakers.

7.4 T+180 certify third-party schedulers; CUCC to hot-standby.

7.5 T+365 retire central scheduler.

7.6 **T+0** post Gantt with owners; slippage > 7 days triggers Ombuds hearing.

Article 8 — Public Ledger & Pledge

8.1 Publish orders, keys used, scope, sunset clock, and audit links in a **machine-readable ledger**.

8.2 Civic pledge: “Centralize to reopen rails—and only to reopen them.”

Appendix Templates

A. Activation Checklist (**tripwire evidence pack; COI attestations**).

B. Order Log Format (machine-readable).

C. Re-Federalization Gantt.

Implementation Checklist

- Enact tripwires and clocks in law.
- Appoint Commander & Ombuds; key ceremony recorded.
- Verify ≥ 3 live stacks and editor rotation.
- Draft public ledger site.
- Pre-write re-federalization plan.
- Independent auditor contracted.
- Drill activation and sunset.
- Train operators on scope box.
- Publish pledge.
- Quarterly readiness review.

A1.5 — Replication Governance & Lineage Code (RGP)

Article 1 — Purpose

1.1 Prevent runaway replication and gray-zone laundering; ensure provenance and reversibility for wet/dry lineages.

Article 2 — Definitions

2.1 **Lineage**: Signed tree of design, bill of process, weights/genome, and custody.

2.2 **Throttle**: Rate limit on replication or activation.

2.3 **Teardown Lottery**: Randomized component tracing and verification using a public randomness beacon.

Article 3 — Requirements

3.1 Signed lineage required for all replicated units; publish hashes.

3.2 Throttles: declare max replication rate; red-card classes require Tribunal license (**hazard-class ↔ license lane mapping in Appendix D**).

3.3 Random teardown: 1–5% of inbound lots by public draw; failure → seizure and sanction; seed + draw posted.

3.4 Reversibility: hazardous classes require kill-switch or counter-measure escrow (**tribunal key + operator key; time lock**).

3.5 Import cap: unaudited content ≤ 5% of BoM by **ex-factory value**.

Article 4 — Governance

4.1 Registry hosts lineage hash trees (availability SLO ≥ 99.9%); signed API; independent labs run teardowns; honey-buyer program procures samples.

Article 5 — Enforcement & Sanctions

5.1 Violations: bond burns; port denial; license suspension.

5.2 Laundering conspiracy: joint red card; trustee control **up to** 90 days, with weekly review.

Article 6 — Sunset & Review

6.1 Licenses time-boxed; annual renewal on audit pass.

6.2 Semiannual update of hazard classes and throttle norms.

Appendix Templates

A. Lineage Manifest.

B. Throttle Declaration.

C. Teardown Report.

D. Hazard Class ↔ Throttle Band ↔ License Lane Matrix.

Implementation Checklist

- Set hazard classes & throttle bands.
- Launch lineage registry (99.9% SLO; signed API).
- Contract teardown labs & honey-buyer program.
- Publish import-cap enforcement SOP.
- Wire bond and license sanctions.
- Train ports on seizure protocol.
- Reversibility escrow vendor onboarded.
- Semiannual hazard review calendar.
- Public dashboard for pass/fail counts.
- Appeals process posted.

A1.6 — Consent & Individuation Act (for Hives & Collective Entities)

Article 1 — Purpose

1.1 Safeguard voluntary participation and safe exit in collective cognition or embodiment (“hives”).

Article 2 — Definitions

2.1 **Bind:** Any coupling that alters agency or shares memory/state beyond ordinary association.

2.2 **Consent Ledger:** Signed, revocable record of bind/fission decisions with timestamps.

2.3 **Individuation:** Right of a node to unbind and operate independently.

2.4 **Hard Bind:** Persistent memory/actuation coupling requiring surgical/cryptographic unbind.

2.5 **Soft Bind:** Reversible software/protocol coupling with one-step unbind.

Article 3 — Rights

3.1 Right to bind only with informed, revocable consent; **cool-off window $\geq$ 72 hours for hard binds**; soft binds must support one-click unbind and a 24-hour reversal period.

3.2 Right to individuate with safe corridors and **housing minima**.

3.3 No coercive assimilation; memetic/hardware coercion adjudicated as assault/kidnapping.

Article 4 — Duties

4.1 Maintain consent ledger with heartbeat confirmations (interval posted); missed-heartbeat escalation required.

4.2 Provide egress plan and safe harbor for exiters for $\geq$ 30 days (housing, comms, food, medical triage).

4.3 Stable sub-IDs for liability; publish interface budgets with shared rails.

Article 5 — Governance

5.1 Registry of hives; periodic audit of consent ledgers; ombuds for exit disputes.

Article 6 — Enforcement & Sanctions

6.1 Retaliation for exit $\rightarrow$ red card; bond burn; port/slot denial.

6.2 Failure to maintain consent ledger $\rightarrow$ fines; repeat $\rightarrow$ trustee control 60 days.

6.3 **No negative inference in courts solely from individuation.**

Article 7 — Sunset & Review

7.1 Audits annual; penalties time-boxed; three-year statutory review.

Appendix Templates

A. Consent Ledger Schema (bind type, risks, cool-off, heartbeat, fission plan, revocation timestamp).

B. Egress Plan Template.

C. Interface Budget Form.

Implementation Checklist

- Register existing hives; assign ombuds.
- Deploy consent ledger tooling.
- Publish individuation safe-harbor SOP.
- Define assault/coercion evidentiary standards.
- Train tribunals on hive disputes.
- Interface budget postings live.
- Annual audit calendar.
- Retaliation sanction SOP.
- Privacy protections for ledger access.
- Three-year review docketed.

A1.7 — Augmentation Safety & Portability Standard (ABoM)

Article 1 — Purpose

1.1 Protect the dignity and safety of cybernetic persons; prevent vendor lock-in for life-critical systems.

Article 2 — Definitions

2.1 **ABoM**: Augmentation Bill of Materials (parts, firmware, configs), **machine-readable and mapped to SBOM identifiers**.

2.2 **Life-Critical Module (LCM)**: Any component whose failure risks severe injury or death.

2.3 **Portability Pack**: Export of keys, models, bindings for vendor switch.

Article 3 — Requirements

3.1 Publish ABoM for all LCMs; firmware transparency and signed updates.

3.2 Right-to-repair for LCMs via certified independents; no DRM preventing safety fixes; **escrowed debug keys limited to preventing safety regressions**.

3.3 Portability: provide Portability Pack within 7 days of request via secure courier or encrypted download with auditable receipt; no penalty clauses for switching.

3.4 Safety certification pluralism: ≥ 2 independent cert bodies; open test suites; risk-based grace windows—LCM Class I (6 mo), II (9 mo), III (12 mo).

Article 4 — Governance

4.1 CB Certification Board accredits labs; tracks failure reports; runs recall notices.

4.2 Conflict-of-interest prohibitions and **12-month cooling-off** for cert reviewers.

Article 5 — Enforcement & Sanctions

5.1 Non-compliance: fines, procurement blacklists, recall mandates.

5.2 Harm from concealment: treble damages **or** statutory minimum (per jurisdiction), whichever higher.

Article 6 — Sunset & Review

6.1 Certifications valid 24 months; mid-cycle patch reviews.

6.2 Annual report on failures, recalls, and switching rates.

Appendix Templates

A. ABoM Template (SBOM-linked).

B. Portability Pack Checklist.

C. Failure Report Form.

Implementation Checklist

- Define LCM classes.
- Stand up two cert bodies.
- Publish open test suites and grace windows.
- Mandate ABoM on sale/implantation.
- Launch failure reporting portal.
- Create recall SOPs.
- Enforce right-to-repair contracts.
- Portability Pack service live.
- Blacklist policy for repeat offenders.
- Annual safety report schedule.

Cross-Reference Map

- **A1.1 ↔ A1.2:** Corridors & SLAs (capacity, caps, green lanes).
- **A1.1 ↔ A1.3:** Tribunal SLAs and publication norms.
- **A1.1 ↔ A1.4:** Emergencies and re-federalization clocks.
- **A1.5 ↔ A1.2:** Port/slot denial effects on replicated goods traffic.
- **A1.6 ↔ A1.7:** Hive devices as LCMs; portability & safety duties for exiters.
- **A1.3 ↔ All:** Evidence, reasons, and machine-readable orders.

Unified Templates (drop-in fields)

Corridor SLA Posting (A1.2.A)

- Corridor ID • Operator • Capacity (base & p95) • Elasticity Floor • Price Cap • Green-Lane % • Maintenance Windows (commit hash + reveal link) • Live metrics URL • Tribunal contact.

Evidence Pack Checklist (A1.3.B)

- Parties • Filing stake • Harm class & card • Facts summary • Exhibits (hashes) • Chain-of-custody IDs • Relief sought • Service proof • Privacy redactions log.

CUCC Order Log (A1.4.B)

- Order ID • Scope tag (Tactical/Operational/Strategic) • Keys used (Commander/Ombuds) • Affected corridors • Start/End clocks • Renewal status • Causal brief link • Audit link.

Lineage Manifest (A1.5.A)

- Lineage root hash • Parent refs • BoP/weights/genome hashes • Custody chain • Throttle band • License ID • Reversibility escrow ID • Random teardown eligibility.

Consent Ledger Schema (A1.6.A)

- Subject ID • Bind type (soft/hard) • Risks disclosed • Cool-off start/expiry • Heartbeat interval • Fission plan ID • Egress contact • Revocation timestamp.

ABoM Template (A1.7.A)

- Device/LCM class • Part numbers • Firmware versions • Config hashes • Known hazards • Test suite IDs • Patch history • Portability Pack location.

Master Implementation Checklist (30/60/90)

Day 0–30 (Foundations)

- Enact A1.0 and all definitional harmonizations.
- Stand up bond escrows and programmable burns (sandbox tested).
- Publish corridor registry with elasticity, caps, green-lane %.
- Accredited ≥ 2 Tribunals; staff 24/7 IO desk; launch **machine-readable orders**.
- Launch lineage registry MVP; sign/hashing verified (99.9% SLO).
- Post CUCC tripwires and name Commander/Ombuds; complete key ceremony.
- Register known hives; deploy consent ledger tooling.
- Stand up two augmentation cert bodies; publish LCM classes and test suites.

Day 31–60 (Operational)

- Commit–reveal maintenance tooling live; prevent overlapping critical windows.

- Teardown Lottery operational with public randomness seed.
- SAR hubs online; green-lane capacity enforced; dashboards public.
- Appeals SOPs and summary-judgment catalog published.
- Portability Pack service live; first audits scheduled.
- Privacy redaction policy exercised on sample cases.

Day 61–90 (Stress & Audit)

- Run full-dress CUCC activation drill with ledger and sunsets.
- Corridor elasticity/capacity audit; publish p95 and rebates issued.
- RGP import-cap enforcement dry run at two ports.
- Hive individuation safe-harbor test with mock exiters.
- ABoM recall simulation; verify cross-vendor portability in 7 days.
- Publish first quarterly SLA report (IO/FO latency medians).

Notes for Editors

- Keep numbering consistent if consolidating sections.
- Where “Tribunal” appears, cross-reference **A1.3**.
- Where “Replication” appears, cross-reference **A1.5**.
- For emergencies, cross-reference **A1.4**.
- Localize currency, fines, and agencies per jurisdiction.