Reserve words/Symbols	Delimeter	Definition (The Set)	Missing Delims		Remove Delims		Sample Code			
			Paper	Lexer	Paper	Lexer				
strina	{delim_space, newline}	delim_datatype	(	newline					**REGULAR DEFINITIONS**	
wharfa	{delim_space, newline }	delim_datatype	(	newline					whitespace	{space, newline, tab}
flo	{delim_space, newline }	delim_datatype	(	newline					caplet	{ A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z }
trua	{delim_space, newline}	delim_datatype	(	newline					lowlet	{ a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z }
lis	{delim_space, newline}	delim_datatype	(	newline					letter	{ caplet, lowlet }
glossare	{delim_space, newline}	delim_datatype	(	newline					digit	{ 1, 2, 3, 4, 5, 6, 7, 8, 9 }
prin	{ delim_space, (}	delim_io	newline						escape	{\", \' , \\ , \n , \t, \0 }
inpub	{ delim_space, (}	delim_io	newline						numbers	{ 0, digit }
formo	{ delim_space, (}	delim_io	newline						alphanum	{ letter, numbers}
innum	{ delim_space, (}	delim_io	newline						mathop	{ +, -, *, /, % }
inflo	{ delim_space, (}	delim_io	newline						relop_ch	{ <, >, =, ! }
an	{ delim_space, (}	delim_logic	newline						assops	{=, +=, -=, *=, /=, %=}
othan	{ delim_space, (}	delim_logic	newline						ascii	{ any printable ascii character } {printable ASCII (32-126) + tab }
neve	{ delim_space, (}	delim_logic	newline	newline					str_char	{ascii, special characters}
Inaccu	{ delim_space,), },], ;, , , :, mathop, relop_ch, eof}	delim_bool	newline		:, mathop, <, >, eof	:, mathop, <, >, eof			ml_char	{ascii, whitespace}
Trua	{ delim_space,), },], ;, , , :, mathop, relop_ch, eof}	delim_bool	newline		:, mathop, <, >, eof	:, mathop, <, >, eof			eof	{ end-of-file marker }
belial	{ delim_space, (}	delim_logic	newline						special characters	{unicode symbols not found on ascii table}
belsa	{ delim_space, (}	delim_logic	newline	newline					delim_space	space, tab
elsa	{ delim_space, newline, { }	delim_block							delim_quote	, "
lood	{ delim_space, (}	delim_logic	newline						delim_datatype	delim_space, newline
cycla	{ delim_space, (}	delim_logic	newline						delim_io	delim_space, (
paus	{ delim_space, newline, ; }	delim_stmt	newline						delim_bool	Delim_space, newline,), },], ;, , , :, mathop, relop_ch, eof
persis	{ delim_space, newline, ; }	delim_stmt	newline						delim_logic	delim_space, (
pas	{ delim_space, newline, ; }	delim_stmt	newline						delim_block	delim_space, newline, {
reor	{ delim_space, delim_quote, newline, ;, (, [, {, - }	delim_struc							delim_stmt	delim_space, newline, ;
deleo	{ delim_space}	delim_deleo	newline	newline					delim_struc	delim_space, delim_quote, newline, ; (, [, {, -
const	{ delim_space }	delim_const	newline	newline					delim_deleo	delim_space

Reserve words/Symbols	Delimeter	Definition (The Set)	Missing Delims		Remove Delims		Sample Code			
			Paper	Lexer	Paper	Lexer				
insid	{ delim_space, newline, (, [, “ , ‘ , - }	delim_insid			(, -				delim_const	delim_space
"+"	{ delim_space, letter, numbers, delim_quote, (, -}	delim_plus	newline	newline, -					delim_insid	delim_space, newline, (, [, “ , ‘
-	{ delim_space, letter, numbers, (}	delim_minus	newline	newline					delim_plus	delim_space, letter, numbers, delim_quote, (, -
*	{ delim_space, letter, numbers, (}	delim_arithmetic	newline	newline, -					delim_minus	delim_space, letter, numbers, (
/	{ delim_space, letter, numbers, (}	delim_arithmetic	newline	newline, -					delim_arithmetic	delim_space, letter, numbers, (, -
%	{ delim_space, letter, numbers, (}	delim_arithmetic	newline	newline, -					delim_oper	delim_space, letter, numbers, (, -
<	{ delim_space, letter, numbers, (, - }	delim_oper	newline	newline					delim_equality	delim_space, delim_quote, letter, numbers, (, - , [, {
>	{ delim_space, letter, numbers, (, - }	delim_oper	newline	newline					delim_equal	delim_space, delim_quote, letter, numbers, (, [, {, -
<=	{ delim_space, letter, numbers, (, - }	delim_oper	newline	newline					delim_augoper	delim_space, letter, numbers, delim_quote, (, -
>=	{ delim_space, letter, numbers, (, - }	delim_oper	newline	newline					delim_openparen	delim_space, letter, numbers, delim_quote, (,), [, -, {
"=="	{ delim_space, delim_quote, letter, numbers, (, - , [, { }	delim_equality	newline	newline					delim_closeparen	delim_space, newline, relop_ch,),], {, }, ;, ,, mathop
!=	{ delim_space, delim_quote, letter, numbers, (, - , [, { }	delim_equality	newline	newline					delim_openbracket	delim_space, letter, numbers, delim_quote, (, [, {, -
='	{ delim_space, delim_quote, letter, numbers, (, [, {, - }	delim_equal	newline	newline					delim_closebracket	delim_space, newline, relop_ch,), [,], }, ;, ,, mathop
+='	{ delim_space, delim_quote, letter, numbers, (, - }	elim_augplus	newline	newline					delim_opencurly	delim_space, newline, letter, numbers, delim_quote
-=	{ delim_space, letter, numbers, (, - }	delim_augoper	newline	newline					delim_closecurly	delim_space, newline, delim_quote, newline, relop_ch,),] , ;
*=	{ delim_space, letter, numbers, (, - }	delim_augoper	newline	newline					delim_comma	delim_space, newline, letter, numbers, delim_quote, (, [, {, -
/=	{ delim_space, letter, numbers, (, - }	delim_augoper	newline	newline					delim_dqopen	delim_space, ascii
%=	{ delim_space, letter, numbers, (, - }	delim_augoper	newline	newline					delim_dqclose	delim_space, newline, , ,) ,] , } , ;, : , relop_ch, mathop

Reserve words/Symbols	Delimeter	Definition (The Set)	Missing Delims		Remove Delims		Sample Code			
			Paper	Lexer	Paper	Lexer				
(	{delim_space, letter, numbers, delim_quote, (,), [, -, {}	delim_openparen	newline	newline					delim_sqopen	delim_space, ascii
)	{delim_space, newline, relop_ch,),], {, }, ;, ,, mathop}	delim_closeparen		relop_ch, mathop	]	]			delim_sqclose	delim_space, newline, , ,) ,] , } , ; , : , relop_ch, mathop
[	{delim_space, letter, numbers, delim_quote, (, [, {, - }	delim_openbracket	newline		(	(			delim_colon	delim_space, newline, letter, numbers, delim_quote, - , [, {
]	{delim_space, newline, relop_ch,), [,], }, ;, ,, mathop}	delim_closebracket							delim_scolon	delim_space, newline, letter, } , -, /, eof
{	{delim_space, newline, letter, numbers, delim_quote }	delim_opencurly							delim_slcomment	delim_space, (ascii - /), special characters, eof
}	{delim_space, newline, delim_quote, relop_ch,),] , ;}	delim_closecurly			;				delim_mlcomment_open	ascii, whitespace, eof
Others									delim_mlcomment_close	ascii, whitespace, eof
,	{delim_space, letter, numbers, delim_quote, (, [, {, -}	delim_comma	newline	newline					delim_id	delim_space, newline, mathop, assops, relop_ch, [,], }, (,), ; , , , eof
" (opening)	{delim_space, ascii }	delim_dqopen	newline	newline					delim_num	delim_space, newline, mathop, relop_ch, ; , , ,], },) , : , eof
" (closing)	{delim_space, newline, , ,) ,] , } , ;, : , relop_ch, mathop }	delim_dqclose			>, <, -, *, /	>, <, -, *, /				
(opening)	{delim_space, ascii }	delim_sqopen	newline	newline						
(closing)	{delim_space, newline, , ,) ,] , } , ; , , : , relop_ch, mathop }	delim_sqclose			>, <, -, *, /	>, <, -, *, /				
:	{delim_space, newline, letter, numbers, delim_quote, - , [, { }	delim_colon								
;	{delim_space, newline, letter, }, -, /, eof}	delim_scolon			-	-				
--	{delim_space, ascii, special characters}	delim_slcomment	newline							
/--	{ delim_space, ascii, special characters, newline }	delim_mlcomment_open								

Reserve words/Symbols	Delimeter	Definition (The Set)	Missing Delims		Remove Delims		Sample Code			
			Paper	Lexer	Paper	Lexer				
--/	{ delim_space, letter, special characters, newline, }, eof, / }	delim_mlcomment_close								
{delim_space, newline, mathop, assops, relop_ch, [,], }, (,), ; , , , eof }		delim_id		mathop, assops, relop_ch		eof				
{delim_space, newline, mathop, relop_ch, ; ,], },) }		delim_num								