Test of the **bracealign** package compatibility with the **unicode-math** package (X∃LATEX)

Julien Labbé

April 8, 2025

1 \underbrace / \overbrace

```
\[
  \begin{bracealign}
    \underbrace{
      \begin{bracealign}
        \underbrace{\medcontent}_{1}
        ~+~
        \underbrace{\smallcontent}_{2}
      \end{bracealign}
    }_{nested}
    ~=~
    \underbrace{\hugecontent}_{3}
    ~+~
    \underbrace{\bigcontent}_{4}
    ~+~
    \underbrace{\smallcontent}_{5}
  \end{bracealign}
\]
```

```
\[
  \begin{bracealign}
    \overbrace{
      \begin{bracealign}
        \overbrace{\medcontent}^{1}
        ~+~
        \overbrace{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \overbrace{\hugecontent}^{3}
    ~+~
    \overbrace{\bigcontent}^{4}
    ~+~
    \overbrace{\smallcontent}^{5}
  \end{bracealign}
\]
```



```
\[
  \begin{bracealign}
    \overbrace{
      \begin{bracealign}
        \overbrace{\medcontent}^{1}
        ~+~
        \overbrace{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \underbrace{\hugecontent}_{3}
    ~+~
    \overbrace{\bigcontent}^{4}
    ~+~
    \underbrace{\smallcontent}_{5}
  \end{bracealign}
\]
```

2 \underbracket / \overbracket

```
\[
  \begin{bracealign}
    \underbracket{
      \begin{bracealign}
        \underbracket{\medcontent}_{1}
        ~+~
        \underbracket{\smallcontent}_{2}
      \end{bracealign}
    }_{nested}
    ~=~
    \underbracket{\hugecontent}_{3}
    ~+~
    \underbracket{\bigcontent}_{4}
    ~+~
    \underbracket{\smallcontent}_{5}
  \end{bracealign}
\]
```



```
\[
  \begin{bracealign}
    \overbracket{
      \begin{bracealign}
        \overbracket{\medcontent}^{1}
        ~+~
        \overbracket{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \overbracket{\hugecontent}^{3}
    ~+~
    \overbracket{\bigcontent}^{4}
    ~+~
    \overbracket{\smallcontent}^{5}
  \end{bracealign}
\]
```

```
\[
  \begin{bracealign}
    \overbracket{
      \begin{bracealign}
        \overbracket{\medcontent}^{1}
        ~+~
        \overbracket{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \underbracket{\hugecontent}_{3}
    ~+~
    \overbracket{\bigcontent}^{4}
    ~+~
    \underbracket{\smallcontent}_{5}
  \end{bracealign}
\]
```


3 \underparen / \overbracket

```
\[
  \begin{bracealign}
    \underparen{
      \begin{bracealign}
        \underparen{\medcontent}_{1}
        ~+~
        \underparen{\smallcontent}_{2}
      \end{bracealign}
    }_{nested}
    ~=~
    \underparen{\hugecontent}_{3}
    ~+~
    \underparen{\bigcontent}_{4}
    ~+~
    \underparen{\smallcontent}_{5}
  \end{bracealign}
\]
```

```
\[
  \begin{bracealign}
    \overparen{
      \begin{bracealign}
        \overparen{\medcontent}^{1}
        ~+~
        \overparen{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \overparen{\hugecontent}^{3}
    ~+~
    \overparen{\bigcontent}^{4}
    ~+~
    \overparen{\smallcontent}^{5}
  \end{bracealign}
\]
```



```
\[
  \begin{bracealign}
    \overparen{
      \begin{bracealign}
        \overparen{\medcontent}^{1}
        ~+~
        \overparen{\smallcontent}^{2}
      \end{bracealign}
    }^{nested}
    ~=~
    \underparen{\hugecontent}_{3}
    ~+~
    \overparen{\bigcontent}^{4}
    ~+~
    \underparen{\smallcontent}_{5}
  \end{bracealign}
\]
```

3.1 Check of commands definition

```
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underbrace\endcsname"
\par\bigskip
\begin{bracealign}
  Inside \textsf{bracealign}:\newline
  ``\expandafter\meaning\csname underbrace\endcsname"
\end{bracealign}
\par\bigskip
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underbrace\endcsname"
```

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bottom 7\symoperators "023DF\scan_stop: {{}#1}}\limits "

Inside bracealign:

"\long macro:#1->\use:c {___bracealign_underbrace_std_cmd:n}{\vphantom {\tl_use:c {l___bracealign_underbrace_strutcontent_tl}}#1}"

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bottom 7\symoperators "023DF\scan_stop: {{}#1}}\limits "

```
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underbracket\endcsname"
\par\bigskip
\begin{bracealign}
  Inside \textsf{bracealign}:\newline
  ``\expandafter\meaning\csname underbracket\endcsname"
\end{bracealign}
\par\bigskip
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underbracket\endcsname"
```

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bottom 7\symoperators "023B5\scan_stop: {{}#1}}\limits "

Inside bracealign:

"\long macro:#1->\use:c {___bracealign_underbracket_std_cmd:n}{\vphantom {\tl_use:c {l___bracealign_underbracket_strutcontent_tl}}#1}"

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bottom 7\symoperators "023B5\scan_stop: {{}#1}}\limits "

```
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underparen\endcsname"
\par\bigskip
\begin{bracealign}
  Inside \textsf{bracealign}:\newline
  ``\expandafter\meaning\csname underparen\endcsname"
\end{bracealign}
\par\bigskip
Before \textsf{bracealign}:\newline
``\expandafter\meaning\csname underparen\endcsname"
```

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bot-
tom 7\symoperators "023DD\scan_stop: {{}#1}}\limits "

Inside bracealign:

"\long macro:#1->\use:c
{__bracealign_underparen_std_cmd:n}{\vphantom
{\tl_use:c {l__bracealign_underparen_strutcontent_tl}}#1}"

Before bracealign:

"\protected macro:#1->\mathop {\Umathaccent bot-
tom 7\symoperators "023DD\scan_stop: {{}#1}}\limits "