



# MLOps with serverless architectures


Julien Simon

Principal Technical Evangelist, AI and Machine Learning, AWS

@julsimon

# Agenda


- But why?
- A quick recap on Amazon SageMaker
- A quick recap on serverless architectures
- Open Source tools: AWS Chalice, Serverless Framework
- Demos
- Resources



# Rationale

Business Problem – ●

# The Machine Learning Process



# Amazon SageMaker



Pre-built  
notebooks for  
common  
problems



Built-in, high-  
performance  
algorithms



One-click  
training



Hyperparameter  
optimization



One-click  
deployment



Fully managed  
hosting with auto-  
scaling

Build

Train

Deploy

FREE TIER





# Serverless Architectures

# Serverless architecture

=

Fully-managed  
services

+

AWS Lambda



Amazon API  
Gateway



Amazon  
Kinesis Streams



Amazon  
DynamoDB



Amazon S3



# AWS Lambda


- Announced at re:Invent 2014
- Deploy functions in **Java, Python, Node.js ,C# and Go.**
- Just code, without the infrastructure drama
- Built-in scalability and high availability
- Integrated with many AWS services
- Pay as you go
  - Combination of execution time (100ms slots) & memory used.
  - Starts at \$0.20 per million requests.
  - Free tier available: first 1 million requests per month are free.
- Orchestration with AWS Step Functions.

# What can you build with serverless architectures?

- Automate your AWS infrastructure
- Build event-driven applications
- Build APIs together with Amazon API Gateway

Business Problem

# Ideas for serverless MLOps





# Open Source Frameworks


# The Serverless framework



- Announced at re:Invent 2015
- Auto-deploys and runs Lambda functions, locally or remotely
- Auto-deploys Lambda event sources: API Gateway, S3, DynamoDB, etc.
- Creates all required infrastructure with CloudFormation
- Simple configuration in YML

# AWS Chalice

- Open Source project released in July 2016
- “Flask for serverless”
- Just add your Python code
  - Deploy **web services** with a **single CLI call** and **zero config**
  - The API is created automatically
  - The IAM policy is auto-generated (crowd goes wild)
- Run and test APIs on local port 8000 (similar to Flask)



# Demo #1: resizing images with AWS Chalice

<https://medium.com/@julsimon/using-chalice-to-serve-sagemaker-predictions-a2015c02b033>



## Demo #2: building a prediction wrapper with AWS Chalice

<https://medium.com/@julsimon/using-chalice-to-serve-sagemaker-predictions-a2015c02b033>





# Demo #3: retraining models with the Serverless Framework

<https://medium.com/@julsimon/retraining-sagemaker-models-with-chalice-and-serverless-71a585dabc7d>

# Resources

<https://ml.aws>

<https://aws.amazon.com/sagemaker>

<https://aws.amazon.com/lambda>

<http://github.com/serverless/serverless>

<https://github.com/awslabs/chalice>

<https://medium.com/@julsimon>



# Thank you!

Julien Simon

Principal Technical Evangelist, AI and Machine Learning

@julsimon