Customer Information				
Customer Name:	Tech Name:	Category of Water: 1 2 3		
Room Dimensions		5 7		
Room				
Room Length (L):	Room Width (W):	Room Height (H):	Floor Type:	
Room Dimensions				
Offset				
Room Length (L):	Room Width (W):	Room Height (H):	Floor Type:	
Room Dimensions Offset				
Room Length (L):	Room Width (W):	Room Height (H):	Floor Type:	
(Equipment Placement)	100m widin (w).	Noom Height (H).	тюог туре.	
Dehumidifier Mode/Size:				
	A)x(Days)			
	у <u>— — (—) , ,</u> х			
Wall Drying(checkOn)	Injected Ducted			
Example: (/EA	A)x(Days) ´			
	x			
Other	Dougl			
Example: (EA) x (Days) x			
	x Standard Axial Axial1HP			
,	Stantiaru Axiai Axiai II II X			
E-TES (Electric):	X			
L TEO (Elocuto).				
Air Scrubber(CheckOne):	500CFM 700 1399CFM 1400+ CFM			
	X			
'	Yes No			
Other	D			
Example: (EA) x (Days)			
<u> </u>	x 0 BTU			
	X			
	^			
DecontaminateEquipamen	t			
(ChackOna): Pegular				

NOTE: A/H:AfterHrs - R/H: Regular Hrs

Containment	t/Drying	Cha	mber
Build Containment:			
Zip Poles:			х
Zippers:			
Content Mar	ipulatio	n	
ContentsbyRoomSize (Che	ckOne): SML	AVG	LRG XL
Contents per hour: HR(S)	,		
Block/Pad:		SML	AVG LRG
Protect (w/6mil plastic):			
Appliances			Detack D/D
Washer (checkone):			Detach D/R Detach D/R
Oryer (checkone): Range: Gas Elec: Detach D&R			Detach D/R
Refrigerator: (checkone)	Detach D&R		
Dishwasher: (checkone)	Detach D&R		
Disposer: Detach D&	R		
PumpingWa	ter		
2" Submersiblepump/hour			

WaterExtraction		
Carpet Regular Heavy		
Hardfloor		
Weight-assisted		
Drill hols		

DoorSlab: (checkone): Detach D/R				
DblDoor: (checkone) Detach D/R				
Bifold: (checkone): Detach D/R				
Doublebifold: Detach D/R				
Sinkfaucet: (checkone) Detach D/R				
Sink: (checkone) Detach D/R				
Dblsink (checkone) Detach D/R				
Laminatecountertop				
Solid/Granite countertop				
Uppercabinets				
Lowercabinets				
Full heightcabinets				
Marblevanity top				
Vanity				
Toiler: (checkone)	Detach	D/R		
Detach&realycarpet				
Lift/floatcarpet				

ΓearOut/Remove Material	
oe kick	
Casing Detach Disposer	
Baseboard Detach Disposer	
Paneling	
Orywall – up to 2 tall	
Orywall – up to 4 tall	
Orywall Control of the Control of th	
Plasterwithdrywall	
Plasteroverlath	
nsulation	
Carpet	
Glued-downcarpet Slued-downcarpet Slued-Slu	
CarpedPad	
FackStrip	
'inyl	
'inyl composite tile	
Ceramicfloor tile	
aminate	
lardwood Over Wood Subfloor Concrete	
/4" Underlayment	
/4" Subfloor	

Anti-Microbial

Ceilling

Wall

Floor

Non-Plan Based Plant Base

RemediationCleaning		
Cleanwalls		
Clean Wall tile		
Cleanfloor tile		
Cleancarpet		
Cleanfloor(subflr/other)		
HEPA Vacuum		
Or		