Customer Information
Customer Name:
Room Dimensions Room
Room Length (L):
Room Dimensions Offset
Room Length (L):
Room Dimensions Offset
Offset
Room Length (L):
Equipment Placement
Dehumidifier Mode/Size:
Example: (/EA)x(Days)
Wall Drying(checkOn)
<u>Example: (/FA)x(Days)</u>
Other
Example: (EA) x (Days)
Lample. (Days)

Air Mover (checkOne): Standard Axial Axial1HP
E-TES (Electric):
Air Scrubber(CheckOne): 500CFM 700 1399CFM 1400+ CFM
ReplacedsInternalFilter Yes No
Other
Example: (EA) x (Days)
TES/TEX: 50 BTU 80 BTU
DecontaminateEquipament
(CheckOne): Regular Heavy

NOTE: A/H:AfterHrs - R/H: Regular Hrs

Containment/DryingChamber
Build Containment:
Zip Poles:
Zippers:
Content Manipulation ContentsbyRoomSize (CheckOne): SML AVG LRG XL
Contents per hour: HR(S)
Block/Pad:
Protect (w/6mil plastic):

Appliances
Washer (checkone):
Dryer (checkone):
Range: Gas
Elec: Detach D&R
Refrigerator: (checkone) Detach D&R
Dishwasher: (checkone) Detach D&R
Disposer: Detach D&R

PumpingWater
2" Submersiblepump/hour
WaterExtraction
Carpet Regular Heavy
Hardfloor
Weight-assisted
Drill hols

DetachOnly / Detach&Reset DoorSlab: (checkone): Detach D/R DblDoor: (checkone) Detach D/R Bifold: (checkone): Detach D/R Doublebifold: Detach D/R Sinkfaucet: (checkone) Detach D/R Sink: (checkone) Detach D/R Dblsink (checkone) Detach D/R Laminatecountertop

Solid/Granite countertop
Uppercabinets
Lowercabinets
Full heightcabinets
Marblevanity top
Vanity
Toiler: (checkone)
Detach&realycarpet
Lift/floatcarpet

TearOut/Remove Material
Toe kick
Casing Detach Disposer
Baseboard Detach Disposer
Paneling
Drywall – up to 2 tall
Drywall – up to 4 tall
Drywall
Plasterwithdrywall
Plasteroverlath

Insulation
Carpet
Glued-downcarpet
CarpedPad
TackStrip
Vinyl
Vinyl composite tile
Ceramicfloor tile
Laminate
Hardwood Over Wood Subfloor Concrete

1/4" Underlayment		
3/4" Subfloor		
Anti-Microbial		
Ceilling		
Wall		
Floor		

RemediationCleaning	
Cleanwalls	
Clean Wall tile	
Cleanfloor tile	
Cleancarpet	
Cleanfloor(subflr/other)	
HEPA Vacuum	
Or	