

Customer Information

Customer Name:

sadas

Tech Name:

asdasd

Category of Water: ☐

1 ☐

2 ☐

3 ☐

Room Dimensions

Room

Room Length

(L):

dasdas

Room Width

(W):

da

Room Height

(H):

sdasd

Floor Type:

L = LaminateW = Wood

Room Dimensions Offset

Room Length

(L):

sdasd

Room Width

(W):

asd

Room Height

(H):

asdas

Floor Type:

L = Laminate W = Wood

Room Dimensions Offset

Room Length (L):

asda

Room Width (W):

sdas

Room Height (H):

asdd

Floor Type:

V = Vinyl T = Ceramic tile

Equipment Placement

Dehumidifier
Mode/ Size:

asdas

Example: (___ / ___ EA) x ___ (___ Days)

dasd

x

asd

Wall Drying (checkOne)

☐ Injected

☐ Ducted

Example: (___ / ___ EA) x ___ (___ Days)

Other

asd

Example: (___ EA) x (___ Days)

asd

x

asd

Air Mover (checkOne)

☐ Standard

☒ Axial

☐ Axial1HP

asd

x

asd

E-TES (Electric):

as

x

dasd

Air Scrubber (CheckOne)

☐ 500 CFM

☐ 700 1399 CFM

☐ 1400+ CFM

asd

x

asd

ReplacedInternalFilter ☐ Yes ☐ No

Other

asd

Example: (___ EA) x (___ Days)

asd

x

asd

TES/ TEX:

☐ 50 BTU

☒ 80 BTU

asd

x

asd

DecontaminateEquipment (checkOne)

☐ Regular

☐ Heavy

NOTE: A/ H:AfterHrs - R/ H: Regular Hrs

Containment/ DryingChamber

Build Containment

A/H

asd

Zip Poles

A/H

asd

x

asd

Zippers

A/H

asd

Content Manipulation

ContentsbyRoomSize (CheckOne):

☐ SML

☐ AVG

☐ LRG

☐ XL

A/H

ContentsbyRoomSize (CheckOne):

☐ SML

☐ AVG

☐ LRG

☐ XL

A/H

Contents per hour: HR(S)

A/H

Block/ Pad:

A/H

☐ SML ☐ AVG ☐ LRG

Protect (w/ 6mil plastic):

A/H

(____SF)

Appliances

Washer (checkone):

A/H

☐ Detach ☐ D/ R

Dryer (checkone):

A/H

☐ Detach ☐ D/ R

Range: ☐ Gas ☐ Elec

CheckOne: ☐ Detach ☐ D&R

A/H

Refrigerator: (checkone)

☐ Detach

☐ D&R

A/H

Dishwasher: (checkone)

☐ Detach

☐ D&R

A/H

Disposer:

☐ Detach

☐ D&R

A/H

PumpingWater

2" Submersiblepump/ hour

A/H

WaterExtraction

Carpet

☐ Regular

☐ Heavy

(____SF)

A/H

Hardfloor

(____SF)

A/H

Weight assisted

(_____SF)

A / H

Drill hols

(_____EA)

A/H

DetachOnly / Detach&Reset

DoorSlab (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

DbIDoor (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

Bifold (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

Doublebifold

A/H

(#_____)

☐ Detach ☐ D/ R

Sinkfaucet (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

Sink (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

Dblsink (checkone)

A/H

(#_____)

☐ Detach ☐ D/ R

Laminatcountertop

A/H

(_____LF)

Solid/ Granite countertop

A/H

(_____LF)

Uppercabinets

A/H

(____LF)

Lowercabinets

A/H

(____LF)

Full heightcabinets

A/H

(____LF)

Marblevanity top

A/H

(____LF)

Vanity

A/H

(____LF)

Toiler (checkone)

A/H

☐ Detach ☐ D/ R

Detach&realycarpet

A/H

(____LF)

Lift/ floatcarpet

A/H

(____LF)

TearOut/ Remove Material

Toe kick

A/H

(_____ LF)

Casing:

☐ Detach

☐ Disposer

A/H

(_____ LF)

Baseboard:

☐ Detach

☐ Disposer

A/H

(_____ L F)

Paneling

A/H

(_____SF)

Drywall – up to 2 tall

A/H

(_____LF)

Drywall – up to 4 tall

A/H

(_____LF)

Drywall

A/H

(_____SF)

Plaster with drywall

A/H

(_____ SF)

Plaster over lath

A/H

(_____ SF)

Insulation

A/H

(_____ SF)

Carpet

A/H

(_____ S F)

Glued-down carpet

A/H

(_____SF)

Carp Pad

A/H

(_____SF)

TackStrip

A/H

(_____SF)

Vinyl

A/H

(_____SF)

Vinyl composite tile

A/H

(_____SF)

Ceramic floor tile

A/H

(_____SF)

Laminate

A/H

(_____SF)

Hardwood

A/H

(_____SF)

☐ Over Wood Subfloor ☐ Concrete

1/4" Underlayment

A/H

(_____SF)

3/4" Subfloor

A/H

(_____SF)

Anti-Microbial

Ceiling

(_____SF)

Wall

(_____SF)

Floor

(_____SF)

A/H

☐ Non-Plan Based

☐ Plant Base

RemediationCleaning

Cleanwalls

(SF)

A/H

Clean Wall tile

(SF)

A/H

Cleanfloor tile

(SF)

(SF)

A/H

Cleancarpet

(SF)

A/H

Cleanfloor(subflr/ other)

(SF)

A/H

HEPA Vacuum

(SF)

Or

(HRS)

R/H