

1

```
SELECT
    primary_platform,
    COUNT(*) AS users_count
FROM dbo.genz_social_media_usage_1M
GROUP BY primary_platform
ORDER BY users_count DESC;
```

	primary_platform	users_count
1	Instagram	299927
2	YouTube	250292
3	TikTok	250085
4	Twitter	100022
5	Snapchat	99674

2

```
SELECT
    ROUND(AVG(TRY_CAST(daily_usage_hours AS FLOAT)),2) AS average_usage
FROM dbo.genz_social_media_usage_1M;
```

	average_usage
1	3,51

3

```
SELECT
    gender,
    ROUND(AVG(TRY_CAST(daily_usage_hours AS FLOAT)),2) AS average_usage
FROM dbo.genz_social_media_usage_1M
GROUP BY gender
ORDER BY average_usage DESC;
```

	gender	average_usage
1	Female	3,52
2	Other	3,52
3	Male	3,51

4

```
SELECT
    CASE
        WHEN night_usage = '1' THEN 'Night User'
        WHEN night_usage = '0' THEN 'Non-Night User'
    END AS user_type,
    ROUND(
        AVG(TRY_CAST(mental_health_score AS FLOAT)),
        2
    ) AS avg_mental_health_score
FROM dbo.genz_social_media_usage_1M
GROUP BY night_usage;
```

	user_type	avg_mental_health_score
1	Night User	7,17
2	Non-Night User	7,17

```
SELECT
CASE
    WHEN TRY_CAST(daily_usage_hours AS FLOAT) > 5 THEN 'Heavy User'
    WHEN TRY_CAST(daily_usage_hours AS FLOAT) BETWEEN 2 AND 5 THEN 'Medium User'
    ELSE 'Light User'
END AS user_type,

COUNT(*) AS total_users

FROM dbo.genz_social_media_usage_1M
GROUP BY
CASE
    WHEN TRY_CAST(daily_usage_hours AS FLOAT) > 5 THEN 'Heavy User'
    WHEN TRY_CAST(daily_usage_hours AS FLOAT) BETWEEN 2 AND 5 THEN 'Medium User'
    ELSE 'Light User'
END;
```

	user_type	total_users
1	Light User	158192
2	Heavy User	158937
3	Medium User	682871