

ADET - API Version 1 Demo

Figure 1. [server.php]




Figure 2. [client_auth.py - Register New User]





Figure 3. [client_auth.py - Login User)



```
3. Exit
Choose an option: 2


=== USER LOGIN ===
Enter email: marfil@gmail.com
Enter password:

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: Login successful
Data: {'id': 4, 'username': 'carljanssen', 'email': 'marfil@gmail.com'}

=== AUTH CLIENT ===
1. Register
2. Login
3. Exit
Choose an option: |
```

	id	username	email	password	created_at
1	2	janssen	janssen@gmail.com	\$2y\$10\$J8N7q50v5vtLWW6guVjvmN3Sm925a5UG55.Fg50ZJC9hLB7r6	2026-04-17 15:05:29
2	3	carl	carl@gmail.com	\$2y\$10\$SwNLU/so74GmhnlJP8UzVEu0IA5QkoUXgkfGO.b9whPc2N/Kjg.	2026-04-17 17:05:16
3	4	carljanssen	marfil@gmail.com	\$2y\$10\$OmMVfZedCAX7OKF3nP8FO7pXo73bD52tLVD.eFRm8sCVby...	2026-04-17 19:39:27

Figure 4. [client_users.py - Get All Users)



```
(.venv) PS C:\xampp\htdocs\adet-rest-api\client> python client_users.py
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 1

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: Users retrieved successfully
Data:
{'id': '2', 'username': 'janssen', 'email': 'janssen@gmail.com', 'created_at': '2026-04-17 15:05:29'}
{'id': '3', 'username': 'carl', 'email': 'carl@gmail.com', 'created_at': '2026-04-17 17:05:16'}
{'id': '4', 'username': 'carljanssen', 'email': 'marfil@gmail.com', 'created_at': '2026-04-17 19:39:27'}

=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
```

	id	username	email	password	created_at
1	2	janssen	janssen@gmail.com	\$2y\$10\$J8N7q50v5vtLWW6guVjvmN3Sm925a5UG55.Fg50ZJC9hLB7r6	2026-04-17 15:05:29
2	3	carl	carl@gmail.com	\$2y\$10\$SwNLU/so74GmhnlJP8UzVEu0IA5QkoUXgkfGO.b9whPc2N/Kjg.	2026-04-17 17:05:16
3	4	carljanssen	marfil@gmail.com	\$2y\$10\$OmMVfZedCAX7OKF3nP8FO7pXo73bD52tLVD.eFRm8sCVby...	2026-04-17 19:39:27

Figure 5. [client_users.py - Get User by ID)

The screenshot shows a web application interface with a sidebar on the left containing 'user_api' and 'users' entities. The main area displays a PowerShell terminal window with the following content:

```
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 2
Enter user ID: 2

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: User retrieved successfully
Data:
{'id': 2, 'username': 'janssen', 'email': 'janssen@gmail.com', 'created_at': '2026-04-17 15:05:29'}

=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
```

Below the terminal, there is a table of users with columns: id, username, email, password, and created_at. The table contains three rows of data:

id	username	email	password	created_at	
1	2	janssen	janssen@gmail.com	\$2y\$10\$bn7q50v5vxlWW6guVlv.mN3Sm925aSlGSS.FgSOzJC9hLB7r6	2026-04-17 15:05:29
2	3	carl	carl@gmail.com	\$2y\$10\$SwNU/so74GmhnkJPBUzVEu0IASQkoUXgkIFGO.b9whPc2N/Kj.	2026-04-17 17:05:16
3	4	carljanssen	marfil@gmail.com	\$2y\$10\$OmMVfzEdCAX7OKf3nP8FO7pXo73bD52fUvD.eFm8sCVby...	2026-04-17 19:39:27

Figure 6. [client_users.py - Update User) db before

The screenshot shows a web application interface with a sidebar on the left containing 'user_api' and 'users' entities. The main area displays a PowerShell terminal window with the following content:

```
(.venv) PS C:\xampp\htdocs\adet-rest-api\client> python client_users.py
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 3
Enter user ID to update: 4
Enter new username: updatedUserehhe
Enter new email: adet@gmail.com

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: User updated successfully

=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
```

Below the terminal, there is a table of users with columns: id, username, email, password, and created_at. The table contains three rows of data:

id	username	email	password	created_at	
1	2	janssen	janssen@gmail.com	\$2y\$10\$bn7q50v5vxlWW6guVlv.mN3Sm925aSlGSS.FgSOzJC9hLB7r6	2026-04-17 15:05:29
2	3	carl	carl@gmail.com	\$2y\$10\$SwNU/so74GmhnkJPBUzVEu0IASQkoUXgkIFGO.b9whPc2N/Kj.	2026-04-17 17:05:16
3	4	carljanssen	marfil@gmail.com	\$2y\$10\$OmMVfzEdCAX7OKf3nP8FO7pXo73bD52fUvD.eFm8sCVby...	2026-04-17 19:39:27

Figure 7. [client_users.py - Update User) db after

user_api

Filter

ENTITIES

users

PowerShell

```
(.venv) PS C:\xampp\htdocs\adet-rest-api\client> python client_users.py
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 3
Enter user ID to update: 4
Enter new username: updatedUserhehe
Enter new email: adet@gmail.com

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: User updated successfully
-----

=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
```

Auto Commit Manual Save Run

	id	username	email	password	created_at
1	2	janssen	janssen@gmail.com	\$2y\$10\$jsN7q50v5vnlWW6guVlv.mN3Sm925aUGSS.fgSOz.C9hLB76	2026-04-17 15:05:29
2	3	carl	carl@gmail.com	\$2y\$10\$SwNU/so74GmhmkJPBUzVEu0IASQkoUXgkfGO.b9whPJ2N/Kj.	2026-04-17 17:05:16
3	4	updatedUs...	adet@gmail.com	\$2y\$10\$OmMVfzEdCAX7OKf3nP8FO7px673bD52HvD.eFRm8sCVby...	2026-04-17 19:39:27

localhost:3306/user_api mysql 3 0 affected 10ms Download

Figure 8. [client_users.py - Delete User)

user_api

Filter

ENTITIES

users

PowerShell

```
-----
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 4
Enter user ID to delete: 2
Are you sure you want to delete user ID 2? (y/N): y

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: User deleted successfully
-----


=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
```

Auto Commit Manual Save Run

	id	username	email	password	created_at
1	3	carl	carl@gmail.com	\$2y\$10\$SwNU/so74GmhmkJPBUzVEu0IASQkoUXgkfGO.b9whPJ2N/Kj.	2026-04-17 17:05:16
2	4	updatedUs...	adet@gmail.com	\$2y\$10\$OmMVfzEdCAX7OKf3nP8FO7px673bD52HvD.eFRm8sCVby...	2026-04-17 19:39:27

localhost:3306/user_api mysql 2 0 affected 5ms Download

Figure 9. [client_users.py - Get All User After Delete User)



```
user_api
Filter
ENTITIES
  > users

PowerShell
=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 4
Enter user ID to delete: 2
Are you sure you want to delete user ID 2? (y/N): y

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: User deleted successfully
-----

=== USER MANAGEMENT CLIENT ===
1. Get all users
2. Get user by ID
3. Update user
4. Delete user
5. Exit
Choose an option: 1

--- SERVER RESPONSE ---
HTTP Status: 200
Status: success
Message: Users retrieved successfully
Data:
{'id': '3', 'username': 'carl', 'email': 'carl@gmail.com', 'created_at': '2026-04-17 17:05:16'}
{'id': '4', 'username': 'updatedUserrehhe', 'email': 'adet@gmail.com', 'created_at': '2026-04-17 19:39:27'}
```

localhost:3306/user_api mysql 2 0 affected 5ms Download