

LA MAILLE

De la photo au tricot

Pull

Pièces assemblées

Tour de poitrine fini	100 cm
Echantillon	22 m x 30 r / 10 cm
Aiguilles	4 mm
Fil	DK

Genere le 26 janvier 2026

Ce patron est une estimation automatique.

Verifiez vos calculs et tricotez un echantillon avant de commencer.

Materiel necessaire

Fil DK - estimation 239-293 g

Aiguilles 4 mm - circulaires 80 cm minimum


Accessoires Aiguille a laine, marqueurs, ciseaux

Echantillon requis : 22 mailles x 30 rangs pour 10 cm, en jersey, avec les aiguilles 4 mm.

Lavez et bloquez votre echantillon avant de mesurer.

Body (in the round)

Montage : 220 mailles | Rangs : ~186



Rangs 1 - 15

Cast on 220 stitches on circular needles. Join in the round being careful not to twist. Place a marker for the beginning of round. Work 15 rows in 2x2 rib (k2, p2).

Note : Total circumference: 100 cm. Use circular needles at least 80 cm long.

Rangs 16 - 120

Continue in stockinette stitch (knit all stitches) for 105 rows.

Note : Body height before armholes: approximately 35 cm

Rang 121

Armhole separation: Knit 101 sts (back), place 18 sts on hold (left underarm), knit 92 sts (front), place 18 sts on hold (right underarm), knit to marker.

Note : Held stitches will be joined to sleeves later.

- Place a marker at center front and center back to mark side "seams".

Yoke

Montage : 184 mailles | Rangs : ~66

Rangs 1 - 4

Back and front separately: Continue back on 92 sts. Decrease 1 st each side every 2 rows, 3-4 times to shape armholes.

Rangs 5 - 56

Continue straight until 56 rows from separation.

Rangs 57 - 66

Shoulders: Bind off 47 sts each side in 2-3 steps. Bind off center -2 sts for back neck. Repeat for front, starting neck shaping 2 cm earlier.

- Pick up stitches around neckline and work 2-3 cm of 1x1 rib.

Assemblage

1. Body is already knit in the round - no side seams!
2. Sleeves are knit in the round from the armhole - no sleeve seam!
3. Only finishing: weave in ends at underarm joins.
4. Block finished garment to measurements.

Finitions

- Weave in all ends carefully.
- Block finished garment in lukewarm water.

This pattern uses seamless construction to minimize seams.

This pattern was automatically generated by La Maille from image analysis.

It is a working base and may need adjustments based on:

- Your actual gauge (ALWAYS make a swatch!)
- The drape or stiffness of your yarn
- Your fit preferences

Analysis confidence: high

When in doubt, consult a similar commercial pattern for comparison.