

Usuario con rol user





```
C
                   (i) localhost:8090/api/v1/bills/all
 1 [
2
3
          {
                "idBill": "43cdc4b0-a8da-4018-98ff-c814991566a5",
                "customerBill": "Jhon",
"productBill": "courses/Java",
 4
 6
                "totalPrice": 500
 8
 9
                "idBill": "3ec5d76e-c900-4dda-8fa2-83f334008f0d",
                "customerBill": "Michael",
"productBill": "courses/Java",
10
11
                "totalPrice": 500
12
13
14
                "idBill": "2259ab6e-3988-4b51-8e0f-54af3b5de4ac",
15
                "customerBill": "Peter",
"productBill": "courses/Java",
"totalPrice": 500
16
17
18
19
20
21
                "idBill": "87c81524-1aba-470e-b980-f18879cc6177",
"customerBill": "Sebastian",
"productBill": "courses/Java",
"totalPrice": 500
22
23
24
25
26
27
                "idBill": "9288fcf1-4de2-4971-a081-e43bf002e4f2",
                "customerBill": "Aaron",
"productBill": "courses/Java",
"totalPrice": 500
28
29
30
31
32
                "idBill": "efab4257-7318-4b84-83ed-a67191274d34",
33
                "customerBill": "William",
"productBill": "courses/Java",
34
35
                "totalPrice": 500
36
37
38 ]
```

Usuario sin rol

