

BMW Group Standard

Released

GS 90018-1
2022-04

Replacement for
GS 90018-1:2018-09

Requalification of product and process at suppliers

General specifications

Edited by

Martin Ruppel, Standardization

Printouts are not subject to the change service.

The user of this document is under obligation to verify its current validity.

Continued page 2 to 4

© BMW Group - All rights reserved



ROLLS-ROYCE
MOTOR CARS LTD

Contents

1	Scope and purpose	3
2	Normative references	3
3	Abbreviations, terms and definitions	3
3.1	Abbreviations	3
3.2	Terms.....	3
3.3	Definitions	3
4	Designation.....	3
5	Responsibility	4
6	General specifications	4

Foreword

The German version is binding.

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved.

This Group Standard has been coordinated with the responsible departments of the BMW Group. The names of the persons creating, releasing and checking this Group Standard are filed and can be retrieved in the master data of the TEREK system.

Amendments

The following amendments have been made to GS 90018-1:2018-09:

- section 6 changed;
- standard editorially revised.

Previous editions

2005-10, 2007-10, 2015-10, 2017-08, 2018-09

1 Scope and purpose

This Group Standard governs the standardized and systematic procedure for requalification of product in accordance with IATF 16949:2016 section 8.6.2 and process according to IATF 16949:2016 section 9.1.1.1 for supplied parts.

The objectives are:

- execution of requalification in the overall supply chain;
- contribution to increase of product reliability of supplied parts;
- contribution to target "Warranty and Goodwill";
- ensuring of stability, capable and controlled manufacturing processes of supplied parts.

This Group Standard applies to all supplied parts of the BMW Group as of the start of production.

2 Normative references

This standard incorporates provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. The respective latest edition of the publication is applicable.

GS 90018-2	Requalification of product and process at suppliers; Process, checklist
IATF 16949:2016	Quality management system requirements for automotive production and relevant service parts organisations

3 Abbreviations, terms and definitions

3.1 Abbreviations

QMT	Quality Management Parts
-----	--------------------------

3.2 Terms

Requalification	Requalification is the regular and planned repetition of qualification contents. This includes contents of the process series and of initial sampling as well as the verification of reliability features and parameters as well as requalification testing of the product and the production processes including their relevant sub-processes.
-----------------	---

3.3 Definitions

There are no definitions in this document.

4 Designation

There is no designation in this document.

5 Responsibility

The supplier is responsible for the execution of the individual activities (see section 6).

The supplier is also responsible for the execution of the requalification of his suppliers and sub-suppliers.

6 General specifications

All supply parts of the BMW Group shall be subjected to a regular and planned requalification in accordance with IATF 16949:2016 section 8.6.2. Their manufacturing processes shall be subjected to a regular and planned requalification in accordance with IATF 16949:2016 section 9.1.1.1. The process is defined in GS 90018-2. A formation of part families is permissible. The criteria for the formation of part families are to be presented by the supplier.

Scope and frequency shall be planned by the supplier and agreed with the associate responsible within the QMT of the BMW Group. The minimum frequency of the requalification process per part family is once every 12 months as from start of production. Higher frequencies may be implemented in case of target deviations (e.g. exceeding ppm action limits) with impact on the end customer.

The requalification may be accompanied by BMW associates or by BMW commissioned third parties (external service providers). Responsible is the involved QMT associate of the BMW Group, with the collaboration of associates of other BMW specialist departments (e.g. logistics, development, purchasing, testing).

The result of the requalification and probable additionally required documents pertinent to product and process shall be documented in the BMW IT-system, at the latest 10 workdays after the requalification has been completed. This can be done either by directly answering the questions in the BMW IT-system or by uploading the completely filled-in check list (see GS 90018-2). Required measures shall be documented in the BMW IT-system.

The supplier is responsible for documentation of the requalification of his suppliers and sub-suppliers. The minimum frequency of the requalification process is once every 12 months as from start of production. Upon request the responsible QMT specialist of BMW shall be provided insight to these documents.