

Process Quality Control Table Preparation Procedure

Process 1	Scope of Process Quality Control Table creation	Personnel resource	Cross-Functional Team
		Material resource	No designation
INPUT			
The suppliers shall prepare Process Quality Control Table(I)/process flow chart and Process Quality Control Table(II)/control plan for each manufacturing process of the product and its components. However, a representative Process Quality Control Table may be substituted (i.e., family control plan) if the following items can be applied. a) Multiple products have the same processes and components b) Multiple products have similar processes and components When substituted by a representative Process Quality Control Table, the following shall be satisfied. c) Describe the differences in the representative Process Quality Control Table d) Create and submit “Process Quality Control Table (Appendix) List of Applied Parts” The scope of the Process Quality Control Table shall include the following, but are not limited to the following: e) <u>Receiving process for raw materials and components</u> f) <u>Handling and storage of raw materials/components</u> g) <u>Processing (assembly, welding, coating etc.)</u> h) <u>In-line and off-line testing and inspection</u> i) <u>In-line and off-line rework and repair</u> j) <u>Inspection, measurement, and testing</u> k) <u>Packaging</u> l) <u>Labeling</u> m) Shipment (in case of supplied parts, shipment to the receiving party) n) Outsourcing process (all processes from receiving to shipping) o) Sub-supplier manufacturing processes related to special characteristics In addition to the above, the following items shall also include in the scope of preparation for the Process Quality Control Table (II)/control plan. p) If necessary, a working environment that includes, at a minimum, the following - Dust-proof room designed to prevent contaminants from entering inside - Quiet environment suitable for auditory testing - Illumination condition for visual inspection process - Antistatic facility q) Product safety and means to minimize potential risks to employees (protection mat for falling parts, necessary protectors, etc.) Note The Supplier may exclude standardized parts that comply with standards such as ISO (International Organization for Standardization), JIS (Japanese Industrial Standards), and HES (Honda Engineering Standards) from the subject parts for the Process Quality Control Table. However, if so requested by Honda, the Supplier shall follow the direction and provide the Process Quality Control Table.			
Process 2	Preparation of Process Quality Control Table	Personnel resource	Cross-Functional Team
		Material resource	No designation
INPUT			
The suppliers shall include the following as input in the preparation of the Process Quality Control Tables, but are not limited to the following: a) Documents including follows: - Drawings and specifications (including BOM) - Parts Inspection Standard (when issued by Honda) - Model CP List (when issued by Honda) - <u>Manufacturing Quality Standard (MQS: when issued by Honda)</u> - Risk analysis results (FTA, DFMEA) b) <u>Special characteristics (See SQM 2.1 Special Characteristics)</u> c) <u>Statutory and regulatory requirements (See SQM 2.2 Statutory and Regulatory Requirements)</u> d) <u>Knowledge of past process design (including results of process design at other sites)</u> e) Past problems (See SQM 2.3 Verification of Past Problems) f) Change points from previous model(s) g) Required production capacity h) Required process capability (See SQM 4.4 Process Capability Study) i) Capability and accuracy of production equipment j) Necessary inspection and testing k) Capability and accuracy of measurement and test equipment			

(See SQM 2.6 Installation and control of measurement systems, SQM 4.3 Measurement system analysis (MSA))

l) Lot control requirements (See SQM 3.9 Traceability)

In addition to the above, the following items shall also be included in the input for the Process Quality Control Table (II)/control plan.

- m) Process Quality Control Table(I)/Process flow chart (See SQM 3.3 Process Quality Control Table (I)/Process Flow Chart)
- n) "Critical control point sharing activities" requirements if the product is designated as subject to "SPS(KINOGAI)"
- o) Risk analysis results (PFMEA) (See 3.5 Process Failure Mode and Effects Analysis (PFMEA))
- p) Contaminants control method, if applicable
- q) Prevention of shock and damage from transportation and use of jigs and tools, etc.

Note 1

Pressure leakage testing of casting parts shall be performed in the final assembled condition.

Note 2

The items specified in the "Model CP list" and the "Parts Inspection Standard" above are as follows, respectively.

Model CP list

- Part number, Part name
- Control item
- Inspection item class, Item importance
- Inspection section (Honda's section to which data will be submitted)

Parts Inspection Standard

- Part number, Part name
- Control (Inspection) item
- Inspection item class, Item importance (see Table Inspection item class and Item Importance rank)
- Quality judgment criteria
- Inspection method
- Inspection type (frequency)
- Data format
- Inspection section (Honda's section to which data will be submitted)
- Frequency of data submission to Honda (if not specified, at Honda's request)
- Schematic drawing of the control items

Table Inspection item class and Item Importance rank

Inspection item class	Item Importance	Definition
<u>I</u>	A	Conditions which are judged to pose a serious threat to human lives such as the following when a problem with the structure, equipment, or function of the product occurs. 1) Condition that disables vehicle operations (drive, steer, or stop). 2) Condition that associated with electrification, burn, or injury. 3) Condition that associated with fire. 4) Condition that associated with pollution. 5) Condition that disables protection of vehicle occupants.
<u>II</u>	B	Conditions other than described in <u>I</u> , A and that cause significant loss of function or merchantability as the product when a problem with the performance, function, or structure of parts occur.
<u>III</u>	C	Those other than <u>I</u> , A or <u>II</u> , B

Note 3


Two terms and ranks are used to express the importance of each quality characteristic for each inspection item, as shown above, and they depend on each Honda site.

The suppliers shall check Honda's instructions on the Model CP list, establish the following items, agree with Honda, and reflect them in the Process Quality Control Table(II)/Control Plan.

- Quality judgment criteria
- Inspection method
- Inspection frequency (establish inspection and testing frequency that can detect nonconformities)

The frequency of data submission to Honda shall be "when Honda requests" and shall be reflected in the Process Quality Control Table (II)/Control Plan.

Flowchart: Process quality control chart operation flow (Model CP List)




Model CP List(Control item)* :

Regarding specified items in Model CP List, specified 1) Part number / name and 2) Inspection item.

Model CP List (Quality control method) ** :

For the contents above, suppliers set and reflected 3) Quality judgment criteria, 4) Inspection method and 5) Inspection frequency regarding specified items in Model CP List.

Flowchart: Process quality control chart operation flow (Parts Inspection Standard)



Referential: Process Quality [Notice for Submission of Process Quality Control Table]

* The scope of submission of the process quality control table to Honda is specified by the Process Quality [Notice for Submission of Process Quality Control Table].

Process Quality [Notice for Submission of Process Quality Control Table]

Honda Motor Co., Ltd. _____

Issue date: / /
Month day Year

To: _____

Material Division	Div/BL/MO	
	Approved by	Created by

Quality Assurance Representati _____

◇ Please submit (new / revised) Process Quality Control Table for the following parts.

No	Model	Part Number	Part Name	Grounds for submission
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				

◇ Submission due date, organization and contact information are as follows.

Due date	/ / (month/day/year)	
Location	Dept/BL/MO	
Contact info.	Dept/BL/MO	
	Phone No.	
	Fax No.	

- Routing: Issue Division => VendersProcurem (Copy) => Supplier
entDept (Original: attached to Process Quality Control Table)
=> Issue Division (retain original)

Original to be retained until: / (month/year)

01121