#### **CREATE BY - ATUL KUMAR (LINKEDIN)**



- 1. Is Directory listing
- 2. Is -al Formatted listing with hidden files
- 3. Is -It Sorting the Formatted listing by time modification
- 4. cd dir Change directory to dir
- **5. cd** Change to home directory
- 6. pwd Show current working directory
- 7. mkdir dir Creating a directory dir
- 8. cat >file Places the standard input into the file
- 9. more file Output the contents of the file
- 10. head file Output the first 10 lines of the file
- 11. tail file Output the last 10 lines of the file
- **12. tail -f file** Output the contents of file as it grows, starting with the last 10 lines
- 13. touch file Create or update file
- **14. rm file** Deleting the file
- 15. rm -r dir Deleting the directory
- 16. rm -f file Force to remove the file
- 17. rm -rf dir Force to remove the directory dir
- **18. cp file1 file2** Copy the contents of file1 to file2
- **19. cp -r dir1 dir2** Copy dir1 to dir2;create dir2 if not present

### **Process management**

- 1. ps To display the currently working processes
- 2. top Display all running process
- 3. kill pid Kill the process with given pid
- 4. killall proc Kill all the process named proc
- 5. pkill pattern Will kill all processes matching the pattern
- **6. bg** List stopped or background jobs, resume a stopped job in the background
- 7. fg Brings the most recent job to foreground
- 8. fg n Brings job n to the foreground

# System Info

- 1. date Show the current date and time
- 2. cal Show this month's calender
- 3. uptime Show current uptime
- 4. w Display who is on line
- 5. whoami Who you are logged in as
- 6. finger user Display information about user
- 7. uname -a Show kernel information
- 8. cat /proc/cpuinfo Cpu information
- 9. cat proc/meminfo Memory information
- 10. man command Show the manual for command
- 11. df Show the disk usage
- 12. du Show directory space usage
- 13. free Show memory and swap usage
- 14. whereis app Show possible locations of app
- 15. which app Show which applications will be run by default ☐coding BUGS ☐NOTES GALLERY

# Searching

- 1. grep pattern file Search for pattern in file
- 2. grep -r pattern dir Search recursively for pattern in dir
- 3. command | grep pattern

Search pattern in the output of a command

- 4. locate file Find all instances of file
- 5. find . -name filename

Searches in the current directory (represented by a period) and below it, for files and directories with names starting with filename

6. **pgrep pattern** Searches for all the named processes, that matches with the pattern and, by default, returns their ID

#### File permission

#### chmod octal file

Change the permission of file to octal, which can be found separately for user, group, world by adding,

- 4-read(r)
- 2-write(w)
- 1-execute(x)

# Compression

- 1. tar cf file.tar file Create tar named file.tar containing file
- 2. tar xf file.tar Extract the files from file.tar
- 3. tar czf file.tar.gz files Create a tar with Gzip compression
- 4. tar xzf file.tar.gz Extract a tar using Gzip
- 5. tar cjf file.tar.bz2 Create tar with Bzip2 compression
- 6. tar xjf file.tar.bz2 Extract a tar using Bzip2
- 7. gzip file Compresses file and renames it to file.gz
- 8. gzip -d file.gz Decompresses file.gz back to file

#### Network

- 1. ping host Ping host and output results
- 2. whois domain Get whois information for domains
- 3. dig domain Get DNS information for domain
- 4. dig -x host Reverse lookup host
- 5. wget file Download file
- 6. wget -c file Continue a stopped download

#### **Shortcuts**

- 1. ctrl+c Halts the current command
- **2. ctrl+z** Stops the current command, resume with fg in the foreground or bg in the background
- 3. ctrl+d Logout the current session, similar to exit
- 4. ctrl+w Erases one word in the current line
- 5. ctrl+u Erases the whole line
- 6. ctrl+r Type to bring up a recent command
- 7. !! Repeats the last command
- 8. exit Logout the current session

INSTAGRAM -@codeatul

☐CODING BUGS ☐NOTES GALLERY