


Github 팀프로젝트 하기

Github 팀프로젝트 초기세팅


1. 팀프로젝트에 사용할 리포지토리 생성



2. 브랜치별 규칙 작성

- 다른 개발자들과 협업을 하다보면 파일을 머지(합치기)를 하다가 문제가 생길 수 있습니다.
- 따라서 특정(master/main) 브랜치들은 일반 개발자분들이 푸쉬(또는 풀)를 할 수 없도록 규칙을 정할 수 있습니다.
- 다양한 규칙들 중에서 필요한 규칙을 설정
 - 아래 예제에서는 2가지에 대한 규칙을 설정하였음

- 규칙을 만들 수 있는 화면으로 이동



- 적용될 브랜치 이름 작성

Branch name pattern *

main

- 머지를 하기전에 Pull Request 발생!!
- 다른 개발자들의 approval이 있는 경우에만 머지 진행!!

Protect matching branches

☒ **Require a pull request before merging**

When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.

☒ **Require approvals**

When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.

Required number of approvals before merging: 1 ▼

☐ **Dismiss stale pull request approvals when new commits are pushed**

New reviewable commits pushed to a matching branch will dismiss pull request review approvals.

☐ **Require review from Code Owners**

Require an approved review in pull requests including files with a designated code owner.

☐ **Require approval of the most recent reviewable push**

Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

- 다른 개발자분들은 수정을 하지 못함!!

☐ **Require deployments to succeed before merging**

Choose which environments must be successfully deployed to before branches can be merged into a branch that matches this rule.

☒ **Lock branch**

Branch is read-only. Users cannot push to the branch.

☐ **Do not allow bypassing the above settings**

The above settings will apply to administrators and custom roles with the "bypass branch protections" permission.

3. 생성된 리포지토리에 팀원 초대하기

