


단계1: Branch protection rules



단계2: main branch rule 생성

The screenshot shows the GitHub web interface for configuring a new branch protection rule. The browser address bar shows the URL: `github.com/mrcho593/project-tutorial/settings/branch_protection_rules/new`. The page title is "Branch protection rule".

On the left sidebar, the "Branches" section is selected under the "Code, planning, and automation" category. The main content area is titled "Branch protection rule" and contains the following sections:

- Protect your most important branches**: A section explaining that branch protection rules define whether collaborators can delete or force push to the branch and set requirements for any pushes to the branch, such as passing status checks or a linear commit history. A warning message states: "Your rules won't be enforced on this private repository until you [move to a GitHub Team or Enterprise organization account](#)."
- Branch name pattern ***: A text input field containing the text "main", which is highlighted with a red box.
- Protect matching branches**: A section with a checkbox labeled "Require a pull request before merging". The checkbox is currently unchecked. Below the checkbox, it says: "When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule."

단계3: Require a pull request before merging

merge를 위해서 최소 인원의 허락이 필요

The screenshot shows the 'Protect matching branches' settings in a GitHub repository. The left sidebar contains navigation links: Planning, Environments, Codespaces, Pages, Security and quality, Advanced Security, Deploy keys, Secrets and variables, Integrations, GitHub Apps, and Email notifications. The main content area is titled 'Protect matching branches' and contains several settings:

- ☒ **Require a pull request before merging**
When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.
- ☒ **Require approvals**
When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.
Required number of approvals before merging: 1
- ☐ **Dismiss stale pull request approvals when new commits are pushed**
New reviewable commits pushed to a matching branch will dismiss pull request review approvals.
- ☐ **Require review from Code Owners**
Require an approved review in pull requests including files with a designated code owner.
- ☐ **Require approval of the most recent reviewable push**
Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

A red box highlights the 'Require a pull request before merging' and 'Require approvals' settings. A red arrow points to the 'Required number of approvals before merging: 1' dropdown menu. At the bottom, there is a banner that says 'Upgrade to GitHub Pro or make this repository public to enable CODEOWNERS.' with an 'Upgrade now' button.

단계4: Create

Do not allow bypassing the
above settings: 직접 push 불가능

☐ **Require conversation resolution before merging**
When enabled, all conversations on code must be resolved before a pull request can be merged into a branch that has this protection. [Learn more about conversation completion before merging.](#)

☐ **Require signed commits**
Commits pushed to matching branches must have verified signatures.

☐ **Require linear history**
Prevent merge commits from being pushed to matching branches.

☐ **Require deployments to succeed before merging**
Choose which environments must be successfully deployed to before branches can be merged into a branch that has this protection.

☐ **Lock branch**
Branch is read-only. Users cannot push to the branch.

☒ **Do not allow bypassing the above settings**
The above settings will apply to administrators and custom roles with the "bypass branch protections" permission.

Rules applied to everyone including administrators

☐ **Allow force pushes**
Permit force pushes for all users with push access.

☐ **Allow deletions**
Allow users with push access to delete matching branches.

Create

단계5: 수정 결과 적용

rule 적용을 위해서는 private을 public으로 변경해야 함

The screenshot shows the GitHub repository settings page for 'project-tutorial' under the user 'mrcho593'. The 'Settings' tab is selected, and the 'Branches' section is active in the left sidebar. A notification at the top states 'Branch protection rule created.' The main content area displays 'Branch protection rules' with a warning message: 'Your protected branch rules for your branch won't be enforced on this private repository until you move to a GitHub Team or Enterprise organization account.' Below this, a table lists the 'main' branch with a status of 'Not enforced' and a 'Convert to ruleset' button. A sidebar on the left contains navigation links for General, Access, Collaborators, and various automation tools like Actions and Webhooks.

Settings - Branches - mrcho593

github.com/mrcho593/project-tutorial/settings/branches

mrcho593 / project-tutorial

Code Issues Pull requests Actions Projects Security and quality Insights Settings

Branch protection rule created.

General

Access

Collaborators

Code, planning, and automation

Branches

Tags

Rulesets

Actions

Webhooks

Copilot

Level up your branch protections with Repository Rules

Take advantage of new features such as signed commits, requiring status checks, requiring linear history, and more! [Learn more](#) [Go to rulesets](#)

Branch protection rules

Add rule

⚠ Your protected branch rules for your branch won't be enforced on this private repository until you move to a GitHub Team or Enterprise organization account. [Upgrade](#)

Branch	Status	Action
main	Not enforced ⓘ	Convert to ruleset ...

General

github.com/mrcho593/project-tutorial/settings

mrcho593 / project-tutorial

Code Issues Pull requests Actions Projects Security and quality Insights Settings

General

Access

Collaborators

Code, planning, and automation

Branches

Tags

Rulesets

Actions

Webhooks

Copilot

Planning

Repository name

project-tutorial

Rename

☐ Template repository

Template repositories let users generate new repositories with the same directory structure and files. [Learn more about template repositories.](#)

Default branch

The default branch is considered the "base" branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.

dev

Danger Zone

Change repository visibility

This repository is currently private.

Change visibility

Disable branch protection rules

Disable branch protection rules enforcement and APIs

Change to public

Disable branch protection rules

Transfer ownership

Transfer this repository to another user or to an organization where you have the ability to create repositories.

Transfer

Archive this repository

Mark this repository as archived and read-only.

Archive this repository

Delete this repository

Once you delete a repository, there is no going back. Please be certain.

Delete this repository

Settings · Branches · mrcho593

github.com/mrcho593/project-tutorial/settings/branches

mrcho593 / project-tutorial

Type / to search

<> Code

Issues

Pull requests

Actions

Projects

Security and quality

Insights

Settings

Branch protection rule created.

General

Access

Collaborators

Moderation

Code, planning, and automation

Branches

Tags

Rulesets

Actions

Level up your branch protections with Repository Rules

Take advantage of new features such as signed commits, requiring status checks, requiring linear history, and more! [Learn more](#) [Go to rulesets](#)

Branch protection rules

Add rule

main

Currently applies to 1 branch

Convert to ruleset

...