


실습 구조

구분	예시
Organization	<code>goodjob-tutorial</code>
Team	<code>web-team</code>
Repository	<code>team-project</code>
Organization Owner	팀장 1명
Team members	팀원 전원
Repository 권한	팀원 <code>Write</code>


Organization 이름은 GitHub 전체에서 고유해야 하므로 팀 번호 등을 조합한다.

1단계: Organization 생성

1. GitHub 우측 상단 프로필 메뉴에서 Your organizations를 연다.



2. New organization 을 선택한다.



The screenshot shows the GitHub 'Organizations' settings page for the user 'mrcho593'. The page is dark-themed. On the left, there is a sidebar with a menu containing 'Public profile', 'Account', 'Appearance', 'Accessibility', 'Notifications', 'Access', and 'Billing and licensing'. The main content area is titled 'Organizations' and displays the message 'You are not a member of any organizations.' A red arrow points to a 'New organization' button in the top right corner of the main content area. Below the main content area, there is a section titled 'Move to an organization'.

Organizations

mrcho593 (mrcho593)
Your personal account

Public profile
Account
Appearance
Accessibility
Notifications

Access
Billing and licensing

Search Type / to search

New organization

You are not a member of any organizations.

Move to an organization

3. 실습에 맞는 플랜을 선택한다.

The screenshot shows the GitHub 'Choose a plan' page for organizations. The browser address bar shows 'github.com/organizations/plan'. The page title is 'Choose a plan' and the main heading is 'Pick a plan for your organization'. There are three plan cards:

- Free**: The basics for individuals and organizations. \$0 USD per user/month. A red arrow points to the 'Create a free organization' button.
- Team** (Most Popular): Advanced collaboration for individuals and organizations. \$4 USD per user/month. Button: 'Continue with Team'.
- Enterprise**: Security, compliance, and flexible deployment. Starting at \$21 USD per user/month. Buttons: 'Start a free trial' and 'Contact Sales'.

4. Organization 이름과 연락처 이메일을 입력한다.

Organization name *

goodjob-tutorial

This will be the name of your account on GitHub.
Your URL will be: <https://github.com/goodjob-tutorial>.

Contact email *

mr.cho593@gmail.com

This organization belongs to:

☒ **My personal account**
I.e., mrcho593

☐ **A business or institution**
For example: GitHub, Inc., Example Institute, American Red Cross


Verify your account



☒ I hereby accept the [Terms of Service](#). For more information about GitHub's privacy practices, see the [GitHub Privacy Statement](#).

Next

5. 생성 후 Organization 홈으로 이동한다.



goodjob-tutorial

github.com/goodjob-tutorial

Gemini에게 물어보기

Google에 물어보기

goodjob-tutorial

OverviewRepositoriesProjectsPackagesTeamsPeople1InsightsSettings



goodjob-tutorial

Follow

We think you're gonna like it here.

We've suggested some tasks here in your organization's overview to help you get started.

Invite your people

Invite your first member

Find people by their GitHub username or email address.

Customize members' permissions

Set everyone's base permissions for your code.

View as: Public

You are viewing the README and pinned repositories as a public user.

You can [create a README file](#) visible to anyone.

You can [hide the tasks we've suggested](#) on this page and bring them back later.

Discussions


Set up discussions to engage with your community!

[Turn on discussions](#)

8

2단계: 멤버 초대

1. Organization에서 People로 이동한다.



2. Invite member를 선택한다.

The screenshot shows the GitHub interface for the organization 'goodjob-tutorial'. The 'People' tab is selected, showing a list of members. A red arrow points to the 'Invite member' button in the top right corner of the 'People' section. The interface includes a search bar, a notification banner about being the only owner, and a list of members with details like 'mrcho593' and 'Membership via: direct assignment'.

Members · People · goodjob-tutorial

github.com/orgs/goodjob-tutorial/people

goodjob-tutorial

Overview Repositories Projects Packages Teams **People** 1 Insights Settings

People

Find a member...

Export Invite member


You are the only owner of this organization! We recommend a minimum of two people within each organization have the owner role.

Members Two-factor authentication Membership

mrcho593

Membership via: direct assignment

3. 팀원의 GitHub 사용자명 또는 이메일을 입력한다.



4. 역할은 기본적으로 Member를 선택한다.

The screenshot shows the GitHub interface for inviting a user to an organization. The browser address bar shows the URL: `github.com/orgs/goodjob-tutorial/invitations/good593/edit`. The page title is "Invite gyowon cho to goodjob-tutorial". Below the title, it says: "Give them an appropriate role in the organization and add them to some teams to give access to repositories." The "Role in the organization" section has two options: "Member" (selected) and "Owner". The "Member" role description states: "Members can see all other members, and can be granted access to repositories. They can also create new teams and repositories." The "Owner" role description states: "Owners have full administrative rights to the organization and have complete access to all repositories and teams." At the bottom, there is a green button labeled "Send invitation" with a red arrow pointing to it.

GitHub · Where software is built

github.com/orgs/goodjob-tutorial/invitations/good593/edit

goodjob-tutorial

Overview Repositories Projects Packages Teams People 1 Insights Settings

Invite gyowon cho to goodjob-tutorial

Give them an appropriate role in the organization and add them to some teams to give access to repositories.

Role in the organization

- ☒ **Member**
Members can see all other members, and can be granted access to repositories. They can also create new teams and repositories.
- ☐ **Owner**
Owners have full administrative rights to the organization and have complete access to all repositories and teams.

 **Send invitation**

5. 팀원에 초대 메일을 전달 확인


The screenshot displays the GitHub interface for the 'goodjob-tutorial' organization. The 'People' tab is active, showing a list of invitations. The left sidebar contains the following items:

- Organization permissions
- Members (1)
- Outside collaborators
- Pending collaborators
- Invitations (1)
- Failed invitations
- Security Managers


The main content area shows a search bar 'Find an invitation...' and filters for 'Role' and 'Source'. A green 'Invite member' button is visible. The invitation list contains one entry:

	1 invitation	Sort
☐	 gyoungwon cho good593 Member Invited on Aug 25, 2026 by mrcho593 ...	

6. 팀원이 초대 메일 확인



초대 수락



7. 생성된 조직에서 초대된 멤버 확인

The screenshot shows the GitHub interface for the organization 'goodjob-tutorial'. The 'People' section is active, and the 'Members' tab is selected. A red box highlights the member 'gyoungwon cho' (good593). The member's profile includes a profile picture, name, username, and membership details: 'Membership via: direct assignment'. A notification at the top states: 'You are the only owner of this organization! We recommend a minimum of two people within each organization have the owner role.'

Members	Two-factor authentication	Membership
 gyoungwon cho good593 Membership via: direct assignment	2FA	Private Member 0 teams 0 roles
 mrcho593 Membership via: direct assignment	2FA	Private Owner 0 teams 0 roles

3단계: Team 생성

1. Organization의 Teams에서 New team을 선택한다.

goodjob-tutorial

Overview Repositories Projects Packages **Teams** People 2 Insights Settings

Seamless communication with teams

Teams are a great way for groups of people to communicate and work on code together. Take a look at why they're great.

Flexible repository access

You can add repositories to your teams with more flexible levels of access (Admin, Write, Read).

Request to join teams

Members can quickly request to join any team. An owner or team maintainer can approve the request.

Team mentions

Use team @mentions (ex. @github/design for the entire team) in any comment, issue, or pull request.

[New team](#) [Learn more about teams](#)

2. Team 이름 작성 후 공개 범위를 선택하고 Team을 생성한다.

좋은 Team 이름:

- 짧고 역할이 분명하다: frontend, api, qa
- 임시 사람 이름보다 지속되는 업무 기준으로 짓는다.

Create new team

Team name

web-team

Mention this team in conversations as @goodjob-tutorial/web-team.

Description

What is this team all about?

Parent team

There are no teams that can be selected.

Team visibility

☒ **Visible** Recommended

Members of this organization can see and [@mention](#) this team.

☐ **Secret**

A secret team can only be seen by its members and may not be nested.

Team notifications

☒ **Enabled**


Everyone will be notified when the team is @mentioned.

☐ **Disabled**

No one will receive notifications.

Create team

3. Members → Add a member에서 팀원을 추가한다.



The screenshot shows the GitHub interface for the 'web-team' in the 'goodjob-tutorial' organization. The 'Members' tab is selected, showing a search bar with the placeholder 'Find a member...' and a green 'Add a member' button. A red arrow points to the 'Add a member' button. Below the search bar, there is a list of team members, currently showing one member: 'mrcho593'. The left sidebar shows the team's profile picture and the name 'web-team'.

web-team · goodjob-tutorial

github.com/orgs/goodjob-tutorial/teams/web-team

goodjob-tutorial / Teams / web-team

Members 1 Teams Repositories Projects Organization roles Settings

web-team

About

This team has no description

Members

Find a member...

Add a member

1 member 0 child team members Role

mrcho593

Members1TeamsRepositoriesProjectsOrganization rolesSettings



web-team

About

This team has no description

Members

Add a member

Add member to web-team

Search by username, full name or email address

good593

good593youngwon cho

+

Invite

web-team · goodjob-tutorial

Gemini에게 물어보기

github.com/orgs/goodjob-tutorial/teams/web-team/members

Google에 물어보기

goodjob-tutorial / Teams / web-team

Search Type to search

+ + + + + + +

Members 2 Teams Repositories Projects Organization roles Settings



web-team

About

This team has no description

Members

Find a member...

Add a member

☐ 2 members 0 child team members Role

☐

 gyoungwon cho good593

☐


 mrcho593

4단계: 조직 저장소 생성

저장소 생성 화면에서 Owner가 Organization인지 확인한다.

```
Owner: goodjob-tutorial  
Repository name: team-project  
Visibility: Private 또는 Public  
Initialize: README 선택
```

1. New repository



2. Create a new repository

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1

General

Owner *

goodjob-tutorial

Repository name *

team-project

team-project is available.

Great repository names are short and memorable. How about [literate-lamp](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

3. 결과 확인

The screenshot shows a web browser displaying the GitHub repository page for 'team-project' by 'goodjob-tutorial'. The browser's address bar shows 'github.com/goodjob-tutorial/team-project'. The repository page has a dark theme. At the top, there's a navigation bar with the repository name and a search bar. Below this, there's a secondary navigation bar with links to 'Code', 'Issues', 'Pull requests', 'Actions', 'Projects', 'Wiki', 'Security and quality', 'Insights', and 'Settings'. The main content area shows the repository name 'team-project' with a 'Public' badge. To the right of the name are buttons for 'Edit Pins', 'Watch' (0), 'Fork' (0), and 'Star' (0). Below this, there's a section for the 'main' branch, showing '1 Branch' and '0 Tags'. A search bar 'Go to file' is present. The commit history shows a single commit by 'mrcho593' with the message 'Initial commit' and a commit hash '77c7cb9'. Below the commit history, there's a file list showing 'README.md' with the message 'Initial commit'. The 'README' file is selected, and its content is displayed below, showing the title 'team-project'. On the right side of the repository page, there's an 'About' section with a gear icon. It contains the text 'No description, website, or topics provided.' and a list of links: 'Readme', 'Activity', 'Custom properties', '0 stars', '0 watching', '0 forks', and 'Audit log'.

goodjob-tutorial/team-project

github.com/goodjob-tutorial/team-project

goodjob-tutorial / team-project

Type to search

Code Issues Pull requests Actions Projects Wiki Security and quality Insights Settings

team-project Public

Edit Pins Watch 0 Fork 0 Star 0

main 1 Branch 0 Tags

Go to file

Add file Code

mrcho593 Initial commit 77c7cb9 · now 1 Commit

README.md Initial commit now

README

team-project

About

No description, website, or topics provided.

Readme Activity Custom properties 0 stars 0 watching 0 forks Audit log

5단계: Team에 저장소 권한 부여

1. 저장소의 Settings → Collaborators and teams로 이동한다.

The screenshot shows the GitHub web interface for a repository named 'team-project' under the organization 'goodjob-tutorial'. The browser address bar shows the URL 'github.com/goodjob-tutorial/team-project/settings/access'. The 'Settings' tab in the top navigation bar is highlighted with a red box. In the left sidebar, the 'Collaborators and teams' option under the 'Access' section is also highlighted with a red box. The main content area is titled 'Collaborators and teams' and indicates it is a 'Public repository'. It displays three access management sections: 'Base role' (Read), 'Direct access' (0 teams or members), and 'Organization access' (0 users and 0 teams). At the bottom, there is a 'Manage access' section with tabs for 'Direct access' and 'Organization access' (which is currently selected), showing '0 actors' and search filters for 'Type' and 'Role'.

2. 생성한 Team을 검색해 추가한다.

The screenshot shows the GitHub repository settings page for a public repository. The left sidebar contains navigation options: General, Access, Collaborators and teams (selected), Moderation, Code, planning, and automation, Branches, Tags, Rulesets, Actions, Webhooks, Copilot, Planning, Environments, Pages, and Custom properties. The main content area is titled 'Collaborators and teams' and includes a 'Public repository' status, a 'Manage visibility' button, and three access management sections: Base role (Read), Direct access, and Organization access. Below these is the 'Manage access' section with tabs for Direct access and Organization access. The 'Add teams' button is highlighted with a red box. A modal window titled 'Add teams to team-project' is open, showing a search bar and a list of teams. The 'web-team' is selected, indicated by a red arrow.

Collaborators and teams

Public repository
This repository is public and visible to anyone

Base role (Read)
All 2 members can access this repository. [Manage.](#)

Direct access
0 teams or members have access to this repository. Only [Owners](#) can contribute to this repository.

Organization access
0 users and [0 teams](#) can access this repository through the organization. [Manage.](#)

Manage access

Organization access

0 actors

Type: All Role: All Search by name

Add teams to team-project

web-team
goodjob-tutorial/web-team

3. 실습용 권한으로 Write를 선택한다.

Invite web-team to team-project

Choose a role

- ☐ **Read** Base role
Recommended for non-code contributors who want to view or discuss your project.
- ☐ **Triage**
Recommended for contributors who need to manage issues and pull requests without write access.
- ☒ **Write**
Recommended for contributors who actively push to your project.
- ☐ **Maintain**
Recommended for project managers who need to manage the repository without access to sensitive or destructive actions.
- ☐ **Admin**
Recommended for people who need full access to the project, including sensitive and destructive actions like managing security or deleting a repository.

Cancel

Add selection

4. 팀원이 저장소를 Clone하고 브랜치를 Push할 수 있는지 확인한다.

The screenshot shows the GitHub interface for the repository 'team-project' by 'goodjob-tutorial'. The 'Code' button is highlighted, and a dropdown menu is open showing 'Clone' options: Local and Codespaces. The 'Clone' section shows the repository URL 'https://github.com/goodjob-tutorial/team-project' and a button to copy it. The 'About' section on the right shows 'No description, website, or topics provided.' and '0 stars'.

자주 발생하는 문제

증상	확인할 것
초대받은 팀원이 보이지 않음	초대를 수락했는가?
저장소는 보이지만 Push할 수 없음	Team의 저장소 권한이 <code>Write</code> 이상인가?
Team에 사용자를 추가할 수 없음	먼저 Organization 멤버가 되었는가?
설정 메뉴가 보이지 않음	현재 계정에 <code>Admin</code> 권한이 있는가?
개인 저장소로 잘못 생성됨	저장소 Owner가 개인 계정으로 선택되었는가?