
Docker Hub

> Docker Hub는 Docker 이미지를 저장하고 공유하는 클라우드 저장소입니다.

단계1: Docker 실행 및 로그인



단계2: Docker Image 생성

```
# Dockerfile이 있는 폴더로 이동 후 확인
ls Dockerfile
```

```
PS C:\dev\course\course_Runpod\2. RunPod 사용\3. Templates> ls Dockerfile


    디렉터리: C:\dev\course\course_Runpod\2. RunPod 사용\3. Templates


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
-a----        2026-02-23   오후 6:17           2104 Dockerfile



PS C:\dev\course\course_Runpod\2. RunPod 사용\3. Templates>
```

단계3: Docker Image 생성

```
# docker build -t <Docker ID>/<생성될 이미지명>:<버전> .
docker build -t goodwon593/runpod-template:latest .
```

```
PS C:\dev\course\course_Runpod\2. RunPod 사용\3. Templates> docker build -t goodwon593/runpod-template:latest .
[+] Building 24.0s (7/15)                                                                                docker:desktop-linux
 => [internal] load metadata for docker.io/runpod/pytorch:2.8.0-py3.11-cuda12.8.1-cudnn-devel-ubuntu22.04                  2.1s
 => [auth] runpod/pytorch:pull token for registry-1.docker.io                                                              0.0s
 => [internal] load .dockerignore                                                                                          0.0s
 => => transferring context: 2B                                                                                            0.0s
 => [ 1/10] FROM docker.io/runpod/pytorch:2.8.0-py3.11-cuda12.8.1-cudnn-devel-ubuntu22.04@sha256:cb154fcca15d1d6ce858cfa672b76505e30861ef981d28ec94b  1.0s
 => => resolve docker.io/runpod/pytorch:2.8.0-py3.11-cuda12.8.1-cudnn-devel-ubuntu22.04@sha256:cb154fcca15d1d6ce858cfa672b76505e30861ef981d28ec94bd4  0.1s
 => [internal] load build context                                                                                          0.2s
```

생성 결과 확인



docker desktop
PERSONAL
Search
Ctrl+K
4
G
A new version of Docker Desktop is available.
Update
Ask Gordon
BETA
Containers
Images
Volumes
Kubernetes
Builds
Models
MCP Toolkit
BETA
Docker Hub
Images
Give feedback
Local
My Hub
0 Bytes / 102.73 GB in use
6 images
Last refresh: 20 hours ago
Search
Name
Tag
Image ID
Created
Size
Actions
goodwon593/runpod-template
latest
a780ce986cd6
28 seconds ag
29.52 GB

단계4: Docker Hub에 배포

```
# docker push <Docker ID>/<생성될 이미지명>:<버전>
docker push goodwon593/runpod-template:latest
```




배포 결과 확인


Repositories | goodwon593
hub.docker.com/repositories/goodwon593
hub
Explore
My Hub
Search Docker Hub
CtrlK
G
goodwon593
Docker Personal
Repositories
Hardened Images
Collaborations
Settings
Default privacy
Notifications
Repositories
All repositories within the goodwon593 namespace.
Search by repository name
All content
Create a repository
Name
Last Pushed
Contains
Visibility
Scout
goodwon593/runpod-template
less than a minute ag
IMAGE
Public
Inactive


Runpod Template

> RunPod은 GPU 서버를 빌려서 쓰는 클라우드 서비스입니다.
> Template은 그 서버를 어떻게 세팅할지 미리 정해놓은 설정 묶음입니다.


단계1: New Template




Public template 설정




Docker Hub Image 적용



VSCode Server Port 적용




단계2: 생성된 Template 확인




단계3: GPU Pod 선택




단계4: Change Template




생성한 Template 선택





Home
The Hub
Serverless repos
Pod templates
Public endpoints
Resources
Serverless
Pods
Clusters
Storage
Fine tuning
My templates
Account
Feedback
Help & resources
Talk to Sales
Configure deployment
Pod name
pod_template
Pod template
runpod_template
goodwon593/runpod-template:latest
Edit
Change Template
GPU count
1
2
3
4
5
Instance pricing
On-Demand
Non-interruptible
$0.89/hr
Pay as you go, with costs based on actual usage time.
Save $115.75
3 month savings plan
$0.84/hr
$1,828.01
Reserve a GPU for three months at a discounted hourly cost.
Save $509.47
6 month savings plan
$0.77/hr
$3,399.41
Reserve a GPU for six months at a discounted hourly cost.
Save $1,165.08
1 year savings plan
$0.76/hr
$6,631.32
Reserve a GPU for one year at a discounted hourly cost.
Spot
Interruptible
$0.53/hr
Pay much less for an interruptible instance.


단계5: Deploy GPU Pod



Docker Image 다운로드



단계6: VSCode Server 접속



단계7: Jupyter 파일 확인

