

COMSATS University Islamabad

Wah Campus

Web Technologies

Lab 3: CSS — Integrated Website Development

Project: Food Corner Restaurant Website

Name: Muhammad Junaid

Registration No: FA24-BCS-167

Date: October 01, 2026

Live Demo: <https://food-corner-website-gilt.vercel.app>

GitHub: <https://github.com/junaid-devv/food-corner-website>

Table of Contents

1. Introduction
2. File Structure
3. Website Screenshots
4. CSS Types Demonstration
5. CSS Selectors
6. Pseudo-Classes & Pseudo-Elements
7. Cascade, Specificity & Inheritance
8. Fonts, Text, Colors & Backgrounds
9. CSS Box Model
10. Margin Collapsing
11. Width, Height & Constraints
12. Overflow Demonstration
13. Display Properties
14. Borders, Shadows & Spacing
15. Requirements Checklist
16. Live Deployment

1. Introduction

This report documents the development of a **Food Corner** restaurant website as part of Web Technologies Lab 3. The project demonstrates comprehensive CSS knowledge by building a professional single-page website using only HTML and CSS. The website showcases all CSS concepts covered in the lab, including CSS types, selectors, pseudo-classes, pseudo-elements, cascade, specificity, inheritance, the box model, margin collapsing, overflow, display properties, and responsive design techniques.

The website features a hero section with a background food image overlay, a menu section with four food item cards, an about section describing the restaurant, a contact form, and a footer. The design uses a warm color palette with orange (#e67e22), dark charcoal (#2c2c2c), cream (#faf3e0), and soft gray (#f5f5f5) to create an inviting restaurant feel.

2. File Structure

```
FoodCorner/  
■■■■ index.html      (Main HTML page – 197 lines)  
■■■■ style.css       (External stylesheet – 320+ lines)  
■■■■ images/         (Image assets directory)
```

The project follows a clean structure with HTML content separated from CSS styling. Food images are sourced from Unsplash via direct URLs for high-quality visuals.

3. Website Screenshots

3.1 Hero / Welcome Section

The hero section features a full-viewport background image with a dark overlay, the restaurant's welcome heading (styled with inline CSS), a subtitle paragraph, and an 'Explore Menu' call-to-action button. The fixed navigation bar sits at the top.




Figure 1: Hero Section — Welcome to Food Corner

3.2 Menu Section

The menu section displays four food cards (Pizza, Burger, Sandwich, Pasta) in a responsive CSS Grid layout. Each card includes a food image, name, description, price, and an 'Order Now' button. The first card is styled differently using the `:first-child` pseudo-class with an orange border accent. The section heading uses `::before` and `::after` pseudo-elements.




Figure 2: Menu Section — Four Signature Food Cards

3.3 About, Contact & Footer Sections

The about section contains a constrained content box demonstrating width/height constraints (min-width, max-width, min-height, max-height). It includes an overflow demo box showing scrollable testimonials. The contact section has a styled form with attribute selectors for input styling. The footer displays the copyright notice.




Figure 3: About Section, Contact Form & Footer

4. CSS Types Demonstration

4.1 Inline CSS

Applied directly on the hero section's <h1> element using the style attribute:

```
<h1 style="color: #faf3e0; font-size: 4rem; text-shadow: 2px 2px 4px rgba(0,0,0,0.5);">
  Welcome to Food Corner
</h1>
```

4.2 Internal CSS

A <style> block in the HTML <head> defines the hero section's background properties:

```
<style>
  #home {
    background-image: linear-gradient(...), url(...);
    background-size: cover;
    background-position: center;
    height: 100vh;
  }
</style>
```

4.3 External CSS

The main stylesheet is linked via: <link rel="stylesheet" href="style.css">. This file contains the majority of the styling rules (320+ lines).

5. CSS Selectors

Element Selector:

```
body { font-family: 'Poppins', sans-serif; color: #2c2c2c; }
```

Class Selector:

```
.container { max-width: 1200px; margin: 0 auto; }
```

ID Selector:

```
#menu { background-color: #f5f5f5; }
```

Attribute Selector:

```
input[type="text"], input[type="email"] { padding: 12px 15px; }
```

Grouping Selector:

```
h1, h2, h3, h4 { margin-top: 0; color: #1a1a1a; }
```

Descendant Selector:

```
nav ul { list-style: none; display: flex; gap: 30px; }
```

6. Pseudo-Classes & Pseudo-Elements

6.1 :hover Pseudo-Class

Applied to navigation links and food cards for interactive hover effects:

```
nav a:hover { color: #e67e22; }
.food-card:hover { transform: translateY(-5px); box-shadow: 0 10px 25px rgba(0,0,0,0.15); }
```

6.2 :first-child Pseudo-Class

The first food card receives a distinct orange border and cream background:

```
.menu-grid .food-card:first-child {
  border: 2px solid #e67e22;
  background-color: #fff9f0;
}
```

6.3 ::before and ::after Pseudo-Elements

Decorative symbols are added around the Menu section heading:

```
#menu h2::before { content: "■ "; color: #e67e22; }
#menu h2::after { content: " ★"; color: #e67e22; }
```

7. Cascade, Specificity & Inheritance

7.1 Inheritance

The body element sets a common font-family and text color that all child elements inherit:

```
body { font-family: 'Poppins', sans-serif; color: #2c2c2c; }
```

Specific elements like headings override the inherited color: **h1, h2, h3, h4 { color: #1a1a1a; }**

7.2 Specificity

An ID selector (#specific-btn) overrides a class selector (.btn-override) because ID selectors have higher specificity than class selectors:

```
.btn-override { background-color: red; } /* LOSES */
#specific-btn { background-color: rgb(230, 126, 34); } /* WINS — higher specificity */
```

7.3 Cascade (Source Order)

When two rules have the same specificity, the rule that appears later in the source wins:

```
.cascade-demo { color: blue; } /* LOSES — appears first */
.cascade-demo { color: #7f8c8d; } /* WINS — appears later */
```

8. Fonts, Text, Colors & Backgrounds

8.1 Font Properties

- **font-family:** 'Poppins', sans-serif (Google Font via @import)
- **font-size:** Various sizes (16px base, 36px headings, 4rem hero)
- **font-weight:** 300 (light), 400 (regular), 600 (semibold), 700 (bold)
- **font-style:** italic (used on the inline-elem span)

8.2 Text Properties

- **text-align:** center (section titles, hero, footer)
- **text-decoration:** none (links reset), underline (cascade demo)
- **line-height:** 1.6 (body), custom per element

8.3 Color Types

- **Named color:** white (header background)
- **HEX color:** #2c2c2c (body text), #e67e22 (orange accents)
- **RGB color:** rgb(230, 126, 34) (specificity demo button)

8.4 Background Properties

- **background-image:** Hero section uses a gradient overlay on Unsplash photo
- **background-size:** cover (hero fills entire viewport)
- **background-position:** center (hero image centered)
- **background-repeat:** no-repeat (hero image not tiled)
- **background-color:** #faf3e0 (body), #f5f5f5 (menu section), white (cards)

9. CSS Box Model

The food cards clearly demonstrate the CSS Box Model hierarchy: **Content** → **Padding** → **Border** → **Margin**:

```
.food-card {  
  width: 100%; /* Content width */  
  height: 100%; /* Content height */  
  padding: 20px; /* Space inside border */  
  border: 1px solid #ddd; /* Visible border */  
  border-radius: 12px;  
  margin: 0; /* Space outside border */  
  box-sizing: border-box; /* Include padding+border in width */  
}
```

The **box-sizing: border-box** property is applied globally via the universal selector *** { box-sizing: border-box; }** to ensure consistent sizing across all elements.

10. Margin Collapsing

Margin collapsing occurs when the vertical margins of two adjacent block-level elements overlap. Instead of adding together, the browser uses only the *larger* of the two margins as the spacing between the elements.

In the website, two stacked boxes are placed between the About and Contact sections. Box 1 has **margin-bottom: 60px** and Box 2 has **margin-top: 60px**. Due to margin collapsing, the actual space between them is **60px** (not 120px), because the margins collapse into the larger of the two values.

```
.margin-collapse-1 { margin-bottom: 60px; }  
.margin-collapse-2 { margin-top: 60px; }  
/* Result: 60px gap between them, not 120px */
```

11. Width, Height & Constraints

The About section's content box demonstrates all six constraint properties:

```
.about-content-box {  
  width: 100%; /* Flexible base width */  
  max-width: 800px; /* Cannot grow larger than 800px */  
  min-width: 300px; /* Cannot shrink smaller than 300px */  
  height: auto; /* Flexible based on content */  
  min-height: 200px; /* Minimum 200px tall */  
  max-height: 2000px; /* Maximum height constraint */  
}
```

When the browser window is resized, the content box respects these constraints — it won't stretch beyond 800px or shrink below 300px.

12. Overflow Demonstration

A testimonial box inside the About section has a fixed height of 120px with more text than can fit. The **overflow: scroll** property adds scrollbars to access the hidden content:

```
.overflow-demo {  
  overflow: scroll; /* Always shows scrollbars */  
  height: 120px; /* Fixed, small height */  
  background-color: #f9f9f9;  
  border: 1px solid #ddd;  
  padding: 15px;  
}
```

Other overflow values: **visible** (default — content spills out), **hidden** (clips content without scrollbar), **auto** (scrollbar only when needed).

13. Display Properties

display: block: Applied to section headings (.block-elem). Takes full available width and starts on a new line.

display: inline: Applied to a span (.inline-elem) within the About paragraph. Only takes the space needed by its content.

display: inline-block: Applied to buttons and navigation links (.inline-block-elem). Sits inline but respects width, height, padding, and margin like a block element.

display: none: Applied to a hidden promotional text (.hidden-elem) in the hero section. Completely removes the element from the document flow — it's invisible and takes no space.

14. Borders, Shadows & Spacing

Food cards use a combination of border, border-radius, and box-shadow for a polished look:

```
.food-card {  
  border: 1px solid #ddd;  
  border-radius: 12px;  
  box-shadow: 0 5px 15px rgba(0,0,0,0.08);  
}  
  
.food-card:hover {  
  box-shadow: 0 10px 25px rgba(0,0,0,0.15);  
}
```

Consistent spacing is maintained throughout: sections use 100px vertical padding, the container has 20px horizontal padding, and cards use 30px grid gap.

15. Requirements Checklist

Requirement	Status
Inline CSS	✓
Internal CSS	✓
External CSS	✓
Element selector	✓
Class selector	✓
ID selector	✓
Attribute selector	✓
Grouping selector	✓
Descendant selector	✓
:hover	✓
:first-child	✓
::before	✓
::after	✓
Cascade	✓
Specificity	✓
Inheritance	✓
Font properties	✓
Text properties	✓
Color properties	✓
Background properties	✓
Padding	✓
Margin	✓
Border	✓
Margin collapsing	✓
box-sizing	✓
Width/Height	✓
Min/Max constraints	✓
Overflow	✓
Block	✓

Inline	✓
Inline-block	✓
None	✓
Box shadow	✓
Consistent spacing	✓

16. Live Deployment

The website has been deployed to production via **Vercel** and the source code is hosted on **GitHub**:

Live Website: <https://food-corner-website-gilt.vercel.app>

GitHub Repository: <https://github.com/junaid-devv/food-corner-website>

End of Report — Muhammad Junaid (FA24-BCS-167)