

RFQ NEG260010713

Title	PR 14636387 Gate Valve , Ball Valve & PRESSURE SAFETY VALVE		
Synopsis	Dear Supplier, Please provide your complete techno-commercial offer for the requirement of Ship Repair BW Maromba of Gate Valve , Ball Valve & PRESSURE SAFETY VALVE		
Preview Date		Open Date	27/08/26 01:38 PM
Close Date	01/09/26 02:00 PM	Award Date	
Time Zone	Gulf Standard Time		

Submit your response to the following contact.

Company **AEDXB - Dubai Drydocks**
 Buyer **Ankur Gupta**
 Location **United Arab Emirates**
Dubai
Dubai
Jumeira Beach Road - Al MINA
Port Rashid
DUBAI MARITIME CITY
 Phone
 Fax
 E-mail **ankur.gupta@drydocks.gov.ae**

When submitting your response, include the following information.

Your Company Name	
Company Site <i>(Optional)</i>	
Address	
Contact Details	
Response Valid Until <i>(Optional)</i>	
Response Type	☐ Primary ☐ Alternate <i>(This negotiation allows you to submit multiple responses. Mark this as your primary response or an alternate one.)</i>

This document has important legal consequences. The information contained in this document is proprietary of AEDXB - Dubai Drydocks. It shall not be used, reproduced, or disclosed to others without the express and written consent of AEDXB - Dubai Drydocks.

Table of Contents

1 Overview.....	4
1.1 General Information.....	4
1.2 Schedule.....	4
1.3 Negotiation Controls.....	4
1.4 Response Rules.....	4
1.5 Terms.....	4
1.6 Attachments.....	4
2 Requirements.....	6
2.1 Section 1. Commercial Terms and Conditions.....	6
3 Lines.....	7
3.1 Line Information.....	7
3.2 Line Details.....	10
3.2.1 Line 1.....	10
3.2.2 Line 2.....	11
3.2.3 Line 3.....	12
3.2.4 Line 4.....	13
3.2.5 Line 5.....	14
3.2.6 Line 6.....	15
3.2.7 Line 7.....	16
3.2.8 Line 8.....	17
3.2.9 Line 9.....	18
3.2.10 Line 10.....	19

1 Overview

1.1 General Information

Title **PR 14636387 Gate Valve , Ball Valve & PRESSURE SAFETY VALVE**
 Synopsis **Dear Supplier,
Please provide your complete techno-commercial offer for the requirement of Ship Repair BW Maromba of Gate Valve , Ball Valve & PRESSURE SAFETY VALVE**
 Buyer **Ankur Gupta** Outcome **Purchase Order**
 E-Mail **ankur.gupta@drydocks.gov.ae**

1.2 Schedule

Preview Date _____ Open Date **27/08/26 01:38 PM**
 Close Date **01/09/26 02:00 PM** Award Date _____
 Time Zone **Gulf Standard Time**

1.3 Negotiation Controls

Response Visibility **Sealed**

Lines Settings

Rank Indicator **1,2,3...**
 Ranking Method **Price only**

1.4 Response Rules

This negotiation is governed by all the rules displayed below.

	Rule
☒	Negotiation is restricted to invited suppliers
☐	Suppliers are allowed to view other suppliers' notes and attachments
☒	Suppliers are allowed to respond to selected lines
☒	Suppliers are required to respond with full quantity on each line
☒	Suppliers are allowed to provide multiple responses
☒	Suppliers are allowed to revise their submitted response

1.5 Terms

Payment Terms **60 Days** Freight Terms _____
 Shipping Method _____ FOB
 Negotiation Currency **AED (UAE Dirham)** Price Precision **2**

Eligible Response Currencies

Check the one currency in which you will enter your response.

	Response Currency	Description	Price Precision
☐	AED	UAE Dirham	2
☐	EUR	Pan-European Currency	2
☐	GBP	Pound Sterling	2
☐	SGD	Singapore Dollar	2
☐	USD	US Dollar	2

1.6 Attachments

File Name or URL	Type	Description
Attachments (1).zip	File	

2 Requirements

**Response is required*

2.1 Section 1. Commercial Terms and Conditions

*1. Please confirm the Payment term proposed for this bid

Response attachments are optional.

*2. Please confirm the delivery incoterm for the submitted bid

Comments:

*3. Vendor to submit complete techno-commercial offer

Response attachments are required.

*4. Vendor to submit filled TBE (mandatory) as per attached document

Attachments:

File Name or URL	Type	Description
TBE NEG260010713 .xls. xlsx	File	

Response attachments are required.

3 Lines

3.1 Line Information

Line	Target Quantity	UOM	Response Quantity	Response Price	Line Amount	Promised Date
1-2", Gate Valve, 150#, RF, RS, BB, OS&Y, HW; Bdy ASTM B62 C83600; Disc B62 C83600; Seat ASTM B62 C83600; Stm B371 C69400; Std ASME B16.10, B16.5, ASME B16.34, ABS CLASS III, EN10204 3.1, Tag 54-GAV-5110	1	Each				
2-1/2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B62 C83600; Seat PTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 17-BAV-5356	1	Each				
3-2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5355	1	Each				

Line	Target Quantity	UOM	Response Quantity	Response Price	Line Amount	Promised Date
4-2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1. 20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5356	1	Each				
5-2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1. 20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5357	1	Each				
6-1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1. 20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5441	1	Each				

Line	Target Quantity	UOM	Response Quantity	Response Price	Line Amount	Promised Date
7-1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5442	1	Each				
8-1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 63-BAV-5443	1	Each				
9-1/2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B62 C83600; Seat PTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURE RS STANDARD; ABS, Tag 17-BAV-5355	1	Each				

Line	Target Quantity	UOM	Response Quantity	Response Price	Line Amount	Promised Date
10-3/4" X 1" (Vend specify), PSV , 150#, RF, Bdy ASTM A216 GR.WCB; Trim: ASTM A182 F51+ Hard faced; Stm: ASTM A276 S31600; Std ASME B 16.5, B16.34, ABS CLASS III, EN10204 3.1, Tag 98-PSV-5010	1	Each				

3.2 Line Details

3.2.1 Line 1 2", Gate Valve, 150#, RF, RS, BB, OS&Y, HW; Bdy ASTM B62 C83600; Disc B62 C83600; Seat ASTM B62 C83600; Stm B371 C69400; Std ASME B16.10, B16.5, ASME B16.34, ABS CLASS III, EN10204 3.1, Tag 54-GAV-5110

Category Name **Plumbing, heating and
air conditioning**

Item **DDD-NONCD116335-
1**

Revision

Requested Date **07/09/26**

Location **United Arab Emirates
Dubai
Dubai
Jumeirah Beach Rd**

Start Price (AED)

Note **ENSIONAL STANDARD:ASME B16.10, ASME B16.5, ASME B16.34; END CONNECTION: FLANGED RF; ABS CLASS III REQUIRED; CERTIFICATION: EN 10204 3.1; MATERIALS SHALL BE FROM ABS APPROVED MILL; DESIGN PRESSURE- 5.55 BAR; DESIGN TEMPERATURE- AMB.; VALVE TAG: 54-GAV-5110; VALVE SHALL COME WITH BRASS/BRONZE VALVLE TAG; SYSTEM: POTABLE WATER. GENERAL NOTES: 1) ABS CLASS NOTATION -A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC (OC), UWILD. FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation
.....
Value Type Text Value only
.....
<i>Provide your answer below</i>

Supplier Additional Information
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.2 Line 2 1/2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B62 C83600; Seat PTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 17-BAV-5356

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1		
Requested Date	07/09/26	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Start Price (AED)			

Note **DARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 3.16 Bar; Design temperature- AMB; Valve Tag:17-BAV-5356; System: BULK AIR;GENERAL NOTES: 1) ABS CLASS NOTATION -⌘ A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below

Supplier Additional Information
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.3 Line 3 2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5355

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1		
Requested Date	07/09/26	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5355; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -Æ A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.4 Line 4 2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5356

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5356; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.5 Line 5 2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5357

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5357; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.6 Line 6 1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5441

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5441; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.7 Line 7 1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5442

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5442; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.8 Line 8 1", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B16 C36000; Seat RPTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 63-BAV-5443

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **ARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 11.89 Bar; Design temperature- AMB; Valve Tag:63-BAV-5443; System: HIGH PRESSURE AIR(RIG AIR); GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.9 Line 9 1/2", Ball Valve, 600#, NPTF, LEV, FS; Bdy ASTM B62 C83600; Disc ASTM B62 C83600; Seat PTFE; Stm ASTM B16 C36000; Std B1.20.1, MSS-SP-110 / MANUFACTURERS STANDARD; ABS, Tag 17-BAV-5355

Category Name	Ball Valve	Revision	
Item	DDD- NONCOD96791-1	Location	United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Requested Date	07/09/26		
Start Price (AED)			

Note **DARD; End Connection: NPTF THREADED; ABS Piping Class: Class III; Certification: EN 10204 3.1; Design Pressure- 3.16 Bar; Design temperature- AMB; Valve Tag:17-BAV-5355; System: BULK AIR;GENERAL NOTES: 1) ABS CLASS NOTATION -⌘ A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS.**

Attributes

Supplier Additional Information
Technical Deviation Value Type Text Value only Provide your answer below
Supplier Comments Value Type Text Value only Provide your answer below
Make & Origin Value Type Text Value only Provide your answer below
Lead Time Value Type Text Value only Provide your answer below

3.2.10 Line 10 3/4" X 1"(Vend specify), PSV , 150#, RF, Bdy ASTM A216 GR.WCB; Trim: ASTM A182 F51+ Hard faced; Stm: ASTM A276 S31600; Std ASME B 16.5, B16.34, ABS CLASS III, EN10204 3.1, Tag 98-PSV-5010

Category Name	Hand Tools	Revision
Item	DDD-NONCD112601-1	
Requested Date	07/09/26	Location United Arab Emirates Dubai Dubai Jumeirah Beach Rd
Start Price (AED)		

Note **TM A182 F51 + Hard faced; Stem: ASTM A276 S31600; Back pressure: NA; Dimensional Standard: ASME B16.10, ASME B 16.5, ASME B16.34; End Connection: FLANGED RF; ABS Piping Class: Class III; Certification: EN 10204 3.1; With NR-13 Classification, Class D, group 2; System: MGPS; Refer Attachments for NR-13 & General Valve Requirements. GENERAL NOTES: 1) ABS CLASS NOTATION -# A1 OFFSHORE INSTALLATION (SELF INSTALLING UNIT), HYDROCARBON, (S) MAROMBA FIELD, BRAZIL, RFL(15), 204X, CRC(OC), UWILD. FILE ATTACHMENTS: 1. QUALITY AND GENERAL REQUIREMENT (DOC NO.-S18132-DD-000-PI-002_REV A 2. REFER ATTACHED VALVE TAG & NAME PLATE DETAILS, 3. Attachment-2- S18132-DD-000-PI-003 -NR13 REQUIREMENT FOR VALVE**

PROCUREMENT