

REQUIREMENTS SPECIFICATION

Praying.Works



Table of Contents

Introduction	5
Requirements Specification	5
Use Case (UC) Diagrams.....	6
UC Diagram - Author	6
UC Diagram - Partner.....	7
UC Diagram – Owner & Administrator.....	8
Use Case Descriptions.....	9
UC-01: Register User.....	10
UC-02: Login User.....	12
UC-03: Reset Password	13
UC-04: View My Faith Goals.....	14
UC-04: Edit My Faith Goals	15
UC-05: Add Photos.....	17
UC-06: Add Bible Verse.....	18
UC-07: Invite Partners.....	19
UC-08: Invite Contacts	20
UC-09: Assign Group to Contacts.....	21
UC-10: Reminder	22
UC-11: Set Privacy	23
UC-12: Select Published Date.....	24
UC-13: Pray with Me	25
UC-14: Add a Prayer Testimony.....	26
UC-15: Post Prayer to your Group	27
UC-16: Add a Private Prayer Request to your Diary	28
UC-17: Prayer Feed	29
UC-18: My Personal Prayer Room (Functionality to be depreciated).....	31
UC-19: View My Prayers for Others (Functionality to be depreciated)	32
UC-20: Find a Prayer Centre, Network, Group or Diary	33
UC-21: 24/7 Prayer Watch.....	34
UC-22: Become Intercessor (Functionality target for change).....	35
UC-23: Edit Profile	36
UC-24: Edit Personal Information.....	37
UC-25: Edit Church Profile.....	38
UC-26: Edit “About Your Decision”.....	39
UC-27: Edit “Worship Songs”	40
UC-28: Edit “Scripture Reference”	41
UC-29: Edit “Ministries List”	42
UC-30: Edit “Baptism Info”.....	43

UC-31: Edit “Favourite Speakers”.....	44
UC-32: Change Password	45
UC-33: User Notifications	46
UC-34: View My Groups	47
UC-35: Edit Group	48
UC-36: Visit Group (Functionality to be depreciated).....	49
UC-37: Create New Prayer Group	50
UC-38: Create New Prayer War Room (Functionality to be depreciated)	51
UC-39: Create New Prayer Advocate Group (Functionality to be depreciated) .	52
UC-40: View Available Networks.....	53
UC-41: Create New Network	54
UC-42: Select Network (Functionality to be depreciated)	55
UC-43: Edit Network	56
UC-44: Open Network by URL	57
UC-45: Launch the Network.....	58
UC-46: Delete Network	59
UC-47: Create a New Diary.....	60
UC-48: Select Prayer Diary	61
UC-49: Edit Diary.....	62
UC-50: Unfollow Diary	63
UC-50a: Follow Diary	64
UC-51: Upload Prayers	65
UC-52: Add Prayers.....	66
UC-53: Delete Prayers	67
UC-54: Add Answer to Prayers	68
UC-55: Show Statistics.....	69
UC-56: Post Feedback	70
UC-57: Block User.....	71
UC-58: Unblock User	72
UC-59: View Blocked List	73
UC-60: Make a Donation	74
UC-61: Show About Page.....	75
UC-62: Add Comment	76
UC-63: Delete Comment.....	77
UC-64: Hide Comment	78
UC-65: Hide All Partner Comments	79
UC-66: Logout.....	80
NON-FUNCTIONAL REQUIREMENTS	81
NFR1 - Security.....	81

NFR 1.1	81
NFR 1.2	81
NFR 1.3	81
NFR2 – Ease of Access	81
NFR 2.1	81
NFR 2.2	81
NFR3 – Reliability	81
NFR 3.1	81
NFR 3.2	82
NFR4 – Usability	82
NFR 4.1	82
NFR 4.2	82
NFR 4.3	82
NFR5 – Portability	82
NFR 5.1	82
NFR 5.2	83
Design Specification	83
Architecture Diagram	83
Activity Diagrams	84
Registration	84
Login	85
Edit Profile	86
Add Photos	87
Add Bible Verse	88
Invite Contacts	89
Invite Partner	90
My Faith Goals	91
Class Diagram	93
Sequence Diagrams	94
Login	94
Registration	95
Edit Profile	96
Group	96
Network	98

Introduction

Praying.Works is the worldwide platform for prayer intercession and evangelism; used by individuals, families, churches and ministries. Have all your prayers on your phone and online. Never ever miss an opportunity to pray – making praying without ceasing a reality.

Requirements Specification

This section specifies the detailed use case descriptions, use case diagrams and non-functional requirements. The actors for the Praying.Works system are:


- Author - registers, create and interact with own prayer content. Everyone registers as an Author:
 - When Author A interacts with other Author B's content, Author A is referred to as a Partner.
 - When an Author creates a Group, Diary or Network, that role is called an Owner
 - When an Owner nominates an Author to help administer a group, diary or network, that role is an Admin
- Partner - interact with other author prayer content
- Owner - creator of groups, prayer diary and networks
- Admin - nominated by owner to help administer groups, prayer diary and networks

Use Case (UC) Diagrams

The use case diagrams for the Praying.Works, classified with each actor are attached below:

UC Diagram - Author


The use case diagram for the author is attached under:



Use Case Diagram - Author

UC Diagram - Partner


The use case diagram for the partner is attached under:



Use Case Diagram – Partner

UC Diagram – Owner


The combined use case diagram for the owner is attached under:



Use Case Diagram – Owner

UC Diagram – Administrator

The combined use case diagram for the administrator is attached under:



Use Case Diagram – Administrator

Use Case Descriptions

The detailed use case descriptions of Praying.Works are given below:

UC-01: Register User

Use Case ID:	UC-01
Use Case Name:	Register User
Actor:	Author
Description:	The author will be able to register in to Praying.Works website in order to use its functionalities.
Trigger:	The author clicks the 'Sign-up Now' button on the login screen.
Preconditions:	1. Author has opened the website on his/her browser.
Postconditions:	Author's account will be created.
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on the "Sign-up Now" button on the login page.2. Website redirects Actor to the create profile page to display registration form.3. Author inputs first name, last name, email address, password and confirm password.4. Author checks "Terms and Conditions", "May we inform you about new prayer tools available to you on Praying.Works", "To inform you of activity on your account" and "Keep you informed of prayer interaction" checkboxes.5. Author clicks on "Save" button.6. Website creates the author's profile and sends a verification email on author's entered email address.7. Author opens the verification email.8. Author clicks on "Verify" button.9. Website verifies the author's account.
Alternative Flows:	N/A
Exceptions:	<ol style="list-style-type: none">1. On step 3 of normal flow, if the author misses any field, website prompts author to enter the required field.2. On step 3 of normal flow, if the author enters invalid email, website displays error "Email must be valid email address".3. On step 3 of normal flow, if the author enters invalid password, website displays error "Password must be a minimum of 8 characters long; must contain at least 1 number and 1 special character".4. On step 3 of normal flow, if the password and confirm password does not match, application displays an error "Password and Confirm Password must be same".
Includes:	N/A
Assumptions:	Author understands English language.

<p>Notes and Issues:</p>	<ol style="list-style-type: none"> 1. If author checks YES on “May we inform you about new prayer tools available to you on Praying.Works?” checkbox, then the application <u>will be granted permission</u> to send updates to inform the author. 2. If author checks NO on “May we inform you about new prayer tools available to you on Praying.Works?” checkbox, then the application <u>will not be granted permission</u> to send updates to inform the author. 3. If author checks YES on “To inform you of activity on your account e.g. to confirm change of password and other activity you have performed” checkbox, then the application <u>will be granted permission</u> to send updates about the account activity. 4. If author checks NO on “To inform you of activity on your account e.g. to confirm change of password and other activity you have performed” checkbox, then the application <u>will not be granted permission</u> to send updates about the account activity. 5. If author checks YES on “Keep you informed of prayer interaction e.g. when someone has prayed for you or sent you messages of encouragement?” checkbox, then the application <u>will be granted permission</u> to send updates to inform about prayer interactions. 6. If author checks NO on “Keep you informed of prayer interaction e.g. when someone has prayed for you or sent you messages of encouragement?” checkbox, then the application <u>will not be granted permission</u> to send updates to inform about prayer interactions.
---------------------------------	---

UC-02: Login User

Use Case ID:	UC-02
Use Case Name:	Login Actor
Actor:	Author
Description:	The Actor will be able to login to Praying.Works website in order to use its functionalities.
Trigger:	The Actor clicks the “Play Icon” button on the login screen.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has registered in the Praying.Works website.
Postconditions:	Actor will be taken to the dashboard.
Normal Flow:	1. Website displays the login form. 2. Actor enters “Email” and “Password”. 3. Actor clicks on “Play Icon” button. 4. Website checks for the Actor credentials. 5. Website log Actor in and takes to the dashboard.
Alternative Flows:	In step 1 of normal flow, Actor can login to network URL <NetworkName>.Praying. Works
Exceptions:	In the step 4 of the normal flow, if Actor enters incorrect email or password, website displays error “The email and or password is incorrect”.
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-03: Reset Password

Use Case ID:	UC-03	
Use Case Name:	Reset Password	
Actor:	Author	
Description:	The Actor will be able to reset his/her password.	
Trigger:	The Actor clicks the “Reset Password” text on the login screen.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has registered in the Praying.Works website.	
Postconditions:	Actor will be taken to the dashboard.	
Normal Flow:	<ol style="list-style-type: none">1. Website displays the login form.2. Actor clicks “Reset Password” text.3. Website displays a popup to reset account password.4. Actor enters his/her email in the popup dialog.5. Actor clicks on “Send Email” button.6. Website sends the password reset email.7. Website displays an information bubble notification “ Please check your email!”.	
Alternative Flows:	N/A	
Exceptions:	<ol style="list-style-type: none">1. In step 5 of normal flow, if Actor’s entered email does not exist, website displays error “User name doesn’t exist”.2. In step 4 of normal flow, if Actor enters invalid email, website displays error “Email must be valid email address”,	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-04: View My Faith Goals - Author

Use Case ID:	UC-04	
Use Case Name:	View My Faith Goals	
Actor:	Author	
Description:	The Actor will be able to view My Faith Goals page.	
Trigger:	The Partner clicks Pray Now on Faith Goal button on dashboard.	
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website. 3. Partner focus is on dashboard.	
Postconditions:	My Faith Goals page will be displayed to the Actor.	
Normal Flow:	1. Actor clicks on “My Faith Goals” button on the dashboard. 2. Website redirects Actor to “My Faith Goals” page.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-04a: View Prayer Request

Use Case ID:	UC-04a	
Use Case Name:	View Prayer Request	
Actor:	Partner	
Description:	The partner can view another Author's prayer request including - My Faith Goals, Pray with Me, Private prayer (by invite only), Testimony, Group Prayer (by invite only) and 27/4 prayers (by invite only) page.	
Trigger:	The Partner clicks Pray Now on Faith Goal on prayer feed.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor focus is on prayer feed.	
Postconditions:	View Prayer Request page will be displayed to the Actor; displaying Pray with Me, Faith Goals prayer, Private prayer, Testimony, Group Prayer and 27/4 prayer.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks on Pray Now on prayer on prayer feed.2. Website redirects Actor to "View prayer Request" page.	
Alternative Flows:	<ol style="list-style-type: none">1. Actor clicks prayer request menu2. Actor selects View from menu3. Website redirects Actor to "View prayer Request" page	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Partner understands English language.	
Notes and Issues:	N/A	

UC-04b: Edit My Faith Goals

Use Case ID:	UC-04b
Use Case Name:	Edit My Faith Goals
Actor:	Author
Description:	The Author will be able to edit My Faith Goals page.
Trigger:	The Author clicks the “Edit” link/button on the “My Faith Goals” page.
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author clicks Faith Goals button on the dashboard to display the My Faith Goals page
Postconditions:	My Faith Goals page will be displayed to the author.
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Edit” link on the “My Faith Goals” page.2. Website redirects author to “My Faith Goals” edit page.3. Author edits the photo. [UC-05]4. Author edits the bible verse. [UC-06]5. Author edits the invited partners. [UC-07]6. Author edits the invited contacts [UC-08]7. Author changes the assigned groups to the contacts. [UC-09]8. Author changes the reminder date and time settings. [UC-10]9. Author sets the privacy. [UC-11]
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-05, UC-06, UC-07, UC-08, UC-09, UC-10, UC-11
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-05: Add Photos

Use Case ID:	UC-05	
Use Case Name:	Add Photos	
Actor:	Author	
Description:	The author will be able to add photos to prayers, testimony, group settings, diary settings and network settings.	
Trigger:	The author clicks the “Add Photos” item.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayers, testimony, or group settings, diary settings and network settings	
Postconditions:	Photos will be added successfully.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Add Photos” list item .2. Author clicks “Browse for image” button.3. Author selects the image from the pc.4. Website adds the selected image.	
Alternative Flows:	<p>2a. In the step 2 of the normal flow, if the author clicks “Load from URL”:</p> <ol style="list-style-type: none">1. Website displays a prompt to enter image URL.2. Author enters the image URL.3. Author clicks the “Save” button.4. Use case resumes from the step 4 of the normal flow.	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-06: Add Bible Verse

Use Case ID:	UC-06	
Use Case Name:	Add Bible Verse	
Actor:	Author	
Description:	The Author will be able to add bible verse.	
Trigger:	The Author clicks the “Add Bible Verse” item.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Actor is in edit mode of prayer or testimony	
Postconditions:	Bible Verses will be added.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Add Bible Verse” list item.2. Website displays a dialog box to select books, chapter and verse.3. Author select’s the required book.4. Author select’s the required chapter.5. Author select’s the required verse.6. Author clicks Add Verse Button.7. Website adds the selected verse.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-07: Invite Partners

Use Case ID:	UC-07	
Use Case Name:	Invite Partners	
Actor:	Author	
Description:	The Author will be able to find partner.	
Trigger:	The Author clicks the “Invite Partners” item.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayer (My Faith Goals, Group Prayer, Private Prayer, 24/7 prayer) or testimony	
Postconditions:	Partners will be successfully added to prayer and invites on save.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Invite Partners” list item.2. Website displays a dialog box displaying existing partners.3. Author selects Partner name.4. Author clicks on “Invite Partners” button against a username.5. Selected Partners are added to prayer request6. On save website sends the invitation to the selected Partners.	
Alternative Flows:	<ol style="list-style-type: none">1. Author clicks on “Invite Partners” list item.2. Website displays a dialog box to search for partner by entering Author name.3. Author clicks on Find Partners4. Author enters Partner’s name.5. Author clicks on search icon to search button.6. Website searches for the entered username.7. Website displays the list of searched Partner.8. Author clicks on “Make Partner” button against a username.9. Selected Partners are added to prayer request10. On save website sends the invitation to the added Partner.	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-08: Invite Contacts

Use Case ID:	UC-08
Use Case Name:	Invite Contacts
Actor:	Author
Description:	The Author will be able to invite contacts.
Trigger:	The Author clicks the “Invite Contacts” item.
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayer or testimony
Postconditions:	Contacts will be invited successfully.
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Invite Contacts” list item.2. Website displays a dialog box to add contacts.3. Author enters first name.4. Author enters last name.5. Author enters email address.6. Author clicks “Add” button to add contact.7. Website adds the contact in the list of all contacts.8. Author selects the contact from the list.9. Author clicks on “Invite Contacts” Button.10. Selected Partners are added to prayer request11. On save website sends the invitation to the added contact.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-09: Assign Group to Contacts

Use Case ID:	UC-09	
Use Case Name:	Assign Group to Contacts	
Actor:	Author	
Description:	The Author will be able to group the contacts.	
Trigger:	The Author clicks the “Group Contacts” item.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayer or testimony.	
Postconditions:	Prayer will be sent to group members	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Group Contacts” list item.2. Website displays a dialog box with listed groups.3. Author selects a group from the list.4. Author clicks on “Add to Request” button.5. Website dismisses the dialog box	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-10: Reminder

Use Case ID:	UC-10	
Use Case Name:	Add Reminder	
Actor:	Author	
Description:	The Author will be able to add reminder.	
Trigger:	The Author clicks the “Reminder” item.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayer or testimony.	
Postconditions:	Reminder will be added successfully.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Reminder” list item.2. Website displays a dialog box to select date, time and frequency.3. Author selects the date, time and frequency.4. Author clicks on “Add to Request” button.5. Website adds the reminder.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-11: Set Privacy

Use Case ID:	UC-11	
Use Case Name:	Set Privacy	
Actor:	Author	
Description:	The Author will be able to set privacy.	
Trigger:	The Author clicks the “Privacy” toggle button.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.3. Author is in edit mode of prayer or testimony.	
Postconditions:	Privacy will be changed successfully.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Privacy” toggle button.2. Website changes the privacy according to toggle button status.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-12: Select Published Date

Use Case ID:	UC-12	
Use Case Name:	Select Published Date	
Actor:	Author	
Description:	The Actor will be able to select the published date.	
Trigger:	The Actor clicks the “Published Date” link.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor is in edit mode of prayer or testimony	
Postconditions:	Privacy will be changed successfully.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Published Date” link.2. Website opens a date picker dialog box to let Actor select the published date.3. Actor selects the published date.4. Website displays the selected published date in the prayer request.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-13: Pray with Me

Use Case ID:	UC-13
Use Case Name:	Pray with Me
Actor:	Author
Description:	The Author will create a prayer; be able to enter details about whom he/she wants to pray with.
Trigger:	The Author clicks the “Pray with Me” button on the dashboard page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	“Pray with Me” prayer details will be added on the prayer feed, prayer will be seen by all users on website. Application focus on prayer feed, Author will see Private prayer displayed on prayer feed
Normal Flow:	1. Author clicks on “Pray with Me” button on the dashboard page. 2. Website redirects Author to the create prayer; displaying “Pray with Me” defaults on page. 3. Author enters prayer title and details. 4. Author adds photos. [UC-05] 5. Author adds bible verse. [UC-06] 6. Author selects publish date. [UC-12] 7. Author clicks “Let’s Pray Button” 8. Website saves all the information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-05, UC-06, UC-12
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-14: Add a Prayer Testimony

Use Case ID:	UC-14	
Use Case Name:	Add a Prayer Testimony	
Actor:	Author	
Description:	The Author will be able to add prayer testimony on the Praying.Works website.	
Trigger:	The Author clicks the “Add a Testimony” button on the dashboard page.	
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.	
Postconditions:	Testimony will be added on the website. Application focus on prayer feed, Author will see Private prayer displayed on prayer feed	
Normal Flow:	1. Author clicks on “Add a Testimony” button on the dashboard page. 2. Website displays a dialog box to add testimony. 3. Author enters title of the testimony. 4. Author enters the description of the testimony. 5. Author clicks “Add Testimony” button. 6. Website adds the testimony and dismisses the dialog box.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-15: Post Prayer to your Group

Use Case ID:	UC-15	
Use Case Name:	Post Prayer to your Group	
Actor:	Author	
Description:	The Author will be able to post prayers in a group.	
Trigger:	The Author clicks the “Post Prayer on your Group” button on the dashboard page.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.	
Postconditions:	Prayers will be posted in the Author’s groups and display on group members prayer feed. Prayer will not display on non-members’ prayer feeds. Application focus on prayer feed, Author will see Private prayer displayed on prayer feed.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Post Prayer to your Groups” button on the dashboard page.2. Website redirects Actor to the “Post Prayer on your Groups” page on the website.3. Author enters the text for “What do you want to pray for?” and Prayer Details.4. Author adds photos. [UC-05]5. Actor adds bible verses. [UC-06]6. Author invites partners. [UC-07]7. Author invites contacts. [UC-08]8. Author groups contacts. [UC-09]9. Author sets a reminder. [UC-10]10. Author sets privacy settings. [UC-11]11. Author sets a publish date. [UC-12]12. Author clicks on “Let’s Pray” button.13. Website post prayer on the prayer feed of an invitees.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	UC-05, UC-06, UC-07, UC-08, UC-09, UC-10, UC-11, UC-12	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-16: Add a Private Prayer Request to your Diary

Use Case ID:	UC-16	
Use Case Name:	Add a Private Prayer Request to your Diary.	
Actor:	Author	
Description:	The Author will be able to add a private request to his/her diary.	
Trigger:	The Author clicks the “Add a Private Request to your Diary” button on the dashboard page.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.	
Postconditions:	A private request will be added in the Actor’s diary. Application focus on prayer feed, Author will see Private prayer displayed on prayer feed.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Add a Private Request to your Diary” button on the dashboard page.2. Website redirects Author to the Create Prayer request page; displaying “Add a Private Request to your Diary” default icons3. Author enters the text for “What do you want to pray for?” and Prayer Details.4. Author adds photos. [UC-05]5. Author adds bible verses. [UC-06]6. Author invites partners. [UC-07]7. Author invites contacts. [UC-08]8. Author groups contacts. [UC-09]9. Author sets a reminder. [UC-10]10. Author sets the privacy settings. [UC-11]11. Author sets a publish date. [UC-12]12. Author clicks on “Let’s Pray” button.13. Website post prayer on the prayer feed of an invitees...	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	UC-05, UC-06, UC-07, UC-08, UC-09, UC-10, UC-11, UC-12	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-17: Prayer Feed

Use Case ID:	UC-17
Use Case Name:	Prayer Feed.
Actor:	Author, Partner
Description:	The Actor will be able to view prayer feed displaying prayers.
Trigger:	The Actor clicks the “Prayers Feed” button on the dashboard page.
Preconditions:	<ol style="list-style-type: none"> 1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website. 3. Actor has clicked on Prayer Feed button on dashboard
Postconditions:	The list of prayers feed display to the Actor.
Normal Flow:	<ol style="list-style-type: none"> 1. Actor clicks on “Prayer Feed” button on the dashboard page. 2. Website redirects Actor to the “Prayers Feed” page on the website. 3. Website displays a list of prayers added by the Author’s. 4. Prayer menu displays the option to <ol style="list-style-type: none"> a. Share b. View c. Pin/unpin d. Edit e. Delete.
Alternative Flows:	<p>4a. In step 4 of normal flow, if the Actor clicks on “Share” link, (unless prayer is private, Share will only display for Author, the Partner will not see Share in the menu)</p> <ol style="list-style-type: none"> 1. Website displays the options of sharing prayer via Praying.Works, WhatsApp, Facebook, Twitter and LinkedIn. 2. Actor selects an option. 3. Website shares the prayer to the Actor’s selected option. <p>4b. In step 4 of the normal flow, if the Author/Partner clicks on the “View” link, focus to View Prayer Request of selected prayer.</p> <p>4c. In step4 of the normal flow, if the Author/Partner clicks on Pin/Unpin icon, website pins or unpins the prayer respectively.</p> <p>4d. In step 4 of the normal flow if the Author clicks on “Edit” link,</p> <ol style="list-style-type: none"> 1. Website displays the edit form to edit the prayer. 2. Actor makes the changes in the form. 3. Actor clicks on “Save” button. 4. Website saves the made changes. <p>4e. In step 4 of normal flow, if Partner clicks “Block” prayer author is added to Partner Block List</p> <p>4f. In step 4 of the normal flow, if the Author clicks on the “Delete” link,</p> <ol style="list-style-type: none"> 1. Website deletes the added prayer. Prayer is removed on all prayer feeds for all users, including comments and encouragements

Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	<p>There is only one prayer feed; users do not have separate prayer feeds. Conditions control which prayers display for a user on the prayer feed.</p> <p>Pray with Me prayers and Testimony's display for all users on the prayer feed.</p> <p>24/7, Group prayers, Faith Goals and Private Prayers display only for invitees listed as partners, contacts and group members.</p>

UC-18: My Personal Prayer Room (Functionality to be depreciated)

Use Case ID:	UC-18
Use Case Name:	MY Personal Prayer Room
Actor:	Author
Description:	A private prayer group where listing all prayers added by Author to Diary.
Trigger:	The Actor clicks the “My Personal Prayer Room” button on the dashboard page.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	A prayer request will be created in the personal prayer room.
Normal Flow:	1. Actor clicks on “My Personal Prayer Room” button on the dashboard page. 2. Website redirects Actor to the “My Personal Prayer Room” page on the website. 3. Actor enters the text for “What do you want to pray for?”. 4. Actor adds photos. [UC-05] 5. Actor adds bible verses. [UC-06] 6. Actor invites partner. [UC-07] 7. Actor invites contacts. [UC-08] 8. Actor groups contacts. [UC-09] 9. Actor sets a reminder. [UC-10] 10. Actor sets the privacy settings. [UC-11] 11. Actor sets a publish date. [UC-12] 12. Actor clicks on “Let’s Pray” button. 13. Website stores all the information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-05, UC-06, UC-07, UC-08, UC-09, UC-10, UC-11, UC-12
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-19: View My Prayers for Others (Functionality to be depreciated)

Use Case ID:	UC-19	
Use Case Name:	View My Prayers for Other	
Actor:	Author, Partner	
Description:	The Actor will be able to see a list of prayers for the others.	
Trigger:	The Actor clicks the “My Prayers for Others” button on the dashboard page.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.	
Postconditions:	A list of prayers for the others will be displayed to the Actor.	
Normal Flow:	1. Actor clicks the “My Prayers for Others” button on the dashboard page. 2. Website redirects the Actor to “My Prayers for the others” page. 3. Website displays a list of prayers for the others.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-20: Find a Prayer Centre, Network, Group or Diary

Use Case ID:	UC-20
Use Case Name:	Find a Prayer Centre, Network, Group or Diary.
Actor:	Author, Partner, Owner
Description:	The Actor will be able to find a prayer centre, network, group or diary.
Trigger:	The Actor clicks the “Find a Prayer Centre, Network, Group or Diary” button on the dashboard page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.
Postconditions:	A list of prayer centre, network, groups or diary will be displayed to the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Find a Prayer Centre, Network, Group or Diary” button on the dashboard page.2. Website redirects the Actor to “Find a Prayer Centre, Network, Group or Diary” page.3. Actor enters the keyword in the search field and clicks on the “Search Button” to find a list of prayer centers and networks.4. Website searches against the entered keyword.5. Website displays a list of prayer centers, network group or diary.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-21: 24/7 Prayer Watch

Use Case ID:	UC-21
Use Case Name:	24/7 Prayer Watch
Actor:	Author
Description:	The Author will be able to add 24/7 Prayer Watch.
Trigger:	The Author clicks the “24/7 Prayer Watch” button on the dashboard page.
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.
Postconditions:	A 24/7 Prayer Watch will be added by the Author. Application focus on prayer feed, Actor will see Private prayer displayed on prayer feed
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “24/7 Prayer Watch” button on the dashboard page.2. Website redirects Actor to the Create Prayer Request page displaying “24/7 Prayer Watch” defaults.3. Author enters the text for “What do you want to pray for?” and Prayer Details.4. Author adds photos. [UC-05]5. Author adds bible verses. [UC-06]6. Author invites partner. [UC-07]7. Author invites contacts. [UC-08]8. Author groups contacts. [UC-09]9. Author clicks on “Let’s Pray” button.10. Website stores all the information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-05, UC-06, UC-07, UC-08, UC-09
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-22: Become Intercessor (Functionality target for change)

Use Case ID:	UC-22
Use Case Name:	Become Intercessor
Actor:	Author
Description:	The Actor will be able to join to become an intercessor.
Trigger:	The Actor clicks the “I Want to Become an Intercessor” button on the dashboard page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.
Postconditions:	The Actor will become an intercessor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks on “I Want to Become an Intercessor” button on the dashboard page.2. Website redirects Actor to the “I Want to Become an Intercessor” page on the website.3. Actor clicks “Join” button.4. Website displays a list of live prayers added.5. Actor displays the option to share, view, pin/unpin the prayer.
Alternative Flows:	<p>4a. In step 4 of the normal flow, if the Actor clicks on “Share” link,</p> <ol style="list-style-type: none">1. Website displays the options of sharing prayer via Praying.Works, Facebook, Twitter and LinkedIn.2. Actor selects an option.3. Website shares the prayer to the Actor’s selected option. <p>4b. In the step 4 of the normal flow, if the Actor clicks on the “View” link, website displays the details of that specific prayer.</p> <p>4c. In the step4 of the normal flow, if the Actor clicks on Pin/Unpin icon, website pins or unpins the prayer respectively.</p>
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-23: Edit Profile

Use Case ID:	UC-23	
Use Case Name:	Edit Profile	
Actor:	Author	
Description:	The Author will be able to edit the profile.	
Trigger:	The Author clicks the “Edit Profile” link under “My Profile” tab.	
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.	
Postconditions:	The Actor’s profile will be edited successfully.	
Normal Flow:	<ol style="list-style-type: none">1. Author clicks on “Edit Profile” link.2. Website takes Actor to the “Edit Profile” page.3. Website displays about me, church profile, about your decision, worship songs, scripture reference, ministries list, baptism info, favorite speaker tabs to edit.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Author understands English language.	
Notes and Issues:	N/A	

UC-24: Edit Personal Information

Use Case ID:	UC-24	
Use Case Name:	Edit Personal Information	
Actor:	Author	
Description:	The Author will be able to edit the profile.	
Trigger:	The Author selects the “About Me” tab in Edit Profile page.	
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.	
Postconditions:	The Actor’s personal information will be edited successfully.	
Normal Flow:	1. Author selects the “About Me” tab in Edit Profile page. 2. Author inputs first name, last name, alias, country code, mobile number, city and email. 3. Author clicks on the “+” icon to add another email address 4. Author selects the profile picture. 5. Author selects alias image. 6. Author sets profile privacy mode i.e. private/public. 7. Author clicks on “Save” button.	
Alternative Flows:	N/A	
Exceptions:	2a. In step 2 of the normal flow, if Actor misses or enters invalid first name, last name, email and mobile number, website prompts Actor with an error to input valid information.	
Includes:	UC-23	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-25: Edit Church Profile

Use Case ID:	UC-25
Use Case Name:	Edit Church Information
Actor:	Author
Description:	The Author will be able to edit the church profile.
Trigger:	The Author selects the “Church Profile” tab in Edit Profile page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	The church information will be edited successfully.
Normal Flow:	1. Author selects the “Church Information” tab in Edit Profile page. 2. Author inputs first church name, church address, website, email address, phone number and lead. 3. Author enters the “What do you love about your church” field? 4. Author clicks on “Save” button. 5. Website stores the church information.
Alternative Flows:	N/A
Exceptions:	2a. In step 2 of the normal flow, if Author enters invalid email and mobile number, website prompts Author with an error to input valid information.
Includes:	UC-24
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-26: Edit “About Your Decision”

Use Case ID:	UC-26
Use Case Name:	Edit “About Your Decision”
Actor:	Author
Description:	The Author will be able to edit “About your Decision” form information.
Trigger:	The Author selects the “About Your Decision” tab in Edit Profile page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	The “About Your Decision” information will be edited successfully.
Normal Flow:	1. Author selects the “About Your Decision” tab in Edit Profile page. 2. Author inputs location and speaker. 3. Author selects the baptized slider radio button. 4. Author clicks on “Save” button. 5. Website stores the decision information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-25
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-27: Edit “Worship Songs”

Use Case ID:	UC-27	
Use Case Name:	Edit “Worship Songs”	
Actor:	Author	
Description:	The Author will be able to edit “Worship Songs” form information.	
Trigger:	The Author selects the “Worship Songs” tab in Edit Profile page.	
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.	
Postconditions:	The “Worship Songs” information will be edited successfully.	
Normal Flow:	1. Author selects the “Worship Songs” tab in Edit Profile page. 2. Author inputs the song name. 3. Author clicks on “Save” button. 4. Website stores the decision information.	
Alternative Flows:	1. Author clicks on “Add More” button. 2. Use case resumes from the step 2 of the normal flow.	
Exceptions:	N/A	
Includes:	UC-26	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-28: Edit “Scripture Reference”

Use Case ID:	UC-28
Use Case Name:	Edit “Scripture Reference”
Actor:	Author
Description:	The Author will be able to edit “Scripture Reference” form information.
Trigger:	The Author selects the “Scripture Reference” tab in Edit Profile page.
Preconditions:	<ol style="list-style-type: none">1. Author has opened the website on his/her browser.2. Author has logged in the Praying.Works website.
Postconditions:	The “Scripture Reference” information will be edited successfully.
Normal Flow:	<ol style="list-style-type: none">1. Author selects the “Scripture Reference” tab in Edit Profile page.2. Author selects the chapter.3. Author selects the verse4. Author clicks on “Save” button.5. Website stores the decision information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-27
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-29: Edit “Ministries List”

Use Case ID:	UC-29
Use Case Name:	Edit “Ministries List”
Actor:	Author
Description:	The Author will be able to edit “Ministries List” form information.
Trigger:	The Author selects the “Ministries List” tab in Edit Profile page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	The “Ministries List” information will be edited successfully.
Normal Flow:	1. Author selects the “Ministries List” tab in Edit Profile page. 2. Author enters the ministry and name of the song. 3. Author clicks on “Save” button. 4. Website stores the decision information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-28
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-30: Edit “Baptism Info”

Use Case ID:	UC-30
Use Case Name:	Edit “Baptism Info”
Actor:	Author
Description:	The Author will be able to edit “Baptism Info” form information.
Trigger:	The Author selects the “Baptism Info” tab in Edit Profile page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	The “Baptism Info” information will be edited successfully.
Normal Flow:	1. Author selects the “Baptism Info” tab in Edit Profile page. 2. Author changes the “Baptised” slider radio button. 3. Author enters the baptism information. 4. Author clicks on “Save” button. 5. Website stores the decision information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-29
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-31: Edit “Favourite Speakers”

Use Case ID:	UC-31
Use Case Name:	Edit “Favourite Speakers”
Actor:	Author
Description:	The Author will be able to edit “Favourite Speakers” form information.
Trigger:	The Author selects the “Favourite Speakers” tab in Edit Profile page.
Preconditions:	1. Author has opened the website on his/her browser. 2. Author has logged in the Praying.Works website.
Postconditions:	The “Favourite Speakers” information will be edited successfully.
Normal Flow:	1. Author selects the “Favorite Speakers” tab in Edit Profile page. 2. Author enters the speaker’s name, email, Facebook profile link, twitter profile link, LinkedIn link, YouTube channel link and Google Plus profile link. 3. Author clicks on “Save” button. 4. Website stores the decision information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-30
Assumptions:	Author understands English language.
Notes and Issues:	N/A

UC-32: Change Password

Use Case ID:	UC-32
Use Case Name:	Change Password
Actor:	Author
Description:	The Actor will be able to change his/her password.
Trigger:	The Actor clicks the “Change Password” link under “My Profile” tab.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.
Postconditions:	The Actor password will be changed successfully.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Change Password” link under “My Profile” tab.2. Website redirects Actor to change password page.3. Actor inputs current password, new password and confirm new password.4. Actor clicks the “Change Password” button.5. Website process the information and stores the new password.
Alternative Flows:	<ol style="list-style-type: none">1a. In the step 5 of the normal flow, if the Actor enters wrong current password,<ol style="list-style-type: none">1. Website displays the error.2. Use case restarts from the step 3 of the normal flow.
Exceptions:	<ol style="list-style-type: none">3a. If the Actor enters invalid password, website prompts Actor to enter valid password.3b. If the confirm password does not match with the normal flow, website displays an error message, “The Password and Confirm Password must be same”.
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-33: User Notifications

Use Case ID:	UC-33
Use Case Name:	User Notifications
Actor:	Author/ Owner
Description:	The Actor will be able to change his/her password.
Trigger:	The Actor clicks the “Change Password” link under “My Profile” tab.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	The Actor password will be changed successfully.
Normal Flow:	1. Actor clicks the “Actor Notifications” link in Setup page. 2. Website redirects Actor to Actor notifications page. 3. Actor checks “Terms and Conditions”, “May we inform you about new prayer tools available to you on Praying.Works”, “To inform you of activity on your account” and “Keep you informed of prayer interaction” checkboxes
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	<ol style="list-style-type: none">1. If Actor checks YES on “May we inform you about new prayer tools available to you on Praying.Works?” checkbox, then the application <u>will be granted permission</u> to send updates to inform the Actor.2. If Actor checks NO on “May we inform you about new prayer tools available to you on Praying.Works?” checkbox, then the application <u>will not be granted permission</u> to send updates to inform the Actor.3. If Actor checks YES on “To inform you of activity on your account e.g. to confirm change of password and other activity you have performed” checkbox, then the application <u>will be granted permission</u> to send updates about the account activity.4. If Actor checks NO on “To inform you of activity on your account e.g. to confirm change of password and other activity you have performed” checkbox, then the application <u>will not be granted permission</u> to send updates about the account activity.5. If Actor checks YES on “Keep you informed of prayer interaction e.g. when someone has prayed for you or sent you messages of encouragement?” checkbox, then the application <u>will be granted permission</u> to send updates to inform about prayer interactions.6. If Actor checks NO on “Keep you informed of prayer interaction e.g. when someone has prayed for you or sent you messages of encouragement?” checkbox, then the application <u>will not be granted permission</u> to send updates to inform about prayer interactions.

UC-34: View My Groups

Use Case ID:	UC-34
Use Case Name:	View My Groups
Actor:	Owner/Administrator /Members
Description:	The Actor will be able to view all the groups where Actor is Owner and Administrator.
Trigger:	The Actor clicks the “My Groups” link on the setup page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings.
Postconditions:	The Actor groups will be successfully displayed to the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “My Groups” link on the setup page.2. Website redirects Actor to “My Groups” page.3. Website displays a list of the groups to the Actor.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-35: Edit Group

Use Case ID:	UC-35
Use Case Name:	Edit Group
Actor:	Owner/Administrator
Description:	The Actor will be able to edit a group.
Trigger:	The Actor clicks the “Edit” link on the “My Groups” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The group will be successfully edited by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Edit” link on the “My Groups” page.2. Website redirects Actor to “Edit Group” page.3. Website displays a form to the Actor to edit group information.4. Actor can add bible verse. [UC-06]5. Actor can upload a group picture. [UC-05]6. Actor can set the privacy of the group using the slider radio button. [UC-11]7. Actor can add admin using the slider radio button.8. Actor can select the admin partner from the checked list box.9. Actor can add a network using the slider radio button.10. Actor clicks the “Save” button.11. Website stores the required information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-06, UC-11, UC-34
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-36: Visit Group (Functionality to be depreciated)

Use Case ID:	UC-36
Use Case Name:	Visit Group
Actor:	Owner/Administrator/Members
Description:	The Actor will be able to visit a group.
Trigger:	The Actor clicks the “Visit” link on the “My Groups” page.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	The group will be successfully edited by the Actor.
Normal Flow:	1. Actor clicks the “Visit” link on the “My Groups” page. 2. Website redirects Actor to “Visit Group” page. 3. Website displays two tabs of “Active Prayers” and “Answered Prayers” to the Actor. 4. Website displays a list of prayers in each tab.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-35
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-37: Create New Prayer Group

Use Case ID:	UC-37
Use Case Name:	Create New Prayer Group
Actor:	Owner
Description:	The Actor will be able to create a new prayer group.
Trigger:	The Actor clicks the “Prayer Group” under “My Groups” tab.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayer group will be successfully created by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Prayer Group” link under “My Groups” tab.2. Website redirects Actor to “Prayer Group” page.3. Website displays a form to get prayer group information.4. Actor enters prayer group name and outcomes that he can achieve.5. Actor adds the bible verse. [UC-06]6. Actor selects the category from a list box.7. Actor adds the photograph. [UC-05]8. Actor sets the prayer group privacy. [UC-11]9. Actor adds the admin using the slider radio button.10. Actor agrees to the terms and conditions.11. Actor clicks on the Let’s pray button.12. Website saves all the information.
Alternative Flows:	N/A
Exceptions:	11a. In the step 11 of the normal flow, if the Actor misses or enter any invalid information, website displays an error and prompts Actor to enter the valid information again.
Includes:	UC-05, UC-06, UC-11, UC-36
Assumptions:	Actor understands English language.
Notes and Issues:	<p>Mandatory fields</p> <ul style="list-style-type: none">• Group name• Details• Category (field to be depreciated)

UC-38: Create New Prayer War Room (Functionality to be depreciated)

Use Case ID:	UC-38
Use Case Name:	Create New Prayer War Room
Actor:	Owner
Description:	The Actor will be able to create a new prayer room.
Trigger:	The Actor clicks the “Prayer Group” under “My Groups” tab.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	The prayer war room will be successfully created by the Actor.
Normal Flow:	1. Actor clicks the “Prayer War Room” link under “My Groups” tab. 2. Website redirects Actor to “Prayer War Room” page. 3. Website displays a form to get prayer group information. 4. Actor enters prayer group name and outcomes that he can achieve. 5. Actor adds the bible verse. [UC-06] 6. Actor selects the category from a list box. 7. Actor adds the photograph. [UC-05] 8. Actor sets the prayer group privacy. [UC-11] 9. Actor adds the admin using the slider radio button. 10. Actor agrees to the terms and conditions. 11. Actor clicks on the Let’s pray button. 12. Website saves all the information.
Alternative Flows:	N/A
Exceptions:	11a. In the step 11 of the normal flow, if the Actor misses or enter any invalid information, website displays an error and prompts Actor to enter the valid information again.
Includes:	UC-05, UC-06, UC-11, UC-37
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-39: Create New Prayer Advocate Group (Functionality to be depreciated)

Use Case ID:	UC-39
Use Case Name:	Create New Prayer Advocate Group
Actor:	Owner
Description:	The Actor will be able to create a new prayer advocate group.
Trigger:	The Actor clicks the “Prayer Advocate Group” under “My Groups” tab.
Preconditions:	<ol style="list-style-type: none"> 1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	The prayer advocate group will be successfully created by the Actor.
Normal Flow:	<ol style="list-style-type: none"> 1. Actor clicks the “Prayer Advocate Group” link under “My Groups” tab. 2. Website redirects Actor to “Prayer Advocate Group” page. 3. Website displays a form to get prayer advocate group information. 4. Actor enters prayer group name and outcomes that he can achieve. 5. Actor adds the bible verse. [UC-06] 6. Actor selects the category from a list box. 7. Actor adds the photograph. [UC-05] 8. Actor sets the prayer group privacy. [UC-11] 9. Actor adds the admin using the slider radio button. 10. Actor agrees to the terms and conditions. 11. Actor clicks on the Let’s pray button. 12. Website saves all the information.
Alternative Flows:	N/A
Exceptions:	11a. In the step 11 of the normal flow, if the Actor misses or enter any invalid information, website displays an error and prompts Actor to enter the valid information again.
Includes:	UC-05, UC-06, UC-11, UC-38
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-40: View Available Networks

Use Case ID:	UC-40
Use Case Name:	View Available Networks
Actor:	Owner/Administrator/Member
Description:	The Actor will be able to view available networks where user is Owner and Administrator.
Trigger:	The Actor clicks the “My Networks” under “Setup” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayer advocate group will be successfully created by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “My Networks” link under “Settings” page.2. Website redirects Actor to “My Networks” page.3. Website displays a list of networks to the Actor.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-41: Create New Network

Use Case ID:	UC-41	
Use Case Name:	Create New Network	
Actor:	Owner	
Description:	The Actor will be able to create a new network.	
Trigger:	The Actor clicks the “Create” link under “My Networks” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The new network will be successfully created by the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Create” link under “My Networks” page.2. Website displays a dialog box to create a new network.3. Actor enters the network name.4. Actor enters the “Save” button.5. Website stores the network information and dismisses the dialog box.	
Alternative Flows:	N/A	
Exceptions:	3a. If the Actor misses the network name, website prompts Actor to enter the network name.	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-42: Select Network (Functionality to be depreciated)

Use Case ID:	UC-42
Use Case Name:	Select Network
Actor:	Owner/Administrator/Member
Description:	The Actor will be able to select a network.
Trigger:	The Actor checks the checkbox of a network under “My Networks” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The network will be successfully selected by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor checks the checkbox of a network under “My Networks” page.2. Website displays a list of added networks to the Actor.3. Actor selects a network by checking the checkbox item.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-41
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-43: Edit Network

Use Case ID:	UC-43
Use Case Name:	Edit Network
Actor:	Owner/Administrator
Description:	The Actor will be able to create a new network.
Trigger:	The Actor clicks the “Edit” link under “My Networks” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The network information will be successfully edited by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Edit” link under “My Networks” page.2. Website redirects Actor to the edit networks page.3. Actor enters the network name and request details.4. Actor can upload a picture. [UC-05]5. Actor can add new admin to the network.6. Actor can add group(s) to the network.7. Actor can invite partners to join the network. [UC-07]8. Actor can invite contacts to join the network. [UC-08]9. Actor can add social links for Facebook, Twitter, Instagram and LinkedIn.10. Website stores the network information.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-05, UC-07, UC-08
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-44: Open Network by URL

Use Case ID:	UC-44
Use Case Name:	Open Network By URL
Actor:	Owner/Administrator/Members
Description:	The Actor will open the network by the URL shared by the network owner.
Trigger:	The Actor copies the shared link in the browser tab.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The network will be successfully opened on the browser tab by the other Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor copies the network link as shared by the network owner.2. Actor pastes the link in the browser tab.3. Browser takes Actor to the login page.4. Actor performs the login [UC-02].5. Website displays the dashboard page.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-45: Launch the Network

Use Case ID:	UC-45
Use Case Name:	Launch Network
Actor:	Owner/Administrator/Member
Description:	The Actor will be able to launch the network created by him/her.
Trigger:	The Actor clicks the “Launch” link under “My Networks” page.
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.
Postconditions:	The network will be successfully launched by the Actor.
Normal Flow:	1. Actor clicks the “Launch” link under “My Networks” page. 2. Website launches the network. 3. Website makes Actor the owner of the network.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-41
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-46: Delete Network

Use Case ID:	UC-46
Use Case Name:	Delete Network
Actor:	Owner
Description:	The Actor will be able to delete the network created by him/her.
Trigger:	The Actor clicks the “Delete” link under “My Networks” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The network will be successfully deleted by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Delete” link under “My Networks” page.2. Additional steps required; (a) to notify members that network owner has decided to delete network; (b) first step network functionality is suspended; they will not be able to post or interact; (c) within 30 days the network will be deleted permanently3. Website deletes the network.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-41
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-47: Create a New Diary

Use Case ID:	UC-47
Use Case Name:	Create New Diary
Actor:	Owner
Description:	The Actor will be able to create a new diary.
Trigger:	The Actor clicks the “Create” link under “My Prayer Diary” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayer diary will be created by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Create” link under “My Prayer Diary” page.2. Website opens the dialog box to create a new diary.3. Actor enters the diary name.4. Actor clicks the save button.5. Website stores the information.6. Website displays a list of all diaries created by the Actor.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-48: View a Prayer Diary

Use Case ID:	UC-48	
Use Case Name:	View a Prayer Diary	
Actor:	Owner/Administrator/Member	
Description:	The Actor will be able to view a prayer diary.	
Trigger:	The Actor clicks on the View Diary button on the prayer feed	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor clicks on Prayer Feed button on dashboard	
Postconditions:	The Prayer Diary will successfully display list of prayers within the prayer diary	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks on the View Diary button2. The Prayer Feed displays all prayers in the prayer diary3.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	UC-47	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-49: Edit Diary

Use Case ID:	UC-49
Use Case Name:	Edit Diary
Actor:	Owner/Administrator
Description:	The Actor will be able to edit the diary.
Trigger:	The Actor clicks the “Edit” link under “My Prayer Diary” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayer diary will be edited by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Edit” link under “My Prayer Diary” page.2. Website redirects the Actor to edit diary page.3. Actor can edit diary name and forward to diary.4. Actor can edit group associated to Diary.5. Actor can edit network associated to Diary.6. Actor can edit privacy of the diary.7. Actor can add authors by using the sliding radio button.8. Actor can upload prayer request in Bulk.9. Actor clicks the save button.10. Website stores the information.11. Website displays a list of all diaries created by the Actor.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	UC-47
Assumptions:	Actor understands English language.
Notes and Issues:	<p>Actor can upload the prayers in 3 different manners as below:</p> <ol style="list-style-type: none">1. Upload prayer for diary2. Upload prayer to a diary associated to a group3. Upload prayer to a diary associated to a network4. Upload prayer to a diary associated to a network group <p>The upload manner will be decided by the data uploaded in the “Prayer Upload Template”</p>

UC-50: Unfollow Diary

Use Case ID:	UC-50
Use Case Name:	Unfollow Diary
Actor:	Member
Description:	The Actor will be able to unfollow a diary.
Trigger:	The Actor clicks the “Unfollow” button.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayer diary will be unfollowed by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Unfollow” link to follow a diary.2. Website removes the diary to the Actor’s followed diaries.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	<p>Actor can upload the prayers in 3 different manners as below:</p> <ol style="list-style-type: none">1. Upload prayer for own diary2. Upload prayer to a group3. Upload prayer to a network <p>The upload manner will be decided by the data uploaded in the “Prayer Upload Template”</p>

UC-50a: Follow Diary

Use Case ID:	UC-50a	
Use Case Name:	Follow Diary	
Actor:	Member	
Description:	The Actor will be able to follow a diary.	
Trigger:	The Actor clicks the “Follow Diary” button.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website. 3. Actor navigates to View Prayer Request associated to a Prayer Diary	
Postconditions:	The prayer diary will be followed by the Actor.	
Normal Flow:	1. Actor clicks the “Follow Diary” button to follow a diary. 2. Website adds the diary to the Actor’s followed diaries.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-51: Upload Prayers to Prayer Diary

Use Case ID:	UC-51	
Use Case Name:	Upload Prayers	
Actor:	Author/ Administrator	
Description:	The Actor will be able to upload the prayers.	
Trigger:	The Actor clicks the “Choose an Excel File to Upload” button under “My Prayer Diary” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The prayers will be uploaded by the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Upload Prayers” link under “My Prayer Diary” page.2. Website opens the dialog to select file from the local pc.3. Actor selects a file.4. Websites uploads the file and displays a success message.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	Prayers must be uploaded using the format provided	

UC-52: Add Prayers to Prayer Diary

Use Case ID:	UC-52
Use Case Name:	Add Prayers
Actor:	Author/ Administrator
Description:	The Actor will be able to add the prayers.
Trigger:	The Actor clicks the “Add to Diary” button under “My Prayer Diary” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The prayers will be added by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Add Prayers” link under “My Prayer Diary” page.2. Website opens the dialog to select existing prayers.3. Actor selects the prayers from the list.4. Actor clicks “Add to Diary” button.5. Websites adds the prayer and dismisses the dialog box.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-53: Delete Prayers

Use Case ID:	UC-53	
Use Case Name:	Delete Prayer Diary	
Actor:	Author/Owner	
Description:	The Actor will be able to delete the prayers.	
Trigger:	The Actor clicks the “Delete Diary” button under “My Prayer Diary” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings4. Actor has added a prayer diary.	
Postconditions:	The prayer will be deleted by the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Delete” diary button.2. Websites deletes the diary and displays a success message.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-54: Add Answer to Prayers

Use Case ID:	UC-54	
Use Case Name:	Add Answer to Prayer	
Actor:	Author	
Description:	The Actor will be able to add answer to the prayer prayers.	
Trigger:	The Actor clicks the “Add Answer” button.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to prayer	
Postconditions:	The prayer will be answered by the Actor. Prayer displays on Testimonies feed	
Normal Flow:	<ol style="list-style-type: none">1. Actor selects Edit on prayer menu [UC-17/4d]2. Actor clicks the “Answer prayer” button.3. Actor writes the response for the prayer answer.4. Actor clicks the send button to answer the prayer.5. Website updates the answer with that prayer.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-55: Show Statistics

Use Case ID:	UC-55	
Use Case Name:	Show Statistics	
Actor:	Author	
Description:	The Actor will be able to view the statistics.	
Trigger:	The Actor clicks the “My Statistics” item under “Setup” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The statistics will be shown to the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “My Statistics” item under “Setup” page.2. Website displays the statistics based on the following parameters:<ol style="list-style-type: none">a. Request Answeredb. Request Unansweredc. Request Createdd. Request Pendinge. Request Acceptedf. Request Prayed Forg. Encouragement Sent	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-56: Post Feedback

Use Case ID:	UC-56
Use Case Name:	Post Feedback
Actor:	Author
Description:	The Actor will be able to post the feedback by providing ratings and feedback review.
Trigger:	The Actor clicks the “Feedback” item under “Setup” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The statistics will be shown to the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Feedback” item under “Setup” page.2. Website displays a form with review box and rating stars.3. Actor writes the review in review text box.4. Actor selects the rating stars.5. Actor clicks the “Submit” button.6. Website posts the Actor review.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-57: Block User

Use Case ID:	UC-57	
Use Case Name:	Block User	
Actor:	Partner	
Description:	The Actor will be able to block another Actor.	
Trigger:	The Actor clicks the “Block” button.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to prayer from user	
Postconditions:	The Author will be blocked by the Partner. Prayer by blocked Author will no longer display on Partner prayer feed.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks on prayer request menu [UC17/4e]2. Actor clicks the “Block” button to block the Author.3. Website adds the blocked Actor to the blocked list of logged in Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-58: Unblock User

Use Case ID:	UC-58	
Use Case Name:	Unblock User	
Actor:	Partner	
Description:	The Actor will be able to unblock another Actor.	
Trigger:	The Actor clicks the “Un-Block” button.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The Actor will be unblocked by the logged in Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks view blocked list2. Actor clicks the “Un-Block” button to unblock the Actor.3. Website removes the blocked Actor from the blocked list of logged in Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-59: View Blocked List

Use Case ID:	UC-59	
Use Case Name:	View Blocked List	
Actor:	Partner	
Description:	The Actor will be able to view the blocked list.	
Trigger:	The Actor clicks the “View Blocked List” item under “Setup” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The blocked list will be shown to the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “View Blocked List” item under “Setup” page.2. Website displays a list of blocked Actor to the Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-60: Make a Donation

Use Case ID:	UC-60
Use Case Name:	Make a Donation
Actor:	Author/ Partner
Description:	The Actor will be able to make a donation.
Trigger:	The Actor clicks the “Make a Donation” item under “Setup” page.
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings
Postconditions:	The donation will be made successfully by the Actor.
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “Make a Donation” item under “Setup” page.2. Website displays a form to get information about the payment.3. Actor selects the currency from a dropdown.4. Actor enters the amount.5. Actor selects one-off or monthly donation from the dropdown.6. Actor enters the email.7. Actor enters the name on credit/debit card.8. Actor enters the card number.9. Actor enters the expiration.10. Actor enters the CVC code.11. Actor clicks the donate button.12. Website processes the payment and shows a success message after successful payment.
Alternative Flows:	N/A
Exceptions:	N/A
Includes:	N/A
Assumptions:	Actor understands English language.
Notes and Issues:	N/A

UC-61: Show About Page

Use Case ID:	UC-61	
Use Case Name:	Show About Page	
Actor:	All Actors	
Description:	The Actor will be able to view the about page.	
Trigger:	The Actor clicks the “About” item under “Setup” page.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to Settings	
Postconditions:	The about page will be displayed to the Actor.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks the “About” item under “Setup” page.2. Website displays the about page to the Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-62: Add Comment

Use Case ID:	UC-62	
Use Case Name:	Add Comment	
Actor:	Author/ Partner	
Description:	The Actor will be able to add a comment.	
Trigger:	The Actor enters encouragement comments to a prayer request.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website. 3. Actor has clicked Pray Now or View on menu	
Postconditions:	The Actor's comment will be added to the comments.	
Normal Flow:	1. Actor writes the comment. 2. Actor clicks on Send button. 3. Website posts the comment of the Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-63: Delete Comment

Use Case ID:	UC-63	
Use Case Name:	Delete Comment	
Actor:	Comment Author	
Description:	The Actor will be able to add a comment.	
Trigger:	The Actor clicks “Delete” on comment menu.	
Preconditions:	<ol style="list-style-type: none">1. Actor has opened the website on his/her browser.2. Actor has logged in the Praying.Works website.3. Actor navigates to View Prayer Request	
Postconditions:	The Actor’s comment will be deleted from the website.	
Normal Flow:	<ol style="list-style-type: none">1. Actor clicks “Delete” on comment.2. Website deletes the comment of the Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-64: Hide Comment

Use Case ID:	UC-64	
Use Case Name:	Hide Comment	
Actor:	Author/ Partner	
Description:	The Actor will be able to hide a comment.	
Trigger:	The Actor clicks the “Hide” link.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website. 3. Actor navigates to View Prayer Request	
Postconditions:	The Actor’s comment will be hide from the website.	
Normal Flow:	1. Actor clicks the “Hide” link. 2. Website hides the comment of the Actor.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-65: Hide All Partner Comments

Use Case ID:	UC-65	
Use Case Name:	Hide All Partner Comment	
Actor:	Author/ Partner	
Description:	The Actor will be able to hide a partner's comment.	
Trigger:	The Actor clicks the "Hide All Partner's Comment" link.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website. 3. Actor navigates to View Prayer Request	
Postconditions:	The website will hide all partner comments.	
Normal Flow:	1. Actor clicks the "Hide Partner's Comment" link. 2. Website hides the partner's comment.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

UC-66: Logout

Use Case ID:	UC-66	
Use Case Name:	Log Out	
Actor:	All Actors	
Description:	The Actor will be logged out of the website.	
Trigger:	The Actor clicks the “Logout” item under “Setup” page.	
Preconditions:	1. Actor has opened the website on his/her browser. 2. Actor has logged in the Praying.Works website.	
Postconditions:	The Actor will be logged out of the website.	
Normal Flow:	1. Actor clicks the “Logout” item under “Setup” page. 2. Website logs out the Actor. 3. Website redirects Actor to the login page.	
Alternative Flows:	N/A	
Exceptions:	N/A	
Includes:	N/A	
Assumptions:	Actor understands English language.	
Notes and Issues:	N/A	

NON-FUNCTIONAL REQUIREMENTS

NFR1 - Security

NFR 1.1

Identifier	NFR 1.1
Title	Security
Requirement	Password shall contain 6-9 characters.

NFR 1.2

Identifier	NFR 1.2
Title	Security
Requirement	Password shall contain at least one number.

NFR 1.3

Identifier	NFR 1.3
Title	Security
Requirement	Users shall be required to change password once every 12 months.

NFR2 – Ease of Access

NFR 2.1

Identifier	NFR 2.1
Title	Ease of Access
Requirement	The system should refresh its list of pages at least every 5 minutes.

NFR 2.2

Identifier	NFR 2.2
Title	Ease of Access
Requirement	The system should refresh the number of available spaces on a page at least every 10 seconds.

NFR3 – Reliability

NFR 3.1

Identifier	NFR 3.1
Title	Reliability
Requirement	The system should available at least 23 hours a day.

NFR 3.2

Identifier	NFR 3.2
Title	Reliability
Requirement	Any downtime to the system should be limited to the hours between 00:00 and 06:00 GMT.

NFR4 – Usability

NFR 4.1

Identifier	NFR 4.1
Title	Usability
Requirement	75% of Actor should be able to register for an activity in under 2 minutes.

NFR 4.2

Identifier	NFR 4.2
Title	Usability
Requirement	Tooltips should be available for every user interface widget.

NFR 4.3

Identifier	NFR 4.3
Title	Usability
Requirement	Help messages should be available on every page.

NFR5 – Portability

NFR 5.1

Identifier	NFR 5.1
Title	Portability
Requirement	The system should be available on multiple platforms.

NFR 5.1.1

Identifier	NFR 5.1.1
Title	Portability
Requirement	The system should be available on Windows versions 7 onwards.

NFR 5.1.2

Identifier	NFR 5.1.2
Title	Portability
Requirement	The system should be available on Microsoft Edge.

NFR 5.1.3

Identifier	NFR 5.1.3
Title	Portability
Requirement	The system should be available on Internet Explorer.

NFR 5.2


Identifier	NFR 5.2
Title	Portability
Requirement	The system should be written in a universally available language

Design Specification

The design specification contains the architecture and activity diagrams of the Praying.Works website.

Architecture Diagram

The architecture diagram of the system is attached below:




Activity Diagrams

The activity diagrams are attached below:

Registration


The activity diagram for the registration process is attached below:



Activity Diagram – Registration

Login


The activity diagram for the login process is attached below:



Activity Diagram – Login

Edit Profile


The activity diagram for the edit profile process is attached below:



Activity Diagram - Edit Profile


Add Photos

The activity diagram for the add photos process is attached below:



Add Bible Verse


The activity diagram for the add bible verse process is attached below:



Activity Diagram - Add Bible Verse

Invite Contacts


The activity diagram for the invite contacts process is attached below:



Activity Diagram - Invite Contacts

Invite Partner


The activity diagram for the invite partner process is attached below:



Activity Diagram - Invite Partners

My Faith Goals


The activity diagram for the My Faith Goals process is attached below:



Activity Diagram - My Faith Goals

Class Diagram

The class diagram for the Praying.Works website is attached below:




Class Diagram

Sequence Diagrams

The sequence diagrams for the Praying.Works website are attached below:

Login


The sequence diagram for the login process is attached below:



Sequence Diagram - Login

Registration


The sequence diagram for the registration process is attached below:



Sequence Diagram - Registration

Edit Profile


The sequence diagram for the edit profile process is attached below:



Sequence Diagram – Edit Profile

Group


The sequence diagram for the group processes is attached below:



Sequence Diagram - Group

Network

The sequence diagram for the network processes is attached below:



Sequence Diagram - Network