McCafé™

Barista Development Program

- *Coffee history and culture*
- *McCafe Basics*
- *Service Cycle*
- *Beverage & Product Operational Procedures Sheets (OPS)*
- *Equipment Open/Close and Daily Cleaning procedures*



Updated : November 2013

Coffee History and Culture

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

INTRODUCTION TO COFFEE

Did you know:

- The tradition of starting each day with a cup of coffee has been an obsession in different parts of the world for centuries.
- Over one billion cups of coffee are consumed each day across the world.
- Coffee is one of the world's most valuable commodities, ranking second to oil in terms of dollars traded on international markets.
- Coffee is grown in approximately 70 countries. The highest 3 producers are Brazil, Vietnam and Colombia.

Our aim is to teach you the art of making espresso coffee and how to deliver the perfect cup every time. As every coffee lover knows, it is not just the quality of the beans used but also the skill of the barista that produces the best espresso. We have blended the finest coffee beans…the rest is up to you.

BRIEF HISTORY OF COFFEE

Legends abound regarding the origins of coffee. No one knows for sure exactly how coffee was discovered but there are several theories. One of the more popular legends refers to a goat herder named Kaldi, in the area of Ethiopia, Africa, who, in around 600AD, observed the goats acting unusually frisky after eating berries from a bush. Curious about this phenomenon Kaldi tried eating the berries himself. He found that these berries gave him a renewed energy. The news of this energy-laden fruit quickly spread throughout the region.



Monks, hearing about this amazing fruit, dried the berries so that they could be transported to distant monasteries. They reconstituted these berries in water, ate the fruit, and drank the liquid to provide stimulation for a more awakened time of prayer.

The coffee plant is native to Africa. It was known that coffee berries were eaten whole at first or crushed and mixed with fat and carried by wandering tribesman northwards to the Arabian region. Here the coffee then traveled to Turkey where the Dutch orchestrated the first successful planting outside Arabia – on the island of Java – in 1699.

The coffee plant and the start of modern day cafés (known as coffee houses) spread throughout Europe and The Americas in the 17th and 18th centuries.

COFFEE ROASTING

- The Arabian people were the first to roast coffee beans over an open fire. They then ground the beans into a powder, to be mixed at a later time with water – creating what is now known as a 'cup of coffee'. A tradition had been started!
- The roasting process and equipment has been perfected through the centuries to provide a more consistent product with optimal flavour characteristics.
- Roasting involves heating the green (raw) coffee beans in a cylindrical drum for approximately 12-15 minutes at high temperatures, which can exceed 200°C.
- As the beans cook, they change colour to become brown, lose moisture and become more brittle. During this process the wonderful flavours and aromas that we know as coffee are created.
- The roaster must carefully control the roasting process to ensure the desired roast (i.e. darkness of the coffee) is achieved.
- Once the roasting is complete, the beans are cooled before packing ready for distribution.

Coffee History and Culture

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed


BOTANY OF THE BEAN

There are two major species that are grown for commercial use: *coffea arabica* (known as 'Arabica') and *coffea canephora* (known as 'Robusta').

Left to mature, the coffee plant would grow to a height of 10 metres, but on plantations the plants are pruned to more easily allow harvesting.

It takes 3-5 years for the plant to produce its first fruit and each tree annually produces enough coffee for approximately 40 cups of coffee.

Properly looked after, a coffee plant can be productive for up to 50 years.



Arabica:
Grown at higher altitudes (up to 2000 metres above sea level) where there is sufficient rainfall. Typically the higher the altitude, the better the quality, it is richer in flavour and has a higher acidity level, with an excellent aroma.

Robusta:
Flourishes at lower altitudes (up to 800 metres above sea level), is disease resistant and quicker growing. Contains more caffeine, less acidity and is generally of a lower quality, hence the reason for using it in instant coffee. It is also used in espresso blends where more body and crema is required. The Robusta bean tends to be smaller and more rounded in shape.

DECAFFEINATED COFFEE

Decaffeination is the name given to the process where caffeine is removed from the green (raw) beans. Roasted coffee beans must have less than 0.1% caffeine to be called 'decaffeinated'.



Coffee History and Culture

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

LANGUAGE OF COFFEE

Fragrance A key word describing the freshness and quality of coffee is 'fragrance' – which is released when the bean is roasted and then again when it's ground

Aroma When hot water hits the ground coffee, tasters refer to its 'aroma'. Words used to describe the aroma include delicate, moderate, strong, rich, fragrant or complex

Body More experienced tasters can discuss the 'body' of a coffee - the way a coffee is experienced by the mouth. A full-bodied coffee has a rich texture and heaviness on the tongue, with a taste that lingers. Coffee lacking body is thin and watery

Crema Espresso coffee should have a golden c oloured layer called 'crema'. Crema looks a little like honey, but is in fact a product of the oil in the beans. The crema makes a 'cap' which helps retain the aroma and flavours of the espresso within the cup. The presence of crema indicates quality

Acidity The word 'acidity' which is often used to describe coffee, refers to the pleasingly crisp, sharp taste of coffee


Bite Roasting eliminates some of the acidity, so a light roasted coffee will contain the highest amount and is said to have a lot of 'bite'.

Flavour is the combination of the aroma and the taste that the coffee impresses in the mouth. There are a large number of terms relating to flavour, such as nutty, caramelly, spicy, fruity, smoky, chocolaty, bland and herby

The exact 'flavour' of each coffee bean is influenced not only by roasting but also by where it's grown. Key factors include the type of soil the plant is grown in, the climate, the way the plants are cultivated and the method of picking

COFFEE ORIGIN

- Coffee is a tropical plant that grows mainly in the regions shown below, which includes some 70 countries
- Coffee 'origin' refers to the country where coffee is grown
- McCafé's coffee is from Brazil, Colombia and Costa Rica



Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	

Trainee's Signature: _____ **Trainer's Signature:** _____

Date: _____ **Date:** _____

McCafé Basics

Responsibility: Shift Manager must ensure procedures followed

OPS Operational Procedures Sheet

DAILY CHECKS

☐ **Milk thermometer calibration test**

1 *Prepare Ice Water*




- In a McCafé Coffee Cup, prepare a solution consisting 50 % ice and 50 % cold water.

2 *Read temperature*




- Immerse McCafé Milk Thermometer stem at least 5cm into solution, without touching the cup., Allow 30 seconds for temperature to stabilise. The temperature should read 0°C ± 1°C. If outside this range, adjust thermometer.

3 *Adjust Thermometer (if Required)*



- Hold the adjusting nut (a) under the head with a shifting spanner (b). Re-immerse thermometer and adjust by turning head with fingers (c) so pointer reads 0°C

☐ **Check china, glass and display plates**





- Check any glass, china or display plates for chips, cracks or excessive scratching on a daily basis.
- Remove any damaged glass, china or display plates from service, discard into a rigid container and place in the dumpster.

NOTE: *Excessively scratched or chipped glasses may create a weak point in the glass and may cause the glass to shatter.*

☐ **Crema test**



- To ensure the quality of coffee, perform the crema test when opening your espresso machine each day.

Refer to your Espresso Machine OPS.


SHIFT PREPARATION

☑ Clean hands



- Wash hands at least every 60 minutes. Use antimicrobial handwash (**McD AMH**). Wash hands past wrists for 20 seconds.
- Dry hands thoroughly using hand dryer or disposable paper towels.

☑ **Check equipmentP**



- **All Machines: Check all equipment is clean, in good working order and safe.**
- **If any parts of equipment are damaged, report this immediately to shift manager.**

Refer to McCafé Opening SOC for a list of equipment to check.

☑ **Check stock/misc.**



- **Ensure there is an adequate supply of stock for the shift.**
- **Check freezer, fridge and ambient display stock levels.**

Refer to the McCafé Opening SOC and your restaurant's McCafé stock build-to sheet.

- **Waste sheet and cake timing system available.**

☑ **Check operating supplies**



Ensure the following is available:

- McCafé Pre-wash Solution in pump for the McCafé sink.
- McD Sanitizer Solution spray bottle, for all benchtops, inside display cabinets and refrigerator.
- McD APC Solution spray bottle for all equipment/cupboards/display glass.
- McD Stainless Cleaner – dressing for stainless surfaces.
- McD Dishwasher Detergent and Rinse Aid for dishwasher.
- Espresso machine cleaning tablets for daily cleaning of espresso machine

☑ **Check product tags**



- **Correct product tags should be on all products at all times.**
- **Ensure tags are clean and visible.**
- Attach tag to shelf

☑ **Check cloth buckets**



- Place 1/2 packet of McD Sanitizer in a cloth bucket and fill with 4.75 litres of warm water (approx. 3/4 full).
- Put Green Striped cloth towel into sanitized towel
- **Place an empty cloth bucket for dirty cloths next to clean cloth bucket.**
- **Change cloth buckets and sanitised water every 4 hours.**

McCafé Basics

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

COFFEE BEAN FRESHNESS

- Avoid the 4 enemies of coffee – light, heat, oxygen, moisture.
- Follow shelf life recommendations at all times.
- Do not store Espresso beans near heat e.g. Espresso Machine, dishwasher or fridge motor.
- Do not store coffee beans in refrigerator or freezer as this causes moisture to develop on beans. This moisture will adversely affect the flavour of beans.
- Store opened or unused beans by squeezing air out of bag, rolling it down, and putting bag in an airtight container in a cool dark, dry place (not freezer or refrigerator).
- Do not leave coffee beans in hopper overnight, store in sealed container, and clean the hopper each night on close.
- Perform crema test every morning, troubleshoot if required.

WASTE CONTROL PROCEDURES

- Know your restaurant's best selling and slow moving products.
- Take into consideration special events, special days, seasonal products and promotional products.
- Give your customers variety in menu choice and display cabinet presentation.
- Utilise daypart merchandising to maximise sales and minimise waste
- Vary or move items on a regular basis to create interest.
- Prepare a McCafé product build-to sheet weekly and pull only enough product to accommodate needs.
- Use the cake timing system sheet daily to track secondary shelf life.
- Do not over order product. Inform the McCafé manager and ordering manager of best selling and slow moving products.
- Pull products twice a day (if required) to keep as fresh as possible.
- Follow up on open/close crew to ensure excess product is not pulled.
- Ensure a waste sheet is available for use at all times. Record all damaged and wasted products and report to manager at end of shift.

CHINA / GLASS BREAKAGES

1 *Isolate the area*



- Ensure people's safety first by minimising the risk of broken glass/china spreading and people injuring themselves.
- Put in place appropriate barriers and/or signage appropriate to location and extent of breakage.

2 *Remove/replace food*



- All exposed food and packaging (either in the McCafé or the customer's order) that might possibly have been contaminated by broken or chipped glass or china should be discarded.
- Immediately replace the customer's order with a smile.

3 *Remove/discard breakage*



- Clean the affected area carefully and thoroughly.
- Empty ice bin. Wash, rinse and sanitise then re-fill with fresh ice.
- Sweep up broken items and wrap in thick paper (e.g. newspaper).
- Discard paper and contents directly into a rigid container (e.g. pickle bucket) and place in the dumpster.

4 *Record breakage/incident*



- If incident involves a customer, an injured employee or occurred for an unknown reason, report to manager.
- Record incident as per restaurant incident procedures.

Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Service Cycle McCafé Experience

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards ***Follow the OPS Procedures to control all identified McCafé potential hazards. Refer to the McCafé basics OPS for further detail. Inform Shift Manager of any hazards, product or equipment problems. Enter all hazards in Hazard Log.***

To be trained on McCafé Service, first you must be able to demonstrate knowledge & understanding of:

- ☑ *Customer Delight Basics*
- ☑ *Restaurant Basics*
- ☑ *McCafé Basics*

You must also be able to demonstrate a basic level of competency on the pre-requisite tasks:

- ☑ *Customer Areas*
- ☑ *Milk Frothing*
- ☑ *McCafé Beverages (all)*
- ☑ *McCafé Sweet Products*

What our customer expects...

- ☑ Fast
- ☑ Accurate
- ☑ Customised, Friendly Service

What McDonald's expects...

People are our number one priority

- ☑ Walk, don't run
- ☑ Ask for help when you need it

Experience time

2 Deep is Too Deep

Counter Service: 5 minutes.

Table Service, Routing: 5 minutes.

Time starts when customer joins queue/approaches the counter.

Ends when customers have been FAREWELLED.

'Need to knows' Checklist

☑ **POS** Procedures

Know how to complete POS transactions
Know how to use the cash out facility. Call a Manager if there are any error codes on the POS terminal or problems with processing any transactions. Call a manager if unsure of any procedure. Call the manager for large bill

☑ Restaurant Cash Control Policy

When you start, make sure your cash register is unlocked, stocked with change and in good working condition. Ensure you count your drawer and verify the float amount before you start using it.


✔ Waste Procedures

Know how to properly dispose of waste items according to your restaurant's procedures.

☑ Counter Area

Check that all cake labels and merchandising are in place and clean. Also check that the front of the display cabinet and Espresso machine (customer side) are clean.

☑ Presentation Review the presentation of all cakes and slices as per the OPS.



Before you start...

- ☑ Check appearance (as per Appearance Policy).
- ☑ Wash hands using antimicrobial handwash (McD AMH) for 20 seconds, rinse and dry thoroughly with paper towels / hand dryer. Rewash as needed at least once per hour.

Customer Delight Service Cycle

The Service Cycle is a sequence of *'moments'* a customer experiences when being served in our McCafé. The customer's perception of *Quality, Service, Cleanliness and Value* is ongoing – each moment in the Service Cycle adds or subtracts something depending on how well it is executed.

How their actual experience compares with their expectations, determines how they feel as a result. It is a *'feeling'* about the McDonald's and McCafé Brand – good or bad. For us, it is our *'moment of truth'*.

No two moments of truth are exactly the same, because no two customers are the same. Our goal is to surprise and delight all of our McCafé customers through exceptional execution of the moments in the Service Cycle.



Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Hot Beverages: Milk Frothing

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards Follow the OPS Procedures. Take extreme care to avoid burns from hot surfaces, fluids or steam while performing all tasks which involve

MILK FROTHING

Used for: Cappuccino
Mocha
Hot Chocolate
Babychino
Latte
Flat White

Visual characteristics of frothed milk:

- Velvety in texture, shiny like marshmallow
- Creamy white
- Dense firm foam
- No visible or very small bubbles

1 Fill milk jug



- Choose the correct size jug.
  1 cappuccino - .5 litre
  2 cappuccinos – 1 litre
  3 cappuccinos – 1.5 litre
  4 cappuccinos – 2 litre
- Attach a thermometer to the jug and fill about ⅓ full with cold fresh milk
  Do not heat more than the amount of milk required
- Return milk bottle to refrigerator.

2 Drain Steam Wand



- Quickly release team for a few seconds by turning steam on and off whilst directing steam wand into drip tray using green cloth

3 Insert Wand



- Place milk jug with thermometer under steam nozzle and immerse nozzle as far as possible without nozzle actually touching base of jug.
- Hold just with handle towards you and place steam arm so that it is pulling against spout of jug.
- Open steam valve by pressing the steam button
- Immediately place hand on the base of jug for support and to sense temperature.

4 Froth Milk



- Lower jug immediately so nozzle is 5-10 mm below surface to aerate milk.
- After a few seconds, gently lower jug down still ensuring nozzle is submerged just below milk surface. It should make a hissing sound.
  If there is no sound, the nozzle is too deep and will not froth milk. If too far out milk will spit and could burn.
- Continue lowering jug as froth rises until the milk is 40°C and keep the jug steady until temperature reach 60°C
  Prevent burns - only touch steam wand by black rubber grip or with cloth

5 Monitor Temp



- Stop heating milk when thermometer reaches 60°C (140)
- If froth has reached top of jug and temperature is not at 60°C (140), lower nozzle into jug to heat milk further.
- Tap jug gently on bench to release large bubbles.

It is important to maintain milk temperature between 60°C and 70°C. The best indicator to assist in knowing when to remove jug is when it just becomes too hot to touch the base.

(only for hot chocolate heat the milk up to 70°C and discard the remaining)

6 Clean steam wand



After every use, purge steamwand for 3 secs. Ensure steam valve is off and wipe steam nozzle and steamwand clean with correct (green) clean sanitized cloth. Cloths are not to be mixed.

- If this fails to remove build up, wrap a cloth around the steam arm, turn steam on for 10 secs and keep cloth in place. Remove cloth carefully.

Be careful not to burn yourself on the hot steam wand. The actual steam will not burn. Turn steam off and wipe wand to remove any residue. Repeat if necessary until residue is removed.

Hot Beverages: Milk Frothing

OPS Operational procedures sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards Follow the OPS Procedures. Take extreme care to avoid burns from hot surfaces, fluids or steam while performing all tasks which involve

MILK FROTHING

1 Place unused, frothed milk in fridge



Milk storage temperature is 1-4°C.
Check use-by dates/rotation before using milk.
Any unused, frothed milk should be placed in milk fridge, until required for next use.
Use dry wipe procedures for any milk spillages.

(holding time 2 hours)
Milk heated up to 70°C & can't be reheated & should be discarded.

2 Monitor temp before re-use



Monitor temperature before re-use (60-70°C).

Milk should only be reheated once after ready 10°C or below. If needed add fresh, cold milk to milk being reheated.

Do not pre-heat milk.

All remaining milk in a jug that has already been reheated once and not used must be discarded.

The correct temperature of steamed milk is 60-70°C. We stop frothing at 60°C because temperature of milk rises as steam escapes.

3 Milk Jugs



Wash jugs/spoons every 2 hours with non scratch pad in sink before placing in dishwasher.
If frothed milk has been rested, stir frothed milk before using.

4 Waste Milk



Waste reheated milk into a clearly labelled old milk container and pour excess into it. Discard milk when full and record on waste sheet.

5 Spoons



Spoons used for adding frothed milk to beverages must be stored in a clean, sanitised, EMPTY jug/mug & replaced with a clean spoon every 2 hours minimum or as required.

6 Equipment Care



Handle all equipment correctly.
Do not overtighten any knobs or force any butions.
Check calibration of milk thermometer as required.

7 Keep Steam Wands Clean



DO NOT allow milk to continuously heat in a jug that is unattended. The steam wand may act as a vacuum, sucking milk up into the steam boiler.
Do purge steam wands before use & clean wand after every use (as per point 6 – frothing milk).
Do not leave steam wand soaking in a container of water as contaminated water can be siphoned back into main boiler tank.
Do not use scourers on steam wand.

Use green cloths only on steam wand and nozzle.

Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	


Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Espresso Machine - Rancillo

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

Overview of Parts



Switch On / Off

1. Check equipment parts for completeness, condition, cleanliness & sanitation including (portafilters, baskets, drip tray, steaming knob, steaming spout).

2. Power on the main switch 30 minutes prior to opening. Wait for 5 minutes to fill up the boiler.

3. After 5 minutes, switch on the boiler heating element. Machine will heat for approximately 30 minutes. After 10 minutes the machine must be purged of any airlocks by momentarily opening both steam valves in turn. The machine is ready for use when the pressure gauge indicates pressure between 0.95 to 1.05 bar.

4. Switch on the cup warmer only when the cups are not warming enough.

5. Without portafilter handles in place, run all group heads 3 to 4 times using small pour button to circulate hot water through the group heads.

6. Check the water temperature every morning. Fill the jug with hot water from the outlet in the machine. Use the thermometer, temperature should be between 88C to 92C.

7. Before making coffee, place the portafilter into the group heads to warm up. Leave the handles unlocked and resting in the group heads. Locking them will put unnecessary stress on the group head seals.

8. Perform crema test by following the procedures for making espresso. If crema is not achieved, inform the MIC and call for service.

9. Place the clean and sanitized cups onto the warmer. Allow them to heat before making coffee.

Remember:

Make sure that the cups are free of water before placing on top of the warmer. Place portafilter basket side down on the drip tray.

Ensure to check the following prior to operation

Water pressure - 8 to 9 bar
Water level - green light
Coffee bar - 0.95 to 1.05

Espresso Machine - Rancillo

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

OPS

Daily cleaning procedure

Note! Do not use abrasive sponges and detergents or solvents! If cleaner is required, follow the instruction in the package! Do not immerse machine into water!

1. Clean housing with damp cloth. Follow the grain of the satin finish on stainless steel parts.
2. Clean steam wand/ hot water spout.
3. Remove filter holders/ unlock the filters, brush/ clean all parts.
4. Brush the outlets and the seals under the group head.
5. Rinse with hot water to remove all the coffee bean residue.
6. Submerge steam wand and head with cleaning supply.

Cleaning of group head

The machine has to be under pressure.

1. Hold the corresponding button of the left group until Coffee Cleaning is displayed(5 seconds).

2.Follow the on-screen information as follows:
Coffee Cleaning? Press [Enter]
Insert blind filter and add the detergent (1/4 espresso spoon for each group head.
A Cleaner [Enter]
The groups are cleaned alternately.

3.Remove blindfilter disk. Lock the filter holder again then [Enter].
4.Press button D after cleaning
Remove the filter holder, knock it out and lock it again.
Do not damage the filters.
5. Switch off cup warmer, boiler heating element and the main switch.

Cleaning Filter

The machine should be switched off and cooled down. Use container of glass or stainless steel.

1. Prepare solution in glass or stainless steel container
2. Immerse filter holder/unlocked filter in solution (hot water with an espresso spoon of coffee cleaning detergent for at least 20 minutes.
3. Rinse filter holder/ filter under running water.
4. Reattach filter holder, lock the filter holder into the group head.
5. Remove cup holder grid, clean drain outlet.
6. Re-attach cup-holder grid

Do not serve the 1st coffee produced in the morning to remove the taste after cleaning.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Espresso Machine - Rancillo

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

Rancillo Grinder





Portafilters with baskets



Tamper

Espresso Grinder Procedure:

1.Switch on the grinder machine. Check the cleanliness and condition of the machine.

2. Remove the lid from the hopper. Fill up the hopper with coffee beans according to the projected volume. It is permissible to fill more if the anticipated business volume is very high. If the business volume is low, the level of the coffee should be lower than half full.

Note: Beans can hold for maximum of 4 hours in the hopper.

3. Press the desired espresso base setting button. (11g, 14g, 17g)

4. Use a clean, heated portafilters. Make sure to select the correct basket size in accordance to the grammage of coffee that will be dispensed.

5. Insert the portafilter in the filter holder fork shaped rest underneath ground coffee chamber. The beans will be automatically dispensed.

6. Remove the portafilters

7. Tamp the grinded beans slightly and release the handle once you hear the click.

8.Wipe the palm over the top of the portafilter basket and trail fingers over the lugs to remove any loose coffee grounds.

Espresso Machine - Rancillo

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

Extracting the espresso base



9. Position the portafilter securely under the group head. The lugs must be lock into place

Overtightening will break the group head, Not tight enough will result in a poor quality espresso base.

10. Place the selected cup size under portafilter spout and press the appropriate button in accordance with the selected coffee recipe (base) – (Single/ Double/ Standard/ Large Espresso)

11. When poured the coffee base should have a rich golden brown crema.

12. After every base is made, remove portafilter.

13. Gently knock the portafilter against the bar on the grinds dump bin.

14. Holding the portafilter under a group head, depress one of the pour buttons and rinse off any coffee residue.

15. Briefly swivel portafilter in the group head to rinse away any residue. Rinse until clean.

16. Once cleaned, leave the portafilter in the Resting position to keep it warm.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Espresso/ Macchiato/Babychino

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Espresso/Double Espresso

1. For Dine-in orders heat up the espresso cup with hot water from machine.

2. **Follow the espresso grinding procedures.** (For Rancillo Machine)

3. Ensure good crema display while espresso base is extracting.

4. Present with saucer and espresso spoon

5. Inform the condiments corner to the guests.

6. Use the espresso paper cup for take away orders and serve with the lid.



Macchiato

1. For Dine-in orders heat up the espresso cup with hot water from machine.

2. **Follow the espresso grinding procedures.** (For Rancilio Machine)

3. Ensure good crema display while espresso base is extracting.

4. Add 1 dash of milk on top of the espresso.

5. For dine-in orders ,present with saucer.

6. Inform the condiments corner to the guests.

7. Use the espresso paper cup for take away orders and serve with the lid.



Babychino

For dine in & take away orders, use espresso paper cup.

1. Pour 1/3 of cold mik and 1/3 of heated milk into an espresso paper cup.

2. Add 1/3 of frothed milk to fill cup

3. Add 1/3 of foam to create dome shape.

4. Sprinkle with chocolate powder.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Cappuccino

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Product Make up	12 oz.	16 oz.
Espresso Base	Standard Espresso Base	Large Espresso Base
Milk with froth added, 1 cm above the rim of the cup	Full Cream milk (approx. 285 ml)	Full Cream milk (approx. 370 ml.)
Sprinkle with cocoa powder	2 grams	2 grams

For Dine-in Orders

1. Heat up the cappuccino cup with hot water from machine.
2. **Follow the espresso grinding procedures.** (For Rancilio Machine)
3. Froth milk while machine is extracting the espresso base.
4. Scoop 1 spoon of foam milk and carefully transfer in the center of the espresso base.
5. Add the steamed milk filling up 2/3 of the cup.
6. Add the remaining foam from the jug creating dome shape about 1cm above the rim.(dome shape for ceramic cup only)
7. Sprinkle with chocolate powder on the top (use decorative cocoa template)
8. Present with saucer and cappuccino spoon ,then inform the condiments corner to the guests.

For Take-out Orders

1. **Follow the espresso grinding procedures**.(With Short Rancilio Classe 9 machine, use a measuring cup or small metal jug for the espresso base instead of cappuccino cup.)
2. Carefully transfer the espresso base into the take away cup ensuring the good crema display.
3. Froth milk while espresso base is poured.
4. Scoop 1 spoon of foam and carefully transfer in the center of the espresso base.
5. Add the steamed milk filling up 2/3 of the cup.
6. Add the remaining foam from the jug creating dome shape about 1cm above the rim.
7. Sprinkle with chocolate powder on the top (use decorative cocoa template)
8. Present to the customer and inform the condiments corner to the guests.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Café Latte

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Product Make up	12 oz.	16 oz.
Espresso base	Standard Espresso	Large Espresso Base
Milk with froth added 1 cm to the rim of the cup	Full Cream Milk around 285 ml	Full Cream milk around 370 ml

For Dine-in Orders

1. Heat up the glass with hot water from machine.
2. Insert the carton sleeve.
2. **Follow the espresso grinding procedures**.(With Short Rancilio Classe 9 machine, use a measuring cup or small metal jug for the espresso base instead of latte glass.)
3. Froth milk while machine is extracting the espresso base.
4. Carefully transfer the espresso base into the latte glass
5. Pour the frothed milk up to 1cm below the rim following up and down motion.
6. Add foam to fill the cup.
7. Present with saucer and machiato spoon.
8. Inform the condiments corner to the guests.

For Take-out Orders

1. Choose the right size of take away cup.
2. **Follow the espresso grinding procedures**.(Short Rancilio Classe 9 machine, use a measuring cup or small metal jug for the espresso base instead of latte glass.)
3. Froth milk while machine is extracting the espresso base.
4. Carefully transfer the espresso base into the take away cup.
5. Pour the frothed milk up to 1cm below the rim following up and down motion.
6. Add foam to fill the cup.
7. Present the cup with lid on the side.
8. Inform the condiments corner to the guests.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Mochachino

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Product Make up	12 oz.	16 oz.
Espresso Base	Standard Espresso base (75 ml)	Large Espresso base 110ml
Choco Powder	1 scoop (30 grams)	1 1/3 scoop (40 grams)
Milk with froth added 1 cm to the rim of the cup	Full Cream Milk around 255 ml	Full Cream milk around 335 ml

For Dine-in Orders

1. Heat up the glass with hot water from machine.
2. Insert the carton sleeve.
3. Add chocolate powder.
   12oz(30 grams) / 16oz(40grams)
4. Dispense the espresso directly into the cup while frothing the milk.
5. Transfer the espresso base into the glass and mix with chocolate powder for 15-20 seconds.
6. Pour the frothed milk into the mixture up to 1 cm below the rim
7. Add foam up to 1 cm above the rim of the glass.
8. Sprinkle with chocolate powder. Use decoration template.
9. Present with saucer and spoon. Then inform the condiments corner to the guests.

For Take-out Orders

1. Choose the right size of take away cup.
2. Add chocolate powder.
   12oz(30 grams) / 16oz(40grams)
3. **Follow the espresso grinding procedures**.(Short Rancilio Classe 9 machine, use a measuring cup or small metal jug for the espresso base instead of cup.)
4. Transfer the espresso base into the cup and mix with chocolate powder for 15-20 seconds.
5. Froth milk .
6. Pour the frothed milk into the mixture up to 1 cm below the rim
7. Add foam up to 1 cm above the rim of the cup.
8. Sprinkle with chocolate powder. Use decorative template
9. Serve with the lid on the side.
10. Inform the condiments corner to the guests.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Hot Tea

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



For Dine-in Orders

1. Use cup from the cup warmer and heat up the cup using hot water from the outlet in the machine.

2. Place cup and saucer on a clean tray with teaspoon on right hand side of the cup

3. Place teabag in teapot and fill with hot water from hot water outlet on coffee machine

4. Twist tea bag string around knob of teapot to serve.

For Take - Out Orders

1. Place teabag on top of take away cup filled hot water from outlet on the coffee machine.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Americano

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Product Make up	12 oz	16 oz.
Espresso	Double Espresso	Large Base
Hotr Water	Up to fill line	Up to Fill line

For Dine-in Orders

1. Heat up the cup with hot water from machine.

2. **Follow the espresso grinding procedures.** (For Rancillo Machine)

3. Fill with hot water slowly on the walls of the cup positioned sideways to ensure good presentation of espresso base crema on top.

4. Present with saucer and machiato spoon, then inform the condiments corner to the guests.

5. Use the right size of paper cup for take-away orders and serve with lid on the side.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Hot Chocolate Procedure

Step 1

For 12 oz. drink fill the **600 ml jug** with full cream milk up to the bottom of the nose of the jug. For 16 oz. drink, fill the **1 liter jug** with milk up to 1 cm below the nose of the jug



Step 2

Add chocolate powder.
12oz(45 grams) / 16oz(60grams)



Step 3

Froth the milk and chocolate powder together up to **60°C**



Step 4

Using the green towel, wipe and purge the steam wand immediately.*(Make sure to have a separate **green towel** for hot chocolate)*



Step 5

Pour the hot chocolate into the cup up to fill line then place the lid.



Step 6

Serve to the customer with a smile.



Note

- ✓ Maximum 1 drink can be prepared in 1 jug
- ✓ Melitta machine should have 2 green towels (1 for hot chocolate)
- ✓ Group handle machine should have 1 steam wand (choose the steam wand which they use less often) and green towel dedicated for hot chocolate.
- ✓ Don't forget to purge the steam wand before and after use to avoid machine inefficiency.

Iced Latte Preparation

Hazelnut/Caramel/Sugar Syrup

Step 1

Fill the cup with ice up to the bottom of the McCafe Logo



Step 2

Add 30 ml (3 shots) of desired syrup.



Step 3

Transfer the double espresso in the cup.



Step 4

Add full cream milk up to the fill line.



Step 5

Mix the syrup and milk thoroughly using the macchiato spoon



Step 6

Add 2.5 swirls of whipped cream





Step 7

Garnish with caramel syrup on top of the whip cream and place the dome lid securely on the cup.

Tea Base Preparation

Step 1

Open 10 bags of Dilmah tea and place it in a dry stainless jug .



Step 2

Transfer the prepared tea bags into the decanter.



Step 3

Fill the 1 Liter milk jug w/ hot water, then transfer to the coffee decanter.



Step 4

Set the timer for 2 minutes, then immediately remove the tea bags from the decanter to avoid having bitter taste.



Step 5

Transfer 2 jugs of Ice (using 1 Liter Milk jug.



Step 6

Stir the tea base until the ice is totally dissolved.





Step 7

Mark with 24 hours Holding Time and keep in the cooler.

Iced Tea

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Iced Tea

(Peach, Mango, Raspberry)

For dine in & take away orders, use 16 oz. Cold cup.

1. Use a clear plastic cup (16oz drink).
2. Fill the cup with ice up to the bottom of the McCafé logo.
3. Add syrup 50ml (5 shots x 10 ml).
4. Add tea base up to fill line, then stir using the machiato spoon.
5. Place lid securely and serve with straw and napkin.



Iced Tea Lemon

For dine in & take away orders, use 16 oz. Cold cup.

1. Use a clear plastic cup (16oz drink).
2. Fill the cup with ice up to the bottom of the McCafé logo.
3. Add 45ml (3 shots x 15ml) of lemon syrup (
4. Add 10ml sugar syrup.
5. Add tea base up to fill line, then stir using the machiato spoon.
6. Place lid securely and serve with straw and napkin.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Vanilla Frappe

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

OPS



Product Make up	
Skimmed Milk	200 ml
Frappe Base	60 grams
Vanilla Sauce	60 ml
Ice	1 Full cup (16 oz)
Whip Cream	2 1/2 turns

1. Add 200 ml of cold skimmed milk
2 . Add 60 grams (2 scoops) of Frappe Base.
3. Add 60 ml (4 pumpsx15ml) of Vanilla Syrup.
4. Use a clear plastic cup(16oz drink)
5. Fill the cup with ice up to the fill line and transfer to the blender
6. Blend for 25 seconds for 1 drink

For 2 drinks, double all the ingredients and blend for 40 seconds.

7. Transfer the blended drink into the 16oz cup up to the fill line.
8. Add 2.5 swirls of whipped cream (as per customer request).
9. Serve the finished drink with straw and napkin

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Chocolate Frappe

OPS

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .



Product Make up	
Skimmed Milk	200 ml
Frappe Base	30 grams
Chocolate Powder	30 grams
Chocolate Sauce	30 ml
Ice	1 Full cup (16 oz)
Whip Cream	2 1/2 turns
Chocolate Sauce (garnish)	3 grams

1. Add 200ml of cold skimmed milk.

2 . Add (1 scoop) 30 grams of Frappe Base.

3.Add 1 Scoop (30 grams) of Chocolate Powder

4. Add 30ml of chocolate syrup.

5. Use a clear plastic cup(16oz drink)

6. Fill the cup with ice up to the fill line and transfer to the blender

7. Blend for 25 seconds for 1 drink

For 2 drinks, double all the ingredients and blend for 40 seconds.

8. Transfer the blended drink into the 16oz cup up to the fill line.

9. Add 2.5 swirls of whipped cream (as per customer request)

10. Garnish with chocolate syrup on top and serve the finished drink with straw and napkin

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Choco Oreo Frappe

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

OPS



Product Make up	
Skimmed Milk	200 ml
Frappe Base	30 grams
Chocolate Powder	30 grams
Chocolate Sauce	30 ml
Ice	1 Full cup (16 oz)
Crushed Oreo	15 grams (1 spoonful)
Whip Cream	2 1/2 turns
Crushed Oreo (garnish)	5 grams

1. Add 200 ml of cold skimmed milk.

2 . Add 30 grams (1 scoop) of Frappe Base Powder.

3. Add 30 grams (1 scoop) of chocolate powder.

4. Add 30ml (2pumps x 15ml) of chocolate syrup.

5. Use a clear plastic cup(16oz drink)

6. Fill the cup with ice up to the fill line and transfer to the blender

7. Add 15 grams (1 spoonful) of crushed Oreo.

8. Blend for 25 seconds for 1 drink.

For 2 drinks, double all the ingredients and blend for 40 seconds.

9. Transfer the blended drink into the 16oz cup up to the fill line.

10. Add 2.5 swirls of whipped cream (as per customer request)

11. Sprinkle with 1/3 spoon of crushed Oreo on top and serve the finished drink with straw and napkin

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Vanilla Oreo Frappe

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

OPS



Product Make up	
Skimmed Milk	200 ml
Frappe Base	60 grams
Vanilla Sauce	60 ml
Ice	1 Full cup (16 oz)
Crushed Oreo	15 grams (1 spoonful)
Whip Cream	2 1/2 turns
Crushed Oreo (garnish)	20 grams

1. Add 200 ml of cold skimmed milk.

2 . Add 60 grams (2 scoops) of Frappe Base Powder.

3. Add 60 ml (4 pumps x 15ml) of Vanilla Syrup.

4. Use a clear plastic cup(16oz drink)

5. Fill the cup with ice up to the fill line and transfer to the blender

6. Add 15 grams (1 spoonful) of crushed Oreo.

7. Blend for 25 seconds for 1 drink.

For 2 drinks, double all the ingredients and blend for 40 seconds.

8. Transfer the blended drink into the 16oz cup up to the fill line.

9. Add 2.5 swirls of whipped cream (as per customer request).

10. Sprinkle with 1/3 spoon of crushed Oreo on top and serve the finished drink with straw and napkin.

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Mocha Frappe

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information.

OPS



Product Make up	
Skimmed Milk	125 ml
12 oz. Base	42+/-2 ml
Frappe Base	30 grams
Chocolate Powder	30 grams
Chocolate Sauce	30 ml.
Ice	1 Full cup (16 oz)
Whip Cream	2 1/2 turns
Chocolate Sauce	3 grams

1. Follow the espresso grinding procedures. Use a measuring cup or small metal jug for the espresso base.
2. Add 125ml of Cold skimmed milk.
3. Add 30 grams (1 scoop) of Frappe Base Powder.
4. Add 30 grams (1 scoop) of Choco powder.
5. Add 30 ml (2 pump x 15ml) of chocolate syrup.
6. Add the extracted espresso base (12 oz. base)
7. Use a clear plastic cup(16oz drink)
8. Fill the cup with ice up to the fill line and transfer to the blender
9. Blend for 25 seconds for 1 drink

For 2 drinks, double all the ingredients and blend for 40 seconds.

10. Transfer the blended drink into the 16oz cup.
11. Add 2.5 swirls of whipped cream(as per customer request)
12. Garnish with dark chocolate syrup on top and serve the finished drink with straw and napkin

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Operational Hot Spots (Frappe)

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information .

OPS

Inadequate blending of ice cubes	- Ensure that correct amount of ice is being used. - Ensure ice is individually separated before putting into the blender (no clumps on ice) - Before each product is served, stir mix to check for a thorough and consistent blend. If ice cubes or “chunks” are still present, place jug back and blend for longer. (Use blender pulse button.)
Watery blended products	- Check quality before blending; ice that has been sitting for hours in thermal ice storage container/bin may have melted into small cubes and may cause ‘over’ blending to occur.
Products lacks flavour	- Ensure correct size of frappe powder scoop is being used. - Ensure correct amount of ice &/or milk being used. Too much will dilute the flavor of finished product - Ensure ice is blended correctly. An icy product will weaken the flavor.

Trainee’s Signature: _____ Trainer’s Signature: _____

Date: _____ Date: _____

McCafé Cake and Pastries

COOKIES

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw time	Bake at frozen state
Preheat temp	155°C
Bake temp & time	155° C / 12 minutes
Cool-down time	30 minutes
Secondary shelf life after baking	48 hours

1. Ensure you have enough products available.

2. Check the quantity of the products to bake. Check also the expiration of the product (FIFO/FEFO).

3. Wash hands first before wearing clean clear gloves to transfer the frozen product to a clean sanitized tray with silicon.

4. Frozen cookies should be placed on a tray having 3 to 4 cm spaces in between because product expands during baking.

Process of transferring should be done inside the freezer to avoid thawing of product and close the product immediately. Thawing of products will not produce quality baked cookies.

5. Select the program to use for baking. (Check the settings). Oven temperature is set at 155°C for 12 minutes baking.

6. When timer sounds, open the door and remove the baking tray using a heat resistant glove.

Caution! Hot Steam comes out from oven. Do not stand in front of the oven while removing the tray to avoid burns. Be careful.

7. Transfer the hot tray in the shelf still using heat resistant gloves. Let the product cool-down for 30 minutes.

8. Prepare to transfer the cookies in a cookie jar. Wearing clean plastic gloves, remove older product from jar before stock-up (FIFO) and transfer on a clean sanitized container. Discard damaged or out-of-date product.

9. Wash, clean and sanitized the cookie-jar at least once a week. Check the jar clear from cookie crumbs before arranging cookies.

10. Gently place the newly baked cookies on the bottom of the jar in a circular, horizontal pattern around and up inside the jar and return the use first cookies.

11. Arrange cookie jars in a row to make a greater visual impact. They look best when they are full, however, low volume stores may fill only few of the cookies.

12. Seal lid on jar to prevent product from becoming stale. Ensure jars are kept clean and free from damaged cookies.

13. Update the cooking time sheet and make sure to note the quantity of the cookies per batch. A maximum of two batches of cookies should be placed inside the cookie jar.

14. Serve to guest. Determine the quantity ordered. For take-out and dine-in orders, place the cookies in the doughnut sleeves.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries

SLICED CAKES

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thawing time	1 hour at room temperature
Secondary shelf life after thawing	48 hours

1. Ensure you have enough products available (including thawing of products for next use.

2. Check the quantity of the products to thaw. Check also the expiration of the product **(FIFO/FEFO).**

3. Wash hands first before wearing clean clear gloves to remove the product from inner carton

4. Transfer the sliced cake on a clean sanitized container with liner.

5. Thaw the product for **1 hours at room temperature**. Ensure all products are labeled for use by date/time.

6. Transfer the thawed sliced cake on a clean, sanitized ceramic display plate using cake spatula. Be careful not to damage the cake decoration.

7. Arrange the sliced cake in a vertical, horizontal or diagonal pattern to create a visually appealing effect. Avoid displaying a single slice cake as possible.

8. Display the cake on the cabinet (refrigerated side). Update the cake timing sheet. **Secondary shelf life of cakes after thawing is 48 hours**.

9. Serve to guest. Determine the quantity ordered. Remove the plate from the display cabinet and use the cake spatula when transferring the slice cakes

10. For take-away orders, use the correct size of take-away box.

11. For dine-in orders: position the cake on the center of the ceramic plate in an upright position.

12. Add decorative finishes (if applicable) or if requested by guests (for dine-in orders only).

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries

MACARONS

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw time	**30 minutes at Room temperature**
Secondary shelf life after thawing	**4 days**

1. Ensure you have enough products available (including thawing of products for next use).

2. Check the quantity of the products to thaw. Check also the expiration of the product **(FIFO/FEFO)**.

3. Wash hands first before wearing clean clear gloves to remove the product from inner carton and transfer in a clean sanitized container with false bottom or pan liner.

4. Thaw the product **30 minutes at room temperature** (make sure that container is covered). Label the product by date/time of use.

5. Transfer the product in a clean, sanitized ceramic plate with liner and display in the cooler display cabinet **(1-4°C)**.

6. Update the cake chart. Secondary shelf life after thawing is **4 days.**

7. Arrange the products in a vertical pattern to create a visually appealing effect. Different products on each row and avoid displaying a single piece as possible.

8. Serve to guest. Determine the quantity ordered.

9. Use tongs to remove 1-2 macaroons and if more orders, clear gloves can be used.

10. For take-away orders, use the correct size of take-away box.

11. For dine-in orders of **3 pcs macarons**: use the small rectangular ceramic plate.

12. For dine-in orders of **8 pcs macarons**: use the big rectangular ceramic plate.

13. Add decorative finishes (if applicable) or if requested by guests (for dine-in orders only).

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____


McCafé Cake and Pastries

Cinnamon Danish

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw Time	Bake at frozen state
Pre-heat Temp	180° C
Bake temp & time	180° C / 14 minutes
Cool-down time	30 minutes
Secondary shelf life after baking	8 hours

1. Ensure you have enough products available (including thawing of products for next use.

2. Check the quantity of the products to thaw. Check also the expiration of the product (FIFO/FEFO).

3. Wash hands first before wearing clean clear gloves to transfer the frozen product to a clean sanitized tray with silicon.

Process of transferring should be done inside the freezer to avoid thawing of product and close the product immediately.

5. Select the program to use for baking. Oven temperature set at 180°C for 14 minutes.

6. When timer sounds, open the door and remove the baking tray using a heat resistant glove.

7. Transfer the tray inside the thawing cabinet. Let the product cool-down for 10 minutes before applying the glaze.

8. Prepare glaze mix (1 part of water to 4 parts of glaze with holding time of 24 hours). Apply the glaze evenly on top of the pastries after the 10-minute cool down time, continue to cool down for 20 minutes more.

9. Transfer the pastries in a clean display tray and place on the ambient air side of the cabinet.

10. Arrange the product to create a visually appealing effect. Check the display guide.

11. Update the cake timing sheet. Secondary shelf life after baking is 8 hours.

12. Serve to guest. Determine the quantity ordered. If appropriate, check with the guest if they wish product to be heated.

Refer microwave procedures for a list of products that can be heated.
•Use tongs to remove pastries.
•For take-away: place in a box with liner. For dine-in orders, needs to be placed on a clean sanitized ceramic plate.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries

CROISSANT

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw time	Bake at frozen state
Pre-heat Temp	180° C
Bake temp & time	180° C / 15 minutes
Cool-down time	30 minutes
Secondary shelf life after baking	8 hours

1. Ensure you have enough products available (including thawing of products for next use.

2. Check the quantity of the products to thaw. Check also the expiration of the product (FIFO/FEFO).

3. Wash hands first before wearing clean clear gloves to transfer the frozen product to a clean sanitized tray with silicon.

Process of transferring should be done inside the freezer to avoid thawing of product and close the product immediately.

4. Select the program to use for baking. Oven temperature setting at 180°C, 15 minutes

5. When timer sounds, open the door and remove the baking tray using a heat resistant glove.

Caution! Hot Steam comes out from oven. Do not stand in front of the oven while removing the tray to avoid burns. Be careful.

6. Turn the narrow side of cabinet towards you, put the tray inside. Let the product cool-down for 30 minutes at room temperature.

Check the products' visual characteristics and compare to the Be Well Served Guide.

7. After cooling time, transfer the croissants in a clean display tray and display on the ambient air side of the cabinet.

8. Arrange the product to create a visually appealing effect. Check the display guide.

9. Update the cake timing sheet. Secondary shelf life after baking is 8 hours.

10. Serve to guest. Determine the quantity ordered. If appropriate, check with the guest if they wish product to be heated.

Refer microwave procedures for a list of products that can be heated.

11. Use tongs to remove croissant.
For take-away: All croissants to be served on 'A' bag.

For dine-in orders, needs to be placed on a clean sanitized ceramic plate add decorative finishes (if applicable) or if requested by the guests.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries

MUFFINS

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw Time	**1 hour**
Secondary Shelf Life	**48 hours**

1. Ensure you have enough products available (including thawing of products for next use). Check the build to's to determine the quantity of the products to thaw. Follow FIFO/FEFO.

2. Wash hands before wearing clean clear glove to remove product from inner carton. Place product on a clean sanitized container with liner. Do not stack the product.

3. Set thaw time for 60 minutes. Clearly label the product with use by date/time.

4. Transfer the product in a clean, sanitized ceramic plate and display on the cabinet.

5. Arrange the product on a vertical/horizontal or diagonal pattern to create a visually appealing effect. Avoid displaying a single product as possible.

6. Update the cake timing sheet. Secondary shelf life is 48 hours.

7. Determine the quantity ordered. If appropriate, check with the guest if they wish product to be heated.

Refer microwave procedures for a list of products that can be heated.

8. Use tongs to remove muffins. For dine-in orders: Position the muffins upright onto the center of plate

For take-away: place in A bag

7. For dine-in orders, add decorative finishes (if applicable) or if requested by the guests.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries
Doughnuts

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw Time	1 hour
Secondary Shelf Life	24 hours

1. Wash hands before wearing clean clear glove to remove product from inner carton. Place product on a clean sanitized container with liner. Do not stack the product.

2. Ensure you have enough products available (including thawing of products for next use). Check the build to's to determine the quantity of the products to thaw. Follow FIFO/FEFO.

3. Set thaw time in **ambient temperature** for 60 minutes. Clearly label the product with use by date/time.

4. Transfer the product in a clean, sanitized plastic tray and display on the cabinet.

5. Arrange the product on a vertical/horizontal or diagonal pattern to create a visually appealing effect.

Avoid displaying a single product as possible.

Update the cake timing sheet. Secondary shelf life is 48 hours.

6. Use tong to remove doughnuts. (Heat the doughnut only upon customer request)

For dine in and take-away: place in doughnut sleeves.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

McCafé Cake and Pastries
Doughnuts

OPS Operational Procedures Sheet

Responsibility: Shift Manager must ensure procedures followed

Potential Hazards *Follow the OPS Procedures. Keep your eyes on the task at all times to avoid cuts from sharp knives and burns from hot surfaces while preparing, merchandising, heating and serving all sweet products.*



Thaw Time	1 hour
Secondary Shelf Life	48 hours

1. Wash hands before wearing clean clear glove to remove product from inner carton. Place product on a clean sanitized container with liner. Do not stack the product.

2. Ensure you have enough products available (including thawing of products for next use). Check the build to's to determine the quantity of the products to thaw. Follow FIFO/FEFO.

3. Set thaw time in **ambient temperature** for 60 minutes. Clearly label the product with use by date/time.

4. Transfer the product in a clean, sanitized plastic tray and display on the cabinet.

5. Arrange the product on a vertical/horizontal or diagonal pattern to create a visually appealing effect.

Avoid displaying a single product as possible.

Update the cake timing sheet. Secondary shelf life is 48 hours.

6. Use tong to remove doughnuts. (Heat the doughnut only upon customer request)

For dine in and take-away: place in doughnut sleeves.

Trainee's Signature: _____
Date: _____

Trainer's Signature: _____
Date: _____

KARAK CHAI PREPARATION



Step 1

1 Full scoop of Karak Chai powder using 1 oz scooper **(30 g)**



Step 2

Transfer it to 8 Oz Hot Cup



Step 3

Add **100 ml** of hot Water using the glass measuring cup.



Step 4

Carefully transfer the hot water in the Hot Cup



Step 5

Hold the cup and stir 15- 20 secs



Step 6

Froth the milk up to 3/4 full of the stainless jug .



Step 7

ransfer the Frothed milk using the spoon to trap the foam **(110 ml)**



Step 8

Check the level at least 1 cm below the cup seat .



Step 9

Serve to the customer with a smile...



McCafe Hub Presenting Guide
(Melamine Board)

















- Fold the Napkin into two.
- Cutleries for muffin, croissant and Danishes can be given as per customer request.

McCafe Hub Presenting Guide

Cappuccino, Latte, & Americano



Hot Chocolate, Mochachino



Green Tea & Herbal Tea



Karak Chai



Espresso



Frappe



Iced Tea



Babychino



Croissants Muffin & Danish



8 pcs. macarons



3 pcs. macarons



Cookie, Doughnut & Brownie



Cakes



Full McCafe Presenting Guide

Caffe Latte



Cappuccino



Hot Chocolate



Machiato



Hot Tea



Short Black



Mochachino



Babychino



Single Espresso



Double Espresso



Frappe



Iced Tea



Cakes



Danish



Cookies, Doughnut & Brownie



8 pcs. macarons



3 pcs. macarons



Croissant



Muffin



Front Counter Pastries Presenting Guide



Muffin



2 pcs. Doughnut



Cookies, Doughnut & Brownie










Take away order (1 tissue per item)

Espresso Machine - Melitta

Responsibility Shift Manager must ensure procedures followed. Refer to equipment manual for further information

OPS Operational Procedures Sheet

Overview



c35 and milk part

Turning on

1| Insert mains plug of the c35.
2| Open front door.
3| Insert "USER" chip card.
4| Remove chip card when prompted by the display.

* Display indicates heating-up phase status.

5| After a brief delay the display indicates instructions for filling with milk. Press **"No"** to use the c35 without milk dispenser or to activate the milk part later. OR fill with milk and press **"Yes"** to turn on the milk dispenser.

Turning off

1| Open front door.
2| Insert "USER" chip card.
3| Remove chip card when prompted by the display.
4| Select "Turn off".

* Cleaning process starts.
* When the cleaning process ends, the machine turns off automatically.

Milk cooler

Turning on

1| If the milk cooler is free-standing, insert plug into a normal domestic socket.
☒ Temperature lights up on the display.
2| Wait until 2–5 °C are reached.

Turning off

1| Perform cleaning.
2| Disconnect milk cooler from the power supply.

Cup warmer

Turning on

1| Press rocker switch to the right.
2| Fill up with cups.

Turning off

1| Press rocker switch to the left.

Coffee grounds

If the grounds drawer is full, the "Drawer" message is indicated on the display of the c35.

Operation:

* "Drawer" message is indicated on the display.
1| Take out and empty grounds drawer.
2| Re-insert grounds drawer.
* "Drawer emptied?" message is indicated on the display.
3| Acknowledge with "Yes".

Filling

Coffee beans and coffee powder

If one of the coffee bean hoppers is empty, the "Bean hopper 1 empty" or "Bean hopper 2 empty" message is indicated on the display of the c35.

Operation:

* Messages "Bean hopper 1 empty" or "Bean hopper 2 empty" and "Fill beans 1" or "Fill beans 2" are indicated alternately on the display.
1| Fill coffee beans.
2| Acknowledge with the Stop key.
3| The message "bean hopper filled?" appears on the display.
4| Acknowledge with "Yes".

Automatically initiated cleaning of the coffee machine

Before the appliance is turned off, the cleaning procedure for coffee and milk part (if used) is always automatically initiated.

How to perform the operation:
Perform the instructions on the display of the c35 as follows.

1| Empty the grounds drawer and acknowledge on the display.
2| Remove milk and acknowledge on the display.
3| Place the empty CAFINA cleaning container in the refrigerator and acknowledge on the display.
Prerinsing of the coffee and milk system begins.

Cleaning the exterior of the coffee machine

WARNING

Electrical short-circuit!
Cloth must not drip water.
Use a damp cloth only.

CAUTION

Do not use any corrosive or abrasive household cleaners. Otherwise, display and housing may be scratched!
Use a damp cloth only. Due to the risk of scald ing do not moisten cloth with hot water from the appliance.

1| Clean the housing and display of the c35 using a damp cloth.

Cleaning the Bean Hopper and the Grounds Drawer

⚠ CAUTION

Remove bean hopper for cleaning.

1| Remove bean hopper and grounds drawer.
2| Clean by hand or in the dishwasher.
3| Re-attach dried parts only.

Cleaning the Milk Cooler and the Cup Warmer

⚠ DANGER

Perform these cleaning measures daily, otherwise hygiene is no longer guaranteed.

⚠ CAUTION

Do not use any detergents. Residue may affect the taste of the coffee.

1| Clean the milk containers of the milk cooler after the automatic cleaning process has run and when the c35 has turned off.
2| Wipe the interior of the milk cooler and the cup warmer with a cloth.
3| Clean the housing of the milk cooler and the cup warmer using a damp clot.

Steam Control Cleaning Plus

To ensure smooth operation of the steam control with as few problems as possible, always follow these instructions (recommendation).

Espresso Machine - Melitta

Responsibility Shift Manager must ensure procedures followed. Refer to equipment manual for further information

OPS Operational Procedures Sheet


⚠ WARNING

Danger of burns!
The steam discharge tube may be very hot. Therefore you should only hold or move it by the black rubber handle.
The steam is very hot and can result in severe burns and scalding (never hold body parts under the steam discharge).

Every time after use
Clean the steam discharge every time after using.

How to perform the operation:
Follow the instructions below.


1| After heating or frothing a milk product, remove the glass/pot immediately and press the Steam Control Plus button again. After a short time (about 5 seconds), press the same button you previously selected to stop steam discharge.



2| Clean the steam discharge tube thoroughly with a clean moist cloth until all milk residues is removed.



Cleaning (as needed or at least every time the machine is cleaned).



Remove the discharge nozzle (turn clockwise).

If the nozzle (holes) is extremely dirty, clean with the instruments illustrated below.



Use the drill to open the blocked nozzle holes.




Use the brush to clean the nozzle and the nozzle holes.

4| Fill the cleaning container with hot water. Add a cleaning tablet (Combi Tabs) and stir. After the discharge nozzle is removed, place it in the cleaning container and allow the solution to work.



5| Take the discharge nozzle out of the cleaning container, rinse it with a generous amount of clean water, and then carefully screw it back together again (using only your hands).



Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	

Trainee's Signature: _____ **Trainer's Signature:** _____

Date: _____ **Date:** _____

Espresso Machine – Cleaning Procedure

Responsibility: Shift Manager must ensure procedures are followed. Refer to equipment manual for further information

GRINDER CLEANING PROCEDURE



1. Switch off the machine. Remove the bean hopper and keep the remaining coffee beans in a dark airtight container



2. Put back the empty grinder hopper, and then switch on the machine. Remove the remaining coffee beans by pressing with the standard base portafilter until machine stops dispensing the coffee grounds.



3. Transfer grinder cleaner tablets into the cap of container (approximately 30 grams) and put it in the bean hopper.



4. Draw the grinder cleaner by pressing standard base mode until it's completely dispensed.



5. Transfer back the coffee beans you removed earlier and dispense two standard bases. Make sure that there is no remaining residue of cleaning powder before serving an order.

*** Grinder cleaning should be done every 1st of the month before opening shift starts.**

Trainee's Signature: _____

Date: _____

Trainer's Signature:_____

Date: _____

Espresso Machine – Cleaning Procedure

Responsibility: Shift Manager must ensure procedures followed. Refer to equipment manual for further information

STEAM WAND CLEANING PROCEDURE



1. Remove the cap and press the bottle until you fill up the detergent up to 20 ml.



2. Prepare the Milk Cleaner Solution (20 ml of Milk cleaner into 500 ml of warm water).



3. Soak the steam wand for 5 minutes into the solution then rinse with clean warm water. (Use the jug that has milk stone build up, milk cleaner also removes the stain in the jug.).
4. Wipe the steam wand with sanitized towel. Activate the wand 3 to 5 seconds.

***Steam wand cleaning should be done on daily basis.**

Trainee's Signature: _____ Trainer's Signature:_____

Date: _____ Date: _____

McCafé Open

SOC Station Observation Checklist

Trainee's Name: _____ Trainer's Name: _____ Date: _____

ARE YOU READY FOR WORK?

Appearance
Uniform (including name badge) is neat, clean and worn correctly.

Float checked
Float counted out of sight of customers and signed for before serving customers.

Clean hands
Hands are washed using correct procedures before starting, at least hourly during the shift and at other times when required. Any open cuts, wounds or sores on hands and fingers are covered with a Blue Adhesive Strip and a glove.

Check stock and equipment
Check that there is adequate stock available (24 hours paper/2 hours refrigerated). Check that equipment is clean, safe and in good working condition. Do not use equipment that has any visible damage to electrical fittings.

OBSERVATIONS:

SET UP McCAFE AREA

Cleaning and waste materials
Position all bins (including waste bin and rubbish bins). Prepare cloth buckets and position cloths (yellow striped cloth near coffee machine, green striped cloth near coffee machine and pink striped cloth near sink area). Prepare cleaning chemicals and tools and position in appropriate places.

Small equipment
Ensure all small equipment items are available and positioned correctly.

Calibrate milk thermometer
Fill a coffee cup with ice and add cold water (or soda water) from a beverage tower (should be 60% ice and 40% cold water). Stir the water and ice mixture with the milk thermometer until the temperature stabilises. The temperature should read 0°C ± 1°C. If temperature reading is not within range inform a manager and/or adjust thermometer.

Fill ice bin

OBSERVATIONS:

SET UP EQUIPMENT

Turn on oven, microwave and blenders
Plug equipment into power outlet and turn on at power point as per Equipment Fire Up schedule.

Turn on press toaster
Ensure that top platen of toaster is down and turn switch to "ON" position as per Equipment Fire Up schedule. The toaster will take around 30mins to reach required temperature.

Assemble dishwasher
Check dishwasher is correctly assembled. Check McD Dishwasher Detergent and Kay Rinse Aid are both full and that the feed tubes are submerged fully into correct chemical bottles and chemicals are being drawn up into the machine. Turn machine on and select wash cycle (if applicable).

Prepare coffee machine
Fill bean hoppers: Fill bean hoppers using beans in airtight containers first

Turn machine on: Turn machine and cup warmer on and leave until they have warmed up.

Flush machine: Once warmed up, flush machine by placing a coffee cup under coffee outlet and press 'Coffee' button twice. Flush hot water outlet for 3 seconds into empty cup.

Drain steam wand: Drain steam wand by releasing steam for 3 seconds (as per your equipment). Ensure that the steam wand is directed away from you and other crew and customers.

Perform crema test: Position demitasse cup under coffee outlet, prepare base (as per your equipment). The prepared base should have a thick, golden crema visible on top of coffee. Sprinkle ½ a packet of sugar over crema, sugar crystals should hold briefly on crema before gradually sinking through base. With a teaspoon, stir prepared base 2 or 3 times, the crema should reform.

OBSERVATIONS:

SET UP DISPLAY CABINET

Sanitise display cabinet
Spray a clean, sanitised cloth with McD Sanitizer solution and wipe out inside surfaces of the display cabinet.

Display products
Wearing clear gloves, carefully remove product from decor containers. Place product on clean, sanitised display plates. Do not stack small cakes, tarts or chocolate slices. Always display products with correct item tag. Store and display gluten free products separately from non-gluten free products and ensure separate utensils and gloves are available to handle gluten free products. See the McCafé Merchandising Guide for cabinet layouts.

OBSERVATIONS:

McCafé Open

SOC Station Observation Checklist

QUALITY & FOOD SAFETY

If it is not right, don't serve it

Only serve products which have been prepared following correct procedures. If a product is not prepared using correct procedures waste the product according to your restaurant's waste policy.

Follow storage requirements

Ensure that all products and prepared products are stored correctly in refrigerated units (1–4°C). Do not use or serve products which have not been stored at correct temperatures.

Monitor holding times

Do not serve product past its holding time. Waste product according to your restaurant's waste policy.

SANITATION & CLEANING

Clean As You Go

Clean as you go to keep area safe, tidy, clean and sanitary. Use paper towel and a mop to clean up oil or dairy product spills (Dry Wipe procedure). Use a wet floor sign to warn customers and employees of wet or slippery floors. Ensure that correct cloth sanitation procedures are followed at all times.

Sanitise trays and utensils

Wash, rinse and sanitise cambro containers, storage containers, tongs between each use.

NEED TO KNOW (Tell and Show)

Workplace Safety Hazards

Give an example of each of the hazard icons identified for McCafe Open and describe how you would initially control and report these hazards in the Hazard Log.



OBSERVATIONS:

FEEDBACK

Strengths:

Opportunities for development:

Assessment Type:	Initial Training	Manager Verification	Follow-up
Volume:	Low/Medium	High	
Outcome:	Competency Demonstrated	Competency Not Yet Demonstrated	

Trainee's Signature: _____ Trainer's Signature: _____

Date: _____ Date: _____

Note: If the SOC is for Initial Training:
The Crew Trainer is verifying that they have trained the Team Member in all Operational Procedures for the station.
The Shift Manager has observed the Team Member demonstrate competence.
The Team Member is verifying that they have been trained in all Operational Procedures and demonstrated competence (eg. Follows all procedures as per the OPS).

McCafé Close

SOC Station Observation Checklist

Trainee's Name: _____ Trainer's Name: _____ Date: _____

ARE YOU READY FOR WORK?

Appearance
Uniform (including name badge) is neat, clean and worn correctly.

Clean hands
Hands are washed using correct procedures before starting, at least hourly during the shift and at other times when required. Any open cuts, wounds or sores on hands and fingers are covered with a Blue Adhesive Strip and a glove.

Check stock and equipment
Check that there is adequate stock available (24 hours paper/2 hours refrigerated). Check that equipment is clean, safe and in good working condition. Do not use equipment that has any visible damage to electrical fittings.

OBSERVATIONS:

CLOSE PREPARATION

Count waste

Collect all required cleaning supplies
Collect all required cleaning supplies. These include:

McD Sanitizer	Paper Towel	Coffee Machine cleaning detergent/tablet
Non scratch pad	Small brush	Cloth Bucket and Clean Cloths
Small coffee brush	Broom/mop	Spray bottle of McD APC

HOT TIPS
Ensure sufficient food remains in display cabinet up to close so that it appears full and appealing to customers.

Clean McCafé area
Detail clean display items such as cookie jars, syrup bottles, canisters, inside cupboards/shelves. Wipe clean and polish register. Wash, rinse, sanitise and air dry prep board.

HOT TIPS
Whilst completing any activities prior to the restaurant closing ensure that customers remain your number one priority.

CLEAN EQUIPMENT

Clean Press Toaster
Isolate: Isolate toaster as per McDonald's Electrical Isolation procedures. Allow to cool down for 45 to 60 mins.
Clean cooking surface: Spray McD APC on clean, sanitised cloth, wipe cooking surface and allow to sit for approximately 30secs. Scrub surface with a non scratch pad and wipe with a clean, sanitised cloth.
Clean outside: Spray McD APC onto a clean, sanitised cloth and wipe outside of toaster clean. If heavily soiled, use a non-scratch pad and holder to scrub heavily soiled areas on outside of toaster. Spray a small amount of McD Stainless Cleaner-Dressing onto paper towel (do not spray directly onto toaster) and polish exterior stainless steel sections of toaster.
Clean drip tray: Remove and dry wipe drip tray. Wash, rinse, sanitise and air dry before replacing.

Clean Microwave
Clean inside: Spray McD APC on a clean sanitised cloth and wipe inside of microwave. Sanitise inside with McD Sanitiser.
Clean outside: Spray a small amount of McD Stainless Cleaner-Dressing onto paper towel (do not spray directly onto microwave) and polish exterior stainless steel sections of microwave.
Clean Spatter Shield (as required): Isolate microwave and carefully remove splatter shield by placing fingers behind shield and pulling forward and down. Wash, rinse, sanitise and air dry the splatter shield. Re-install splatter shield by fitting tabs into slots at the top of the oven cavity back. Lift and press front of shield until so shield snaps into place.

Clean Frappe Blender/s
Do not place any part of the jug or blended in the dishwasher.
Clean cover: Remove sound reducing cover and wash, rinse, sanitise and air dry.
Clean jug: Fill jug ¼ full of luke warm water, add one pump of McD APC from the plunger bottle. Return jug to motor base, secure lid and run blender for 30 seconds. Empty jug and repeat if required until all solid residue is removed.
Rinse jug: Rinse jug by filling jug ¾ full with warm water. Return jug to motor base, secure lid and run blender for 30 seconds. Empty jug.
Sanitise jug: Fill jug with McD Sanitizer solution from Waste-Not container in wash room. Return jug to motor base, secure lid and run blender for 30 seconds. Empty jug and rinse with clean water.
Assemble blender: Return empty jug to motor base and run blender for 5 seconds. Assemble blender leaving lid unsealed and allow to air dry.
Clean base: Unplug base from power outlet. Wipe motor base with a clean cloth rinsed in McD APC. Never immerse motor base in water.

Cup Warmer
Remove all crockery. Spray a clean, sanitised cloth with McD APC and wipe shelves and exterior. Spray a second cloth with McD Sanitizer solution and wipe inside shelves.

Dishwasher
Prepare dishwasher: Empty all cutlery and crockery from dishwasher.
Clean dishwasher: Clean dishwasher and inspect equipment parts as per your dishwasher model. Follow dishwasher cleaning procedures on the McCafé Equipment OPS for your dishwasher model.

Clean Oven (Ensure oven cool prior to cleaning)
Clean inside: Open door slightly (approx 20cms) and activate cool down function. Isolate equipment. Remove racks. Spray McD APC directly onto a No-Scratch pad and oven walls. Use No-Scratch pad to remove stains. Spray McD APC onto a sanitised cloth then wipe over all sides and back of oven.

OBSERVATIONS: