# Sheikh Sajib

#### 01. Which the following statement is TRUE?

JavaScript is a compiled language

### JavaScript is an interpreted language

Both compile and interpreted language

None

The EMPLOYEES table has these columns:

LAST\_NAME VARCHAR2 (35)

**SALARY NUMBER (8, 2)** 

**COMMISSION PCT NUMBER (5, 2)** 

02. You want to display the name and annual salary multiplied by the commission\_pct for all employees. For records that have a NULL commission\_pct, a zero must be displayed against the calculated column. Which SQL statement displays the desired results?

SELECT last\_name, (salary\*12)\* commission\_Pct FROM EMPLOYEES;

SELECT last\_name, (salary\*12)\* IFNULL(commission\_pct,0) FROM EMPLOYEES;

SELECT last\_name, (salary\*12)\* NVL2(commission\_pct,0) FROM EMPLOYEES;

SELECT last\_name, (salary\*12)\* NVL(commission\_pct,0) FROM EMPLOYEES;

03. How do you round the number 8.25, to the nearest integer?

round(8.25)

math.rnd(8.25)

rnd(8.25)

math.round(8.25)

```
04. Which is an /SQL*Plus command?
     INSERT
     UPDATE
     SELECT
     DESCRIBE
  05. Which are types of Case Manipulation functions available in SQL?
     LOWER
     INTEGER
     numeric
     None
  06. How many times the text IDB-BISEW will be printed?
var i=3;
do{
document.write(IDB-BISEW
);
i+=3;
}while(i<10);
     2 times
     3 times
     4 times
      5 times
```

07. What type of language javascript is?

```
strongly
weakly
```

both a and b

none

# 08. Which statement produces the number of different departments that have employees with last name Smith?

SELECT COUNT(\*) FROM employees WHERE last\_name='Smith';

# SELECT COUNT (dept\_id) FROM employees WHERE last\_name='Smith';

SELECT DISTINCT(COUNT(dept\_id)) FROM employees WHERE last\_name='Smith';

SELECT COUNT(DISTINCT dept\_id) FROM employees WHERE last\_name='Smith';

SELECT UNIQUE(dept\_id) FROM employees WHERE last\_name='Smith';

# 09.To open an additional window which is the possible syntax?

window.open

self.open

#### window.open()

addition.open

#### 10. What do you mean by Scripting language?

Assembly Level programming language

Machine level programming language

High Level Programming language

#### 11. Which statement is true regarding the ORDER BY clause?

#### The sort is in ascending order by default

The sort is in descending order by default

The ORDER BY clause must precede the WHERE clause.

12. Which clause should you use to exclude group results?
WHERE TO THE PROPERTY OF THE P
HAVING TO THE PROPERTY OF THE
RESTRICT CONTRACTOR CO
GROUP BY
ORDER BY
13.Which / SQL* Plus feature can be used to replace values in the where clause?
Substitution variables
replacement variables
prompt variables
instead-of variables
14.var a=2;
switch(a)
{
case 1:
document.write("Ball†);
break;
case 2:
document.write("Bat†);
break;
case 3:
document.write("Wicket†);
break;
default:

# document.write("out of rangeâ€);

Ball

#### **Bat**

out of range

none

#### 15. Evaluate this SQL statement:

**SELECT** \*

**FROM PRODUCTS** 

**ORDER BY price, product\_name;** 

#### What is true about the SQL statement?

The results are not sorted.

The results are sorted numerically.

The results are sorted alphabetically.

The results are sorted numerically and then alphabetically.

#### 16. How does a FOR loop start?

for 
$$(i = 0; i <= 5)$$

for 
$$(i = 0; i \le 5; i++)$$

for i = 1 to 5

for (i <= 5; i++)

# 17. To specify a image on the same folder, which of is right syntax

document.image[0].src=abc.jpg

document.images[0].src=abc.gif

```
document.images[0].=abc.gif document.image=abc.jpg
```

# 18. Which SELECT statement should you use to extract the year from the system date and display it in the format "1998"?

SELECT TO CHAR(SYSDATE, 'yyyy') FROM dual;

# SELECT TO DATE(SYSDATE, 'yyyy') FROM dual;

SELECT DECODE(SUBSTR(SYSDATE, 8), 'YYYY') FROM dual;
SELECT TO\_CHAR(SUBSTR(SYSDATE, 8,2),'yyyy') FROM dual;

#### 19. What property would you use to redirect a visitor to another page?

document.URL

#### window.location.href

document.location.href

link.href

#### 20.Identify the correct syntax from the followings?

document.window.formName.elementName.value

#### window.document.formName.elementName.value

win.document.formName.elementName.value window.doc.formName.elementName.value.

#### 21. To go to the next page, which of the following is right syntax?

# window.history.forward()

window.history.back()

window.history.go(-1)

# 22. Which of the following method is used to find out the character at a position in a string?

CharacterAt()

CharPos()

tocharAt()

charAt()

# 23. Which of the following statement is correct to extract or set a cookie?

### document.cookie

doct.cookie

object.cookies

# 24. What is the position of GROUP BY clause in a SELECT statement with a WHERE clause?

Immediately after the SELECT clause

Before the WHERE clause

After the ORDER BY clause

After the WHERE clause

# 25. What is mean by "this" keyword in javascript?

It refers previous object

It is variable which contains value

# It refers current object

None of the above

# Another 12Q From S. M. Istiaque

01. Which of the following method is used to take user data?
a. alert
<mark>b. prompt</mark>
c. take
d. getdata
02 . What is the value of typeof(NaN)?
<mark>a. Number</mark>
b. String
c. Null
d. Error
03. If $x=16 \& y=3$ then $x\%=y$ , 'What is the value of x after executing $x\%=y$ ?
a. 5
b. 3
<mark>c. 1</mark>
05. Do you think that JavaScript is case insensitive?
a. True
<mark>b. False</mark>
c. None
06. Choose the correct answers
var a=4;
document.write(a++ );

```
document.write(++a);
document.write(--a);
document.write(a--);
a. 5654
b. 4655
c. 4554
```

#### 07. Which two expressions provide the use of IF-THEN-ELSE logic in SQL?

- a. character
- b. CASE
- c. DECODE
- d. NULLIF
- e. B&C

# **08. Consider the description of the EMPLOYEES table:**

```
EMP_ID NUMBER (4) NOT NULL,

LAST_NAME VARCHAR2 (30) NOT NULL,

FIRST_ NAME VARCHAR2 (30),

DEPT_ID NUMBER (2),

JOB_CAT VARCHAR2(30),

SALARY NUMBER (8,2);
```

Which statement shows the maximum salary paid in each job category of each department?

- a. SELECT dept\_id; job\_cat, MAX (salarv) FROM employees "WHERE salarv > MAX(salary);
- b. SELECT dept\_id, job\_:cat, MAX(salary) FROM employees GROUP BY dept\_id, job\_cat;
- c. SELECT dept\_idr job\_:cat, MAX(sala1y) FROM employees;

- d. SELECT dept\_id, job\_:cat, MAX(salary) FROM employees GROUP BY dept\_id;
- e. SELECT dept\_id, job\_cat, MAX(saLary) FROM employees GROUP BY dept\_id, job\_cat, salary;

# 09. How to assign a function to a variable With the JavaSaipt Function contructor?

- a. var f=Function("x","y","retun x+y");
- b. var f=Function(x,y){ return x+y;}
- c. var f= new Function("x", "y", "return x + y");
- d. None

#### 10. Which two statements are true about WHERE and HAVING clauses?

- a. WHERE clause can be used to restrict both rows and groups.
- b. WHERE clause can be used to restrict rows only.
- c. A HAVING clause can be used to restrict both rows and groups.
- d. A HAVING clause can be used to restrict groups only.
- e. B&D

#### 11. Maximum height of screen is defined by which screen property?

- a. screen.availHeight
- b. screen.Height
- c. screen.maxHeight
- d. both a and c

12. All functions are properties of objects.

a. True

b. False

# Get Another 14 Q From Ehsan Habib

1. r=(45%2 ==0)? "A" : "B";				
document. write(r);				
What is the output?				
a. A				
<mark>b. B</mark>				
c. Error				
d. none of e above				
2. You need to calculate the total				

- 2. You need to calculate the total of all salaries in the accounting department. It which group function should you use.
- a. MAX
- b. MIN
- c. SUM
- d. COUNT
- 3. You need to display the last name of those employees who have the second character in their names. Which SQL statements displays required results?
- a. SELECT last\_name FROM EMP WHERE last\_name LIKE '\_A%';
- b. SELECT last\_name FROM EMP WHERE last\_name -\*A%
- c. SELECT last\_name FROM EMP WHERE last\_name -'\*\_A%';
- d. SELECT last\_name FROM EMP WHERE last\_name LIKE \* a%
- 4. A javascript question (ignored) pop()......

# 5. You, want to create a report displaying employee last names, department names, and locations. Which query should you use to create an equi-join?

# a. SELECT last\_name, department\_name, location\_idFROM employees, departments;

b. SELECT employees.last\_name, departments.department\_name, departments.location\_id

FROM employees e, departments D

WHERE e.department id =d.department id;

c. SELECT e.last\_name, d.department\_name, d.location\_id FROM employees e, departments

WHERE manager id =manager id;

d. SELECT e.last\_name, d.department\_name, d.location\_id

FROM employees e, departments

WHERE e.department\_id =d.department\_id;

#### 9. Which of the following are the categories of event?

- a. Keyboard and mouse events
- b. Load events
- c. form-related events
- d. All of the above

### 7. How do you find the number with the highest value of and y?

- a. top (x, y)
- b. Math.max (x, y)
- c. ceil (x, y)
- d. Math.ceil (x,y)

#### 8. The EMPLOYEES table has these columns:

LAST NAME VARCHAR2 (35)

SALARY NUMER (8, 2)

COMMISSION PCT NUMBER (5,2)

You want to display the name and annual salary multiplied by the commission\_pct for all employees.

For records that have a NULL commission\_pct, a zero must be displayed against the calculated column. Which SQL statement displays the desired results?

- a. SELECT last name, (salary\*12)\* commission Pct FROM EMPLOYEES;
- b. SELECT last\_name, (salary\*12)\*IFNULL( commission\_pct,0) FROM EMPLOYEES;

- c. SELECT last\_name, (salary\*12)\*NVL2 (commission\_pct,0) FROM EMPLOYEES;
- d. SELECT last\_name, (salary\*12)\*NVL(commission\_pct,0) FROM EMPLOYEES;

```
9. var i=7;
while(true)
{
document.write("Bogra");
break;
}
what is the result?
    a. Error
    b. Infinite loop
    c. Print Bogra only once
    d. None
```

- 10. Javascript support which of the following operators?
- a. unary
- b. binary
- c. ternary
- d. all of the above
- 12. '===' operator is used for which purpose?
- a. Equality of value
- b. Equality of type
- c. Both a and b are true
- d. None of the above
- 13. For which tasks would you use the where clause?
- a. Display only unique data.
- b. Designate a table location.
- c. Restrict the rows displayed.
- 14. Which/ SQL \* Plus feature can be used to replace values in the where clause?
- a. Substitution variables
- b. re-placement variables

- c. prompt variables
- d. instead-of variables

# **Q From Arefin**

#### 1. Given:

```
var w=open("","ralph", "scrollbars=0, width=200, height=100, resizable=no")
var t=w.document;
Which of the followings is correct considering the above statements?
    w.write("â€);
    doc.write(â€~');
    s.write(â€~');
t.write(â€~');
```

3. You need to calculate the total of all salaries in the accounting department. Which group function should you use?

MAX

MIN

SUM

**COUNT** 

```
3.text = "Cricket is our proud";
document.write(text.substring(4,7)
```

What will be the result?

Null value

g

ket

**Empty String** 

#### 4. How do you create a new object in JavaScript?

```
var obj = {};
      var obj = Object();
      var obj=new Object();
      None
5.Given:
var x=25
var bangs=""
do {
bangs=bangs+"Bangladesh"+"
x++
} while (x>10)
document.write(bangs);
Which one from the followings is correct when execute above script?
     â€~Bangladesh' will be displayed once
     â€~Bangladesh' will be displayed twice
```

"Bangladesh" will be displayed unlimited times

the CUSTOMERS table. Which statement produces this output?

None of the above

6.You need to produce output that states "Dear Customer customer\_name".

The customer name data values come from the CUSTOMER NAME column in

```
SELECT 'Dear Customer', customer_name | | ',' FROM customers;

SELECT 'Dear Customer' | | customer name ',' FROM customers;
```

# SELECT 'Dear Customer ' | | customer name | | ',' FROM customers;

SELECT "Dear Customer " || customer\_name || "," FROM customers;

#### 7. Which of the following are the categories of event?

Keyboard and mouse events

Load events

Form-related events

All of the above

# 8. Which type of functions accepts one or more arguments but returns one value for each row returned by the query?

#### single-row

all functions return one value per row

subquery

multiple-row

#### 9.Evaluate this SQL statement:

SELECT ename, sal, 12\*sal+100 FROM EMP;

The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of \$100, multiplied by 12"?

No change is required to achieve the desired results.

#### SELECT ename, sal, 12\*(sal+100) FROM emp;

SELECT ename, sal, (12\*sal)+100 FROM emp;

SELECT ename, sal+100,\*12 FROM emp;

#### 10.If x=16 & y=3 then x%=y, what is the value of x after executing x%=y?

3

1

# 11. Choose appropriate functionality of pop() function of Array object from the following?

it removes and returns first element of an array

it puts element in last index in an array

# it removes and returns last element of an array

all of the above are correct

### 12. How can you use multiline comment in javascript?

#

ļ

ļ-- -

/\* \*/

#### 13. Consider the description of the EMPLOYEES table:

EMP\_ID NUMBER (4) NOT NULL,

LAST\_NAME VARCHAR2 (30) NOT NULL,

FIRST\_NAME VARCHAR2 (30),

**DEPT\_ID NUMBER (2),** 

JOB\_CAT VARCHARD2 (30),

**SALARY NUMBER (8,2)**;

Which statement shows the maximum salary paid in each job category of each department?

A.SELECT dept\_id, job\_cat, MAX (salary) FROM employees WHERE salary > MAX(salary);

B.SELECT dept\_id, job\_cat, MAX(salary) FROM employees GROUP BY dept\_id, job\_cat;

C.SELECT dept\_id, job\_cat, MAX(salary) FROM employees;

D.SELECT dept\_id, job\_cat, MAX(salary) FROM employees GROUP BY dept\_id;

E.SELECT dept\_id, job\_cat, MAX(salary) FROM employees GROUP BY dept\_id, job\_cat, salary;

#### TajNur Q Bank

- 1. Group functions work on many rows to produce one result per group?
- a) True
- b) False

```
var i=7;
while(true)
{
document.write("Bogra");
break;
```

- 2. What is the result?
  - a) Error
  - b) Infinitive loop
  - c) print Bogra only once
  - d) None
- 3. Which of the following function return the character position of a string?
  - a) charAt()
  - b) charCode()
  - c) indexOf()
  - d) substr()
- 4. Is it possible to convert a number datatype into string using toString()?
  - a) True
  - b) False
- 5. Which of the followings is best describe the action of setInterval() function?
  - a) it is set value to script-engine for not executing the script
  - b) It does not repeat a script action
  - c) It repeats a script action after a certain time
  - d) It is not a function anyway
- 6. Which type of functions accepts one or more arguments but returns one value for each row returned by the query?

a)	single-row	
b)	all function	ns return one value per row
c)	subquery	

- d) multiple-row
- 7. Maximum height of screen is define by which screen property?

```
screen.availHeight
```

screen.Height

screen.maxHeight

both a and c

08. Choose the correct answers

```
var a=4;
document.write(a++);
document.write(++a);
document.write(--a);
document.write(a--);
```

5654

4655

4554

09. Which of the following JavaScript events are associated with form?

OnBlur

Onfocus

onChange

All of the above