






drawDown--Row 2 Data (1900) -5000 -5000 -p -10000 --5000 --20000 first_order_derivative Second order derivative 25000 -25000 -75000 -75000 -100000

















drawDown--Row 9 Data 4800 -2500 -5000 p -7500 p -10000 -12500 -15000 -5000 -15000 -17500 -20000 first_order_derivative -200 **-**400 -600 second_order_derivative -100000 -150000 -150000











drawDown--Row 13 Points detected 6000 e 6200 -2500 9 -5000 -7500 -10000 -12500 -15000 -5000 -17500 Points detected -20000 Points detected first_order_derivative 200 --200 -400 -600 -800 -1000second order derivative order order derivative order derivative order derivative order derivative order orde Points detected

drawDown--Row 14 D 5800 5400 --2500 -5000 p -7500 p -10000 -12500 -15000 -5000 -15000 -17500 -20000 -first_order_derivative second order derivative 100000 - 100000 - 0













drawDown--Row 19 Points detected 7000 -2500 -5000 pin -7500 -10000 -12500 -15000 -5000 Points detected -17500 -20000 Points detected first_order_derivative 250 --250 **-**500 -750 -1000second order derivative 150000 order derivative 0 -50000 -150000 order derivative 150000 order derivative 150000 order derivative 150000 order derivative 1500000 order derivative 15000000 order derivative 1500000 order de Points detected










drawDown--Row 24



drawDown--Row 25 7500 pg 7500 7200 --2500 9 -5000 -7500 -10000 -12500 -15000 -5000 -15000 -17500 -20000 -first_order_derivative -200 -400 _600 -800 second_order_derivative -50000 -100000