Dismiss

Insights on the world's developers

Demographics. Technologies. Salaries. Career satisfaction

2017 Developer Survey Results

AngularJS - placeholder for empty result from filter



I want to have a place holder, e.g. <No result> when filter result returns empty. Could anyone please help? I don't even know where to start...

HTML:

JS:

```
function Ctrl($scope) {

    $scope.foos = [{
        name: 'Foo 1'
    },{
        name: 'Foo 2'
    },{
        name: 'Foo 3'
    }];

    $scope.bars = [{
        name: 'Bar 1',
        foo: 'Foo 1'
    },{
        name: 'Bar 2',
        foo: 'Foo 2'
    }];

    $scope.setBarFilter = function(foo_name) {
        $scope.barFilter = {};
        $scope.barFilter.foo = foo_name;
    }
}
```

jsFiddle: http://jsfiddle.net/adrn/PEumV/1/

Thanks!

javascript html angularjs



asked Jan 30 '13 at 22:59

Adrian Gunawan

5,946 8 27 36

3 groups.google.com/d/msg/angular/wR06cN5oVBQ/decEAdq3n30J – Mark Rajcok Jan 30 '13 at 23:58
ah yeah nice trick with ng-show. Thanks very much – Adrian Gunawan Jan 31 '13 at 0:15

3 Answers

A tweak on the approach that only requires you to specify the filter once:

Fiddle

answered Feb 1 '13 at 23:12

Mark Rajcok
230k 73 366 373

- 5 This is the nicer solution in that you only need to declare your filter once. +1 Tim B James Apr 24 '13 at 10:06
- 6 I had no idea this was possible.. Thanks! Jonathan Wilson Jul 15 '13 at 8:57
- 1 The problem is that the "Nothing here!" part is shown and hidden really quickly. When you get data with an ajax request there is an delay before the returned data is shown and in that time you can see the "Nothing here!" part appear and disappear. Temega Mar 26 '14 at 11:27
- 3 Epic solution! Thanks you. Miraage Mar 27 '14 at 5:33
- 3 @Temega You could use ng-show="filteredBars.length === 0" mantish Jul 29 '14 at 22:58



Did you find this question interesting? Try our newsletter

Sign up for our newsletter and get our top new questions delivered to your inbox (see an example).

Here is the trick using ng-show

HTML:

jsFiddle: http://jsfiddle.net/adrn/PEumV/2/

answered Jan 31 '13 at 0:22

Adrian Gunawan

5,946 8 27 36

But in this case the filter is executed twice, is there a way to avoid that? - Isaiah Jan 17 '14 at 15:00

Thanks for this solution. I have been using the groupBy filter provided here github.com/a8m/angular-filter but unfortunately the accepted answer above does not work. This method may execute the filter twice but it solved the problem regardless. – Anthony Jul 1 '16 at 5:25

Taken from this official document that's how they do it:

```
\label{local_norm} \mbox{ng-repeat="friend in friends} \ | \ \mbox{filter:q as results"}
```

Then use the results as an array

Full snippet:

answered Jul 7 '16 at 2:55



- 1 I suspect things changed since this question was first asked, but given that currently this is exactly how Angular's docs suggest you solve the problem, I would say this is the right way to go at this point. – jackel414 Aug 30 '16 at 23:37
- 1 I couldn't find another example. This is "hidden", in their animation documentation and it was by chance that I noticed it on the same day i needed it or I don't think i would have remembered. – caiocpricci2 Aug 30 '16 at 23:51

This is by far the most understable code. Great answer. - call-me Sep 2 '16 at 14:24

Nice note, sharp-sighted! - Madman Sep 29 '16 at 9:32

Thank you saved me some time - Sboniso Marcus Nzimande Jan 11 at 9:38

protected by Pankaj Parkar Jun 11 '15 at 18:50

Thank you for your interest in this question. Because it has attracted low-quality or spam answers that had to be removed, posting an answer now requires 10 reputation on this site (the association bonus does not count).

Would you like to answer one of these unanswered questions instead?