

회원

회원 생성

POST /api/v1/members

Request

POST /api/v1/members HTTP/1.1 Content-Type: application/json;charset=UTF-8 Accept: application/json Content-Length: 103 Host: localhost	HTTP
<pre>{ "id" : null, "email" : "trip@gmail.com", "password" : "12345678Abc", "name" : "앨런" }</pre>	

Path	Type	Description
email	String	email
password	String	password
name	String	name

Response

HTTP/1.1 201 Created Location: /api/v1/members/1 Content-Type: application/json;charset=UTF-8 Content-Length: 100	HTTP
<pre>{ "id" : 1, "email" : "trip@gmail.com", "password" : "12345678Abc", "name" : "앨런" }</pre>	

Path	Type	Description
id	Number	member id
email	String	email
password	String	password
name	String	name

아이디로 회원 조회

GET /api/v1/members/{memberId}

Request

GET /api/v1/members/5 HTTP/1.1 Accept: application/json Host: localhost	HTTP
---	------

Response

HTTP/1.1 200 OK Content-Type: application/json;charset=UTF-8 Content-Length: 100	HTTP
<pre>{ "id" : 5, "email" : "trip@gmail.com", "password" : "12345678Abc", "name" : "앨런" }</pre>	

Path	Type	Description
id	Number	member id
email	String	email

password	String	password
name	String	name

이메일로 회원 조회

GET /api/v1/members?email={email}

Request

GET /api/v1/members?email=trip%40gmail.com HTTP/1.1
Accept: application/json
Host: localhost

HTTP

Response

HTTP/1.1 200 OK
Content-Type: application/json;charset=UTF-8
Content-Length: 100

HTTP

```
{
  "id" : 4,
  "email" : "trip@gmail.com",
  "password" : "12345678Abc",
  "name" : "앨런"
}
```

Path	Type	Description
id	Number	member id
email	String	email
password	String	password
name	String	name

회원 정보 수정

POST /api/v1/members/{memberId}

Request

PUT /api/v1/members/3 HTTP/1.1
Content-Type: application/json;charset=UTF-8
Accept: application/json
Content-Length: 100
Host: localhost

HTTP

```
{
  "id" : 3,
  "email" : "trip@gmail.com",
  "password" : "zyX09876543",
  "name" : "홍빈"
}
```

Path	Type	Description
password	String	password
name	String	name

Response

HTTP/1.1 200 OK
Content-Type: application/json;charset=UTF-8
Content-Length: 100

HTTP

```
{
  "id" : 3,
  "email" : "trip@gmail.com",
  "password" : "zyX09876543",
  "name" : "홍빈"
}
```

Path	Type	Description
id	Number	member id
email	String	email
password	String	password

password	String	password
name	String	name

회원 삭제

DELETE /api/v1/members/{memberId}

Request

DELETE /api/v1/members/2 HTTP/1.1
Host: localhost

HTTP

Response

HTTP/1.1 204 No Content

HTTP