

SP Flowers 3.5g

Sample ID: 2510AFL1898.7271

Internal Lab ID: ATL-32870

Client

Strain: Sunkiss

Blue Mist LLC

Matrix: Plant

Received: 10/28/2025

Lic. #

Type: Flower - Cured

Completed: 11/25/2025

1310 West 13th 5tr

Unit Weight: 3.5 g

Batch#: -

Riviera Beach, FL 33404



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/29/2025	Complete
Moisture	11/21/2025	Pass
Water Activity	11/21/2025	Pass
Residual Solvents	11/19/2025	Pass
Microbials	11/17/2025	Pass
Mycotoxins	11/17/2025	Pass
Pesticides	11/17/2025	Pass
Heavy Metals	11/14/2025	Pass
Foreign Matter	11/17/2025	Pass

Basic Potency

Complete

ND Total THC	ND Total CBD	25.483% Total Cannabinoids
------------------------	------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.004	ND	ND	9S-HHC	0.002	0.006	ND	ND
CBDV	0.001	0.004	ND	ND	9R-HHC	0.002	0.006	ND	ND
CBDa	0.001	0.004	ND	ND	Δ9-THCH	0.001	0.004	ND	ND
CBGa	0.001	0.004	8.288	290.07	Δ8-THCH	0.002	0.005	ND	ND
CBG	0.001	0.004	0.668	23.37	Δ9-THCP	0.001	0.004	8.399	293.96
CBD	0.001	0.004	ND	ND	Δ8-THCP	0.002	0.005	ND	ND
THCV	0.001	0.004	ND	ND	Δ8-THCO	0.001	0.004	ND	ND
Δ8-THCV	0.002	0.005	ND	ND	Δ9-THCO	0.001	0.004	ND	ND
THCVa	0.001	0.004	ND	ND	9(S)-HHCP	0.002	0.005	ND	ND
CBN	0.001	0.004	ND	ND	9(R)-HHCP	0.002	0.005	ND	ND
Δ9-THC	0.001	0.004	ND	ND	11-Hydroxy-THC	0.002	0.005	ND	ND
Δ8-THC	0.001	0.004	7.928	277.48	1(S)-H4-CBD	0.002	0.005	ND	ND
(6aR,9S)-d10-THC	0.002	0.005	ND	ND	1(R)-H4-CBD	0.002	0.005	ND	ND
(6aR,9R)-d10-THC	0.002	0.005	ND	ND	Δ9-THCB	0.001	0.004	ND	ND
CBC	0.001	0.004	0.201	7.02	Δ8-THCB	0.002	0.005	ND	ND
CBCa	0.001	0.004	ND	ND	CBDp	0.002	0.005	ND	ND
THCa	0.001	0.004	ND	ND	Total			25.483	891.90

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 10/29/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

ISO/IEC 17025:2017 Accreditation No. 118038

5.3%
Pass

Document ID: CoA-8 Moisture Content Rev. 2, Test Method: TM-6
Moisture Content

0.52 aw
Pass

Document ID: CoA-9 Water Activity Rev. 1, Test Method: TM-5
Water Activity

Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
11/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

SP Flowers 3.5g

Sample ID: 2510AFL1898.7271

Internal Lab ID: ATL-32870

Client

Strain: Sunkiss

Blue Mist LLC

Matrix: Plant

Received: 10/28/2025

Lic. #

Type: Flower - Cured

Completed: 11/25/2025

1310 West 13th 5tr

Unit Weight: 3.5 g

Batch#: -

Riviera Beach, FL 33404

Pesticides

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result	Status	Analyte	LOD PPB	LOQ PPB	Limit PPB	Result	Status
Abamectin			100	ND	Pass	Fludioxonil			100	ND	Pass
Acephate			100	ND	Pass	Hexythiazox			100	ND	Pass
Acequinocyl			100	ND	Pass	Imazalil			100	ND	Pass
Acetamiprid			100	ND	Pass	Imidacloprid			400	ND	Pass
Aldicarb			100	ND	Pass	Kresoxim Methyl			100	ND	Pass
Azoxystrobin			100	ND	Pass	Malathion			200	ND	Pass
Bifenazate			100	ND	Pass	Metalaxyl			100	ND	Pass
Bifenthrin			100	ND	Pass	Methiocarb			100	ND	Pass
Boscalid			100	ND	Pass	Methomyl			100	ND	Pass
Captan			700	ND	Pass	Mevinphos			100	ND	Pass
Carbaryl			500	ND	Pass	Myclobutanil			0	ND	Pass
Carbofuran			100	ND	Pass	Naled			250	ND	Pass
Chlorantraniliprole			1000	ND	Pass	Oxamyl			500	ND	Pass
Chlordane			100	ND	Pass	Paclobutrazol			100	ND	Pass
Chlorfenapyr			100	ND	Pass	Parathion Methyl			100	ND	Pass
Chlormequat Chloride			1000	ND	Pass	Pentachloronitrobenzene			150	ND	Pass
Chlorpyrifos			100	ND	Pass	Permethrin			100	ND	Pass
Clofentezine			200	ND	Pass	Phosmet			100	ND	Pass
Coumaphos			100	ND	Pass	Piperonyl Butoxide			3000	ND	Pass
Cyfluthrin			500	ND	Pass	Prallethrin			100	ND	Pass
Cypermethrin			500	ND	Pass	Propiconazole			100	ND	Pass
Daminozide			100	ND	Pass	Propoxur			100	ND	Pass
Diazinon			100	ND	Pass	Pyrethrins			500	ND	Pass
Dichlorvos			100	ND	Pass	Pyridaben			200	ND	Pass
Dimethoate			100	ND	Pass	Spinetoram			200	ND	Pass
Dimethomorph			200	ND	Pass	Spinosad			100	ND	Pass
Ethoprophos			100	ND	Pass	Spiromesifen			100	ND	Pass
Etofenprox			100	ND	Pass	Spirotetramat			100	ND	Pass
Etoxazole			100	ND	Pass	Spiroxamine			100	ND	Pass
Fenhexamid			100	ND	Pass	Tebuconazole			100	ND	Pass
Fenoxycarb			100	ND	Pass	Thiacloprid			100	ND	Pass
Fenpyroximate			100	ND	Pass	Thiamethoxam			500	ND	Pass
Fipronil			100	ND	Pass	Trifloxystrobin			100	ND	Pass
Flonicamid			100	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 11/17/2025

Pesticide via LC-MS/MS and GC-MS/MS




Lise Berthe-Laurent
Laboratory Director
11/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

3 of 4

SP Flowers 3.5g

Sample ID: 2510AFL1898.7271

Internal Lab ID: ATL-32870

Client

Strain: Sunkiss

Blue Mist LLC

Matrix: Plant

Received: 10/28/2025

Lic. #

Type: Flower - Cured

Completed: 11/25/2025

1310 West 13th 5tr

Unit Weight: 3.5 g

Batch#: -

Riviera Beach, FL 33404

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin e. Coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	NT	NT
Total Aerobic Count	10		NT	NT
Enterobacteriaceae	10		NT	NT
Staphylococcus aureus	10		NT	NT

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 11/17/2025

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 11/17/2025
Mycotoxins via LC-MS/MS

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 11/17/2025



Lise Berthe-Laurent
Laboratory Director
11/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



SP Flowers 3.5g

Sample ID: 2510AFL1898.7271

Internal Lab ID: ATL-32870

Client

Strain: Sunkiss

Blue Mist LLC

Matrix: Plant

Received: 10/28/2025

Lic. #

Type: Flower - Cured

Completed: 11/25/2025

1310 West 13th 5tr

Unit Weight: 3.5 g

Batch#: -

Riviera Beach, FL 33404

Residual Solvents

Pass

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status	Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
1,1 Dichloroethene		0.7	8	ND	Pass	n-Heptane		40	5000	ND	Pass
1,2-dichloroethane		0.2	2	ND	Pass	Isobutane				ND	Tested
1,4-Dioxane				ND	Tested	Isopentane				ND	Tested
2,2-Dimethylbutane				ND	Tested	Isopropanol		40	500	<40,000	Pass
2,3-Dimethylbutane				ND	Tested	Isopropyl Acetate				ND	Tested
2-Butanol				ND	Tested	m-Xylene + p-Xylene				ND	Tested
2-Ethoxyethanol				ND	Tested	Methanol		20	250	76,293	Pass
2-Methylpentane				ND	Tested	Methylene Chloride		10	125	ND	Pass
3-Methylpentane				ND	Tested	n-Butane		71		ND	Tested
Acetone		59	750	<59,000	Pass	n-Hexane		5		ND	Tested
Acetonitrile		5	60	ND	Pass	n-Pentane		59		ND	Tested
Benzene		0.08	1	ND	Pass	Neopentane				ND	Tested
Chloroform		0.2	2	ND	Pass	o-Xylene				ND	Tested
Cumene				ND	Tested	Propane		165	5000	ND	Pass
Cyclohexane				ND	Tested	Tetrahydrofuran				ND	Tested
Ethanol		79	5000	1815.566	Pass	Toluene		12	150	ND	Pass
Ethyl Acetate		20	400	188.987	Pass	Trichloroethene		2	25	ND	Pass
Ethylbenzene				ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether		40	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol				ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide		0.4	5	ND	Pass	Xylenes		12	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 11/19/2025

Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result PPB	Status
Arsenic	4.83	100	200	ND	Pass
Cadmium	0.64	100	200	<LOQ	Pass
Chromium		100		NR	NT
Copper		100		NR	NT
Lead	11.76	100	500	ND	Pass
Manganese		100		NR	NT
Mercury	0.58	100	200	ND	Pass
Nickel		100		NR	NT
Palladium		100		NR	NT
Platinum		100		NR	NT
Rhodium		100		NR	NT
Ruthenium		100		NR	NT
Tin		100		NR	NT
Zinc		100		NR	NT

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 11/14/2025

Heavy Metals via ICP-MS



Lise Berthe-Laurent
Laboratory Director
11/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.