

```

1 Lab6. Apache Superset 설치 및 환경 설정하기
2
3 ※ Refer to https://superset.apache.org/docs/installation/installing-superset-using-docker-compose
4 1. Apache Superset을 위한 EC2 인스턴스 생성하기
5   1)[EC2] 페이지로 이동하여 [인스턴스 시작]을 클릭한다.
6   2)[인스턴스 시작]페이지에서
7     -[이름] : {계정}-superset-ec2
8     -[애플리케이션 및 OS 이미지] > [Quick Start] > [Ubuntu] 선택
9     -[Ubuntu Server 22.04 LTS(HVM), SSD Volume Type], 64비트(x86)
10    -[인스턴스 유형] : t3.medium
11    -[키 페어(로그인)] : "새 키 페어 생성" 클릭
12    -[키 페어 생성] 페이지에서,
13      --[키 페어 이름] : {계정}-superset-ec2-key
14      --나머지 값은 기본값 그대로 사용
15      --[키 페어 생성] 버튼 클릭
16      --키 페어 파일 저장
17    -[네트워크 설정] > [편집] 클릭
18    -[VPC] : {계정}-datalake-vpc
19    -[서브넷] : {계정}-datalake-subnet-2a
20    -[퍼블릭 IP 자동 할당] : "활성화"
21    -[방화벽(보안 그룹)] : [새 보안 그룹 선택]
22    -[일반 보안 그룹] > {계정}-superset-ec2-sg 선택
23    -[스토리지 구성] : 30 GiB
24    -[인스턴스 시작] 클릭
25
26
27 2. EC2 인스턴스에 docker 및 docker-compose 설치하기
28   1)Docker Engine 설치하기
29     -Set up the repository
30       $ sudo apt-get update
31       $ sudo apt-get install ca-certificates curl gnupg
32
33     -Add Docker's official GPG key
34       $ sudo install -m 0755 -d /etc/apt/keyrings
35       $ curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor -o /etc/apt/keyrings/docker.gpg
36       $ sudo chmod a+r /etc/apt/keyrings/docker.gpg
37
38     -Set up the stable repository
39       $ echo \
40         "deb [arch="$(dpkg --print-architecture)" signed-by=/etc/apt/keyrings/docker.gpg]
41         https://download.docker.com/linux/ubuntu \
42         "$(. /etc/os-release && echo "$VERSION_CODENAME")" stable" | \
43         sudo tee /etc/apt/sources.list.d/docker.list > /dev/null
44
45     -Repository update
46       $ sudo apt update
47
48     -Install latest version of Docker engine and containerd
49       $ sudo apt-get install docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin
50
51     -Docker Service 상태 확인
52       $ sudo systemctl status docker
53       • docker.service - Docker Application Container Engine
54         Loaded: loaded (/lib/systemd/system/docker.service; enabled; vendor preset: enabled)
55         Active: active (running) since Fri 2023-05-26 00:09:03 UTC; 56s ago
56         TriggeredBy: • docker.socket
57         Docs: https://docs.docker.com
58         Main PID: 8376 (dockerd)
59         Tasks: 8
60         Memory: 36.5M
61         CPU: 286ms
62         CGroup: /system.slice/docker.service
63           └─8376 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock
64
65       May 26 00:09:02 ip-172-16-1-63 systemd[1]: Starting Docker Application Container Engine...
66       May 26 00:09:02 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:02.744203053Z" level=info msg="Starting
67         up"
68       May 26 00:09:02 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:02.746149605Z" level=info msg="detected
69         127.0.0.53 nameserver, assuming systemd-resolved, so using r>May 26 00:09:02 ip-172-16-1-63 dockerd[8376]:
70         time="2023-05-26T00:09:02.895290077Z" level=info msg="Loading containers: start."
71       May 26 00:09:03 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:03.224173354Z" level=info msg="Loading
72         containers: done."
73       May 26 00:09:03 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:03.302351154Z" level=info msg="Docker
74         daemon" commit=463850e graphdriver=overlay2 version=24.0.1
75       May 26 00:09:03 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:03.302792220Z" level=info msg="Daemon
76         has completed initialization"
77       May 26 00:09:03 ip-172-16-1-63 dockerd[8376]: time="2023-05-26T00:09:03.358735768Z" level=info msg="API listen
78         on /run/docker.sock"
79       May 26 00:09:03 ip-172-16-1-63 systemd[1]: Started Docker Application Container Engine.
80
81     -docker version 확인
82       $ docker --version
83       Docker version 24.0.1, build 6802122

```

```

77 2)Post-installation steps for Linux
78 -Manage Docker as a non-root user
79 --Docker는 TCP 포트 대신 Unix socket과 bind하기 때문에 반드시 root 또는 sudo 권한으로 실행해야 한다.
80 --일반 유저권한으로 실행하기 위한 작업 필요
81
82 -docker 그룹 생성
83 $ sudo groupadd docker
84
85 -docker 그룹에 유저 추가
86 $ sudo usermod -aG docker $USER
87
88 -log out and log in
89 $ logout
90
91 -Version 확인
92 $ docker version
93 Client: Docker Engine - Community
94 Version:      24.0.1
95 API version:   1.43
96 Go version:    go1.20.4
97 Git commit:    6802122
98 Built:         Fri May 19 18:06:21 2023
99 OS/Arch:       linux/amd64
100 Context:       default
101
102 Server: Docker Engine - Community
103 Engine:
104 Version:      24.0.1
105 API version:   1.43 (minimum version 1.12)
106 Go version:    go1.20.4
107 Git commit:    463850e
108 Built:         Fri May 19 18:06:21 2023
109 OS/Arch:       linux/amd64
110 Experimental:   false
111 containerd:
112 Version:      1.6.21
113 GitCommit:    3dce8eb055cbb6872793272b4f20ed16117344f8
114 runc:
115 Version:      1.1.7
116 GitCommit:    v1.1.7-0-g860f061
117 docker-init:
118 Version:      0.19.0
119 GitCommit:    de40ad0
120
121 3)docker-compose 설치하기
122 $ sudo curl -SL https://github.com/docker/compose/releases/download/v2.17.2/docker-compose-linux-x86_64 -o /usr/local/bin/docker-compose
123 % Total % Received % Xferd Average Speed Time Time Time Current
124 Dload Upload Total Spent Left Speed
125 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
126 100 51.9M 100 51.9M 0 0 14.1M 0 0:00:03 0:00:03 0 0 0 0 0 0
127
128 $ sudo chmod +x /usr/local/bin/docker-compose
129
130 4)설치 확인
131 $ docker-compose version
132 Docker Compose version v2.17.2
133
134 3. Clone Superset's GitHub repository
135 1)Googling을 "Apache Superset"으로 하여 검색 결과 중 Github 사이트를 방문한다.
136 2)https://github.com/apache/superset
137
138 3)superset repository의 [Code] > [Download ZIP]의 링크를 복사해서 압축파일을 다운로드한다.
139 $ wget https://github.com/apache/superset/archive/refs/heads/master.zip
140 --2023-05-26 06:27:34-- https://github.com/apache/superset/archive/refs/heads/master.zip
141 Resolving github.com (github.com)... 20.200.245.247
142 Connecting to github.com (github.com)|20.200.245.247|:443... connected.
143 HTTP request sent, awaiting response... 302 Found
144 Location: https://codeload.github.com/apache/superset/zip/refs/heads/master [following]
145 --2023-05-26 06:27:35-- https://codeload.github.com/apache/superset/zip/refs/heads/master
146 Resolving codeload.github.com (codeload.github.com)... 20.200.245.246
147 Connecting to codeload.github.com (codeload.github.com)|20.200.245.246|:443... connected.
148 HTTP request sent, awaiting response... 200 OK
149 Length: unspecified [application/zip]
150 Saving to: `master.zip'
151
152 4)압축풀기
153 $ sudo apt install unzip
154 $ unzip master.zip
155
156 4. Launch Superset Through Docker Compose
157 1)superset 디렉토리로 이동

```

```

160 $ cd superset-master/
161
162 2)Dockerfile 수정하기
163 $ nano -c Dockerfile
164
165 54line의 FLASK_ENV=production \ 을 다음과 같이 변경
166 FLASK_DEBUG=1 \
167
168 3)docker/pythonpath_dev/.env-non-dev 파일 수정
169 $ nano -c docker/.env-non-dev
170
171 42line의 FLASK_ENV=production을 다음과 같이 변경
172 FLASK_DEBUG=1
173
174 4)superset image pull
175 $ docker-compose -f docker-compose-non-dev.yml pull
176 Pulling redis ... done
177 Pulling db ... done
178 Pulling superset ... done
179 Pulling superset-init ... done
180 Pulling superset-worker ... done
181 Pulling superset-worker-beat ... done
182
183 3)superset_config.py 파일 생성하기
184 $ openssl rand -base64 42
185 v+2BgrjNjN5LY63PUMPH8S5EHSQy0AOPVLuUheJHY3Eqba3g5zQPv5Lb
186
187 $ nano superset_config.py
188 # Superset specific config
189 ROW_LIMIT = 5000
190
191 # Flask App Builder configuration
192 # Your App secret key will be used for securely signing the session cookie
193 # and encrypting sensitive information on the database
194 # Make sure you are changing this key for your deployment with a strong key.
195 # Alternatively you can set it with `SUPERSET_SECRET_KEY` environment variable.
196 # You MUST set this for production environments or the server will not refuse
197 # to start and you will see an error in the logs accordingly.
198 SECRET_KEY = 'sl6hmohPdmvrEmA72Ux7YxgzO4Lx0fTtceHTvQfWCnambbALkGxvOrcu'
199
200 # The SQLAlchemy connection string to your database backend
201 # This connection defines the path to the database that stores your
202 # superset metadata (slices, connections, tables, dashboards, ...).
203 # Note that the connection information to connect to the datasources
204 # you want to explore are managed directly in the web UI
205 SQLALCHEMY_DATABASE_URI = 'sqlite:///home/ubuntu/superset-master/superset.db'
206
207 # Flask-WTF flag for CSRF
208 WTF_CSRF_ENABLED = True
209 # Add endpoints that need to be exempt from CSRF protection
210 WTF_CSRF_EXEMPT_LIST = []
211 # A CSRF token that expires in 1 year
212 WTF_CSRF_TIME_LIMIT = 60 * 60 * 24 * 365
213
214 FEATURE_FLAGS = {
215     "ENABLE_TEMPLATE_REMOVE_FILTERS" : True , # Dashboard에서 필터와 Jinja template 조건이 중복으로 적용되는 것을 막는 설정
216     "ENABLE_TEMPLATE_PROCESSING": True, # Jinja template 사용
217     "DASHBOARD_NATIVE_FILTERS" : True, # Dashboard에서 Native filter 사용 여부
218     "DASHBOARD_NATIVE_FILTERS_SET": True, # Dashboard에서 Native filter set 사용 여부
219     "DASHBOARD_LEVEL_ACCESS" : True, # Dashboard 공유 시에 헤더 부분의 표시 여부를 단계적으로 설정할지 여부
220 }
221 PUBLIC_ROLE_LIKE = "Gamma"
222
223 $ export SUPERSET_CONFIG_PATH=/home/ubuntu/superset-master/superset_config.py
224
225 4)superset container up
226 $ docker-compose -f docker-compose-non-dev.yml up
227 [+] Running 10/6
228 ✓ Network superset-master_default
229 Created 0.1s
230 ✓ Volume "superset-master_superset_home"
231 Created 0.0s
232 ✓ Volume "superset-master_redis"
233 Created 0.0s
234 ✓ Volume "superset-master_db_home"
235 Created 0.0s
236 ✓ Container superset_db
237 Created 0.1s
238 ✓ Container superset_cache
239 Created 0.1s
240 ✓ Container superset_init
241 Created 0.1s
242 ✓ Container superset_worker
243 Created 0.1s

```

```
236      ✓ Container superset_worker_beat
237      Created 0.1s
237      ✓ Container superset_app
238      Created 0.1s
238      Attaching to superset_app, superset_cache, superset_db, superset_init, superset_worker, superset_worker_beat
239      superset_cache | 1:C 26 May 2023 11:38:23.200 # oO0OoO0OoO0Oo Redis is starting oO0OoO0OoO0Oo
240      superset_cache | 1:C 26 May 2023 11:38:23.200 # Redis version=7.0.11, bits=64, commit=00000000, modified=0,
241      pid=1, just started
241      superset_cache | 1:C 26 May 2023 11:38:23.200 # Warning: no config file specified, using the default config. In order
242      to specify a config file use redis-server /path/to/redis.conf
242      superset_cache | 1:M 26 May 2023 11:38:23.200 * monotonic clock: POSIX clock_gettime
243      superset_cache | 1:M 26 May 2023 11:38:23.201 * Running mode=standalone, port=6379.
244      superset_cache | 1:M 26 May 2023 11:38:23.201 # Server initialized
245      superset_cache | 1:M 26 May 2023 11:38:23.201 # WARNING Memory overcommit must be enabled! Without it, a
246      background save or replication may fail under low memory condition. Being disabled, it can also cause failures without
247      low memory condition, see https://github.com/jemalloc/jemalloc/issues/1328. To fix this issue add
248      'vm.overcommit_memory = 1' to /etc/sysctl.conf and then reboot or run the command 'sysctl vm.overcommit_memory=1'
249      for this to take effect.
249      superset_cache | 1:M 26 May 2023 11:38:23.202 * Ready to accept connections
249      superset_db | The files belonging to this database system will be owned by user "postgres".
249      superset_db | This user must also own the server process.
249      superset_db |
250      superset_db | The database cluster will be initialized with locale "en_US.utf8".
251      superset_db | The default database encoding has accordingly been set to "UTF8".
252      superset_db | The default text search configuration will be set to "english".
253      superset_db |
254      superset_db | Data page checksums are disabled.
255      superset_db |
256      superset_db | fixing permissions on existing directory /var/lib/postgresql/data ... ok
257      superset_db | creating subdirectories ... ok
258      superset_db | selecting dynamic shared memory implementation ... posix
259      superset_db | selecting default max_connections ... 100
260      superset_db | selecting default shared_buffers ... 128MB
261      superset_db | selecting default time zone ... Etc/UTC
262      superset_db | creating configuration files ... ok
263      superset_db | running bootstrap script ... ok
264      superset_app | Skipping local overrides
265      superset_app | Starting web app...
266      superset_worker_beat | Skipping local overrides
267      superset_worker_beat | Starting Celery beat...
268      superset_init | Skipping local overrides
269      superset_init |
270      superset_init | #####
271      superset_init |
272      superset_init |
273      superset_init | Init Step 1/4 [Starting] -- Applying DB migrations
274      superset_init |
275      superset_init |
276      superset_init | #####
277      superset_init |
278      superset_worker | Skipping local overrides
279      superset_worker | Starting Celery worker...
280      superset_app | [2023-05-26 11:38:24 +0000] [7] [INFO] Starting gunicorn 20.1.0
281      superset_app | [2023-05-26 11:38:24 +0000] [7] [INFO] Listening at: http://0.0.0.0:8088 (7)
282      superset_app | [2023-05-26 11:38:24 +0000] [7] [INFO] Using worker: gthread
283      superset_app | [2023-05-26 11:38:24 +0000] [8] [INFO] Booting worker with pid: 8
284      superset_db | performing post-bootstrap initialization ... ok
285      superset_db | initdb: warning: enabling "trust" authentication for local connections
286      superset_db | You can change this by editing pg_hba.conf or using the option -A, or
287      superset_db | --auth-local and --auth-host, the next time you run initdb.
288      superset_db | syncing data to disk ... ok
289      superset_db |
290      superset_db |
291      superset_db | Success. You can now start the database server using:
292      superset_db |
293      superset_db | pg_ctl -D /var/lib/postgresql/data -l logfile start
294      superset_db |
295      superset_db | waiting for server to start....2023-05-26 11:38:25.795 UTC [46] LOG: starting PostgreSQL 14.8
296      (Debian 14.8-1.pgdg110+1) on x86_64-pc-linux-gnu, compiled by gcc (Debian 10.2.1-6) 10.2.1 20210110, 64-bit
296      superset_db | 2023-05-26 11:38:25.803 UTC [46] LOG: listening on Unix socket
297      superset_db | "/var/run/postgresql/.s.PGSQL.5432"
297      superset_db | 2023-05-26 11:38:25.811 UTC [47] LOG: database system was shut down at 2023-05-26 11:38:25
298      superset_db | 2023-05-26 11:38:25.817 UTC [46] LOG: database system is ready to accept connections
299      superset_db | done
300      superset_db | server started
301      superset_db | CREATE DATABASE
302      superset_db |
303      superset_db |
304      superset_db | /usr/local/bin/docker-entrpoint.sh: ignoring /docker-entrpoint-initdb.d/*
305      superset_db |
306      superset_db | 2023-05-26 11:38:26.253 UTC [46] LOG: received fast shutdown request
```

307 superset_db | waiting for server to shut down....2023-05-26 11:38:26.257 UTC [46] LOG: aborting any active
transactions
308 superset_db | 2023-05-26 11:38:26.272 UTC [46] LOG: background worker "logical replication launcher" (PID 53)
exited with exit code 1
309 superset_db | 2023-05-26 11:38:26.272 UTC [48] LOG: shutting down
310 superset_db | 2023-05-26 11:38:26.302 UTC [46] LOG: database system is shut down
311 superset_db | done
312 superset_db | server stopped
313 superset_db |
314 superset_db | PostgreSQL init process complete; ready for start up.
315 superset_db |
316 superset_db | 2023-05-26 11:38:26.417 UTC [1] LOG: starting PostgreSQL 14.8 (Debian 14.8-1.pgdg110+1) on
x86_64-pc-linux-gnu, compiled by gcc (Debian 10.2.1-6) 10.2.1 20210110, 64-bit
317 superset_db | 2023-05-26 11:38:26.417 UTC [1] LOG: listening on IPv4 address "0.0.0.0", port 5432
318 superset_db | 2023-05-26 11:38:26.417 UTC [1] LOG: listening on IPv6 address ":::", port 5432
319 superset_db | 2023-05-26 11:38:26.426 UTC [1] LOG: listening on Unix socket
"/var/run/postgresql/.s.PGSQL.5432"
320 superset_db | 2023-05-26 11:38:26.437 UTC [61] LOG: database system was shut down at 2023-05-26 11:38:26
UTC
321 superset_db | 2023-05-26 11:38:26.443 UTC [1] LOG: database system is ready to accept connections
322 superset_app | logging was configured successfully
323 superset_app | 2023-05-26 11:38:31,221:INFO:superset.utils.logging_configurator:logging was configured
successfully
324 superset_app | 2023-05-26 11:38:31,244:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
325 superset_app | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure
to configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check <https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
326 superset_app | 2023-05-26 11:38:31,246:WARNING:superset.initialization:We haven't found any Content Security
Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check
<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more information. You can disable this warning using the
CONTENT_SECURITY_POLICY_WARNING key.
327 superset_app | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
'FILTER_STATE_CACHE_CONFIG'. It is recommended to use 'RedisCache', 'MemcachedCache' or another dedicated
caching backend for production deployments
328 superset_app | 2023-05-26 11:38:31,250:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: 'FILTER_STATE_CACHE_CONFIG'. It is recommended
to use 'RedisCache', 'MemcachedCache' or another dedicated caching backend for production deployments
329 superset_app | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
'EXPLORE_FORM_DATA_CACHE_CONFIG'. It is recommended to use 'RedisCache', 'MemcachedCache' or another
dedicated caching backend for production deployments
330 superset_app | 2023-05-26 11:38:31,273:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: 'EXPLORE_FORM_DATA_CACHE_CONFIG'. It is
recommended to use 'RedisCache', 'MemcachedCache' or another dedicated caching backend for production deployments
331 superset_worker_beat | logging was configured successfully
332 superset_worker_beat | 2023-05-26 11:38:31,770:INFO:superset.utils.logging_configurator:logging was configured
successfully
333 superset_worker_beat | 2023-05-26 11:38:31,783:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
334 superset_worker_beat | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make
sure to configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check <https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
335 superset_worker_beat | 2023-05-26 11:38:31,784:WARNING:superset.initialization:We haven't found any Content
Security Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check
<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more information. You can disable this warning using the
CONTENT_SECURITY_POLICY_WARNING key.
336 superset_worker_beat | Falling back to the built-in cache, that stores data in the metadata database, for the following
cache: 'FILTER_STATE_CACHE_CONFIG'. It is recommended to use 'RedisCache', 'MemcachedCache' or another
dedicated caching backend for production deployments
337 superset_worker_beat | 2023-05-26 11:38:31,789:WARNING:superset.utils.cache_manager:Falling back to the built-in
cache, that stores data in the metadata database, for the following cache: 'FILTER_STATE_CACHE_CONFIG'. It is
recommended to use 'RedisCache', 'MemcachedCache' or another dedicated caching backend for production deployments
338 superset_worker_beat | Falling back to the built-in cache, that stores data in the metadata database, for the following
cache: 'EXPLORE_FORM_DATA_CACHE_CONFIG'. It is recommended to use 'RedisCache', 'MemcachedCache' or another
dedicated caching backend for production deployments
339 superset_worker_beat | 2023-05-26 11:38:31,810:WARNING:superset.utils.cache_manager:Falling back to the built-in
cache, that stores data in the metadata database, for the following cache: 'EXPLORE_FORM_DATA_CACHE_CONFIG'. It is
recommended to use 'RedisCache', 'MemcachedCache' or another dedicated caching backend for production deployments
340 superset_worker | logging was configured successfully
341 superset_worker | 2023-05-26 11:38:31,865:INFO:superset.utils.logging_configurator:logging was configured
successfully
342 superset_worker | 2023-05-26 11:38:31,873:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
343 superset_worker | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure
to configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check <https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
344 superset_worker | 2023-05-26 11:38:31,878:WARNING:superset.initialization:We haven't found any Content Security
Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check

<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.

```
345 superset_worker | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated
caching backend for production deployments
346 superset_worker | 2023-05-26 11:38:31,888:WARNING:superset.utils.cache_manager:Falling back to the built-in
cache, that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is
recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
347 superset_worker | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another
dedicated caching backend for production deployments
348 superset_worker | 2023-05-26 11:38:31,914:WARNING:superset.utils.cache_manager:Falling back to the built-in
cache, that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is
recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
349 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects'
relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
350 superset_app | for prop in class_mapper(obj).iterate_properties:
351 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the
'TaggedObject.tag' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
352 superset_app | for prop in class_mapper(obj).iterate_properties:
353 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column slices.id to column tagged_object.object_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id). If this is not the intention, consider if these
relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are
read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can
be used to isolate the columns that should be written towards. To silence this warning, add the parameter
'overlaps="tags"' to the 'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
354 superset_app | for prop in class_mapper(obj).iterate_properties:
355 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id),
'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects,tag,tags"' to the
'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
356 superset_app | for prop in class_mapper(obj).iterate_properties:
357 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'SqlaTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s):
'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the
'SqlaTable.slices' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
358 superset_app | for prop in class_mapper(obj).iterate_properties:
359 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with
relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to
tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or
if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key
constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written
towards. To silence this warning, add the parameter 'overlaps="tags,tags"' to the 'Dashboard.tags' relationship.
(Background on this error at: https://sqlalche.me/e/14/qzyx)
360 superset_app | for prop in class_mapper(obj).iterate_properties:
361 superset_app | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects'
(copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the
intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one
or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the
orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add
the parameter 'overlaps="objects,tag,tags,tags"' to the 'Dashboard.tags' relationship. (Background on this error at:
https://sqlalche.me/e/14/qzyx)
362 superset_app | for prop in class_mapper(obj).iterate_properties:
363 superset_worker | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects'
relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
364 superset_worker | for prop in class_mapper(obj).iterate_properties:
365 superset_worker | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
```

[illegible]

relationship 'SqlaTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s): 'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the 'SqlaTable.slices' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

386 superset_worker_beat | for prop in class_mapper(obj).iterate_properties:

387 superset_worker_beat | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags, tags"' to the 'Dashboard.tags' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

388 superset_worker_beat | for prop in class_mapper(obj).iterate_properties:

389 superset_worker_beat | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects, tag, tags, tags"' to the 'Dashboard.tags' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

390 superset_worker_beat | for prop in class_mapper(obj).iterate_properties:

391 superset_init | logging was configured successfully

392 superset_init | 2023-05-26 11:38:34,642:INFO:superset.utils.logging_configurator:logging was configured successfully

393 superset_init | 2023-05-26 11:38:34,669:INFO:root:Configured event logger of type <class 'superset.utils.log.DBEventLogger'>

394 superset_init | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check <https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.

395 superset_init | 2023-05-26 11:38:34,670:WARNING:superset.initialization:We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check <https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> for more information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.

396 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments

397 superset_init | 2023-05-26 11:38:34,674:WARNING:superset.utils.cache_manager:Falling back to the built-in cache, that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments

398 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments

399 superset_init | 2023-05-26 11:38:34,694:WARNING:superset.utils.cache_manager:Falling back to the built-in cache, that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments

400 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

401 superset_init | for prop in class_mapper(obj).iterate_properties:

402 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'TaggedObject.tag' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

403 superset_init | for prop in class_mapper(obj).iterate_properties:

404 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'Slice.tags' will copy column slices.id to column tagged_object.object_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Slice.tags' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

405 superset_init | for prop in class_mapper(obj).iterate_properties:

406 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning: relationship 'Slice.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s): 'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects, tag, tags"' to the 'Slice.tags' relationship. (Background on this error at: <https://sqlalche.me/e/14/qzyx>)

407 superset_init | for prop in class_mapper(obj).iterate_properties:


```

408 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'SqlaTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s):
'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should be
linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the
'SqlaTable.slices' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
409 superset_init | for prop in class_mapper(obj).iterate_properties:
410 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with
relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to
tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or
if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key
constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written
towards. To silence this warning, add the parameter 'overlaps="tags,tags"' to the 'Dashboard.tags' relationship.
(Background on this error at: https://sqlalche.me/e/14/qzyx)
411 superset_init | for prop in class_mapper(obj).iterate_properties:
412 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects'
(copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the
intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one
or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the
orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add
the parameter 'overlaps="objects,tag,tags,tags"' to the 'Dashboard.tags' relationship. (Background on this error at:
https://sqlalche.me/e/14/qzyx)
413 superset_init | for prop in class_mapper(obj).iterate_properties:
414 superset_worker_beat | [2023-05-26 11:38:37,482: INFO/MainProcess] beat: Starting...
415 superset_worker | /usr/local/lib/python3.9/site-packages/celery/platforms.py:840: SecurityWarning: You're running the
worker with superuser privileges: this is
416 superset_worker | absolutely not recommended!
417 superset_worker |
418 superset_worker | Please specify a different user using the --uid option.
419 superset_worker |
420 superset_worker | User information: uid=0 euid=0 gid=0 egid=0
421 superset_worker |
422 superset_worker | warnings.warn(SecurityWarning(ROOT_DISCOURAGED.format(
423 superset_worker | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
424 superset_worker |
425 superset_worker | ----- celery@9228c9e9e224 v5.2.2 (dawn-chorus)
426 superset_worker | --- ***** ---
427 superset_worker | -- ***** --- Linux-5.19.0-1025-aws-x86_64-with-glibc2.31 2023-05-26 11:38:37
428 superset_worker | - *** --- * ---
429 superset_worker | - ** ----- [config]
430 superset_worker | - ** ----- .> app: __main__:0x7f57a4037e50
431 superset_worker | - ** ----- .> transport: redis://redis:6379/0
432 superset_worker | - ** ----- .> results: redis://redis:6379/1
433 superset_worker | - *** --- * --- .> concurrency: 2 (prefork)
434 superset_worker | -- ***** --- .> task events: OFF (enable -E to monitor tasks in this worker)
435 superset_worker | --- ***** ---
436 superset_worker | ----- [queues]
437 superset_worker | .> celery exchange=celery(direct) key=celery
438 superset_worker |
439 superset_worker |
440 superset_worker | [tasks]
441 superset_worker | . cache-warmup
442 superset_worker | . cache_chart_thumbnail
443 superset_worker | . cache_dashboard_thumbnail
444 superset_worker | . fetch_url
445 superset_worker | . load_chart_data_into_cache
446 superset_worker | . load_explore_json_into_cache
447 superset_worker | . reports.execute
448 superset_worker | . reports.prune_log
449 superset_worker | . reports.scheduler
450 superset_worker | . sql_lab.get_sql_results
451 superset_worker |
452 superset_worker | [2023-05-26 11:38:38,165: INFO/MainProcess] Connected to redis://redis:6379/0
453 superset_worker | [2023-05-26 11:38:38,177: INFO/MainProcess] mingle: searching for neighbors
454 superset_init | INFO [alembic.runtime.migration] Context impl PostgresqlImpl.
455 superset_init | INFO [alembic.runtime.migration] Will assume transactional DDL.
456 superset_worker | [2023-05-26 11:38:39,193: INFO/MainProcess] mingle: all alone
457 superset_init | INFO [alembic.runtime.migration] Running upgrade -> 4e6a06bad7a8, Init
458 superset_worker | [2023-05-26 11:38:39,212: INFO/MainProcess] celery@9228c9e9e224 ready.
459 superset_init | INFO [alembic.runtime.migration] Running upgrade 4e6a06bad7a8 -> 5a7bad26f2a7, empty message
460 superset_init | INFO [alembic.runtime.migration] Running upgrade 5a7bad26f2a7 -> 1e2841a4128, empty message
461 superset_init | INFO [alembic.runtime.migration] Running upgrade 1e2841a4128 -> 2929af7925ed, TZ offsets in
data sources
462 superset_init | INFO [alembic.runtime.migration] Running upgrade 2929af7925ed -> 289ce07647b, Add encrypted
password field
463 superset_init | INFO [alembic.runtime.migration] Running upgrade 289ce07647b -> 1a48a5411020, adding slug to
dash
464 superset_init | INFO [alembic.runtime.migration] Running upgrade 1a48a5411020 -> 315b3f4da9b0, adding log
model
465 superset_init | INFO [alembic.runtime.migration] Running upgrade 315b3f4da9b0 -> 55179c7f25c7, sqla_descr

```

```

466 superset_init | INFO [alembic.runtime.migration] Running upgrade 55179c7f25c7 -> 12d55656cbca, is_featured
467 superset_init | INFO [alembic.runtime.migration] Running upgrade 12d55656cbca -> 2591d77e9831, user_id
468 superset_init | INFO [alembic.runtime.migration] Running upgrade 2591d77e9831 -> 8e80a26a31db, empty message
469 superset_init | INFO [alembic.runtime.migration] Running upgrade 8e80a26a31db -> 7dbf98566af7, empty message
470 superset_init | INFO [alembic.runtime.migration] Running upgrade 7dbf98566af7 -> 43df8de3a5f4, empty message
471 superset_init | INFO [alembic.runtime.migration] Running upgrade 43df8de3a5f4 -> d827694c7555, css templates
472 superset_init | INFO [alembic.runtime.migration] Running upgrade d827694c7555 -> 430039611635, log more
473 superset_init | INFO [alembic.runtime.migration] Running upgrade 430039611635 -> 18e88e1cc004, making audit
    nullable
474 superset_init | INFO [alembic.runtime.migration] Running upgrade 18e88e1cc004 -> 836c0bf75904, cache_timeouts
475 superset_init | INFO [alembic.runtime.migration] Running upgrade 18e88e1cc004 -> a2d606a761d9, adding favstar
    model
476 superset_init | INFO [alembic.runtime.migration] Running upgrade a2d606a761d9, 836c0bf75904 -> d2424a248d63,
    empty message
477 superset_init | INFO [alembic.runtime.migration] Running upgrade d2424a248d63 -> 763d4b211ec9, fixing audit fk
478 superset_init | INFO [alembic.runtime.migration] Running upgrade d2424a248d63 -> 1d2ddd543133, log dt
479 superset_init | INFO [alembic.runtime.migration] Running upgrade 1d2ddd543133, 763d4b211ec9 -> fee7b758c130,
    empty message
480 superset_init | INFO [alembic.runtime.migration] Running upgrade fee7b758c130 -> 867bf4f117f9, Adding extra field
    to Database model
481 superset_init | INFO [alembic.runtime.migration] Running upgrade 867bf4f117f9 -> bb51420eaf83, add schema to
    table model
482 superset_init | INFO [alembic.runtime.migration] Running upgrade bb51420eaf83 -> b4456560d4f3,
    change_table_unique_constraint
483 superset_init | INFO [alembic.runtime.migration] Running upgrade b4456560d4f3 -> 4fa88fe24e94,
    owners_many_to_many
484 superset_init | INFO [alembic.runtime.migration] Running upgrade 4fa88fe24e94 -> c3a8f8611885, Materializing
    permission
485 superset_init | INFO [alembic.runtime.migration] Running upgrade c3a8f8611885 -> f0fbf6129e13, Adding
    verbose_name to tablecolumn
486 superset_init | INFO [alembic.runtime.migration] Running upgrade f0fbf6129e13 -> 956a063c52b3, adjusting key
    length
487 superset_init | INFO [alembic.runtime.migration] Running upgrade 956a063c52b3 -> 1226819ee0e3, Fix wrong
    constraint on table columns
488 superset_init | WARNI [root] Could not find or drop constraint on `columns`
489 superset_init | INFO [alembic.runtime.migration] Running upgrade 1226819ee0e3 -> d8bc074f7aad, Add new field
    'is_restricted' to SqlMetric and DruidMetric
490 superset_init | INFO [alembic.runtime.migration] Running upgrade d8bc074f7aad -> 27ae655e4247, Make creator
    owners
491 superset_init | INFO [alembic.runtime.migration] Running upgrade 27ae655e4247 -> 960c69cb1f5b, add
    dttm_format related fields in table_columns
492 superset_init | INFO [alembic.runtime.migration] Running upgrade 960c69cb1f5b -> f162a1dea4c4,
    d3format_by_metric
493 superset_init | INFO [alembic.runtime.migration] Running upgrade f162a1dea4c4 -> ad82a75afd82, Update models
    to support storing the queries.
494 superset_init | INFO [alembic.runtime.migration] Running upgrade ad82a75afd82 -> 3c3ffe173e4f,
    add_sql_string_to_table
495 superset_init | INFO [alembic.runtime.migration] Running upgrade 3c3ffe173e4f -> 41f6a59a61f2, database options
    for sql lab
496 superset_init | INFO [alembic.runtime.migration] Running upgrade 41f6a59a61f2 -> 4500485bde7d,
    allow_run_sync_async
497 superset_init | INFO [alembic.runtime.migration] Running upgrade 4500485bde7d -> 65903709c321, allow_dml
498 superset_init | INFO [alembic.runtime.migration] Running upgrade 41f6a59a61f2 -> 33d996bcc382, update slice
    model
499 superset_init | INFO [alembic.runtime.migration] Running upgrade 33d996bcc382, 65903709c321 -> b347b202819b,
    empty message
500 superset_init | INFO [alembic.runtime.migration] Running upgrade b347b202819b -> 5e4a03ef0bf0, Add
    access_request table to manage requests to access datastores.
501 superset_init | INFO [alembic.runtime.migration] Running upgrade 5e4a03ef0bf0 -> eca4694defa7,
    sqllab_setting_defaults
502 superset_init | INFO [alembic.runtime.migration] Running upgrade eca4694defa7 -> ab3d66c4246e,
    add_cache_timeout_to_druid_cluster
503 superset_init | INFO [alembic.runtime.migration] Running upgrade eca4694defa7 -> 3b626e2a6783, Sync DB with
    the models.py.
504 superset_init | INFO [alembic.runtime.migration] Running upgrade 3b626e2a6783, ab3d66c4246e -> ef8843b41dac,
    empty message
505 superset_init | INFO [alembic.runtime.migration] Running upgrade ef8843b41dac -> b46fa1b0b39e, Add
    json_metadata to the tables table.
506 superset_init | INFO [alembic.runtime.migration] Running upgrade b46fa1b0b39e -> 7e3ddad2a00b, results_key to
    query
507 superset_init | INFO [alembic.runtime.migration] Running upgrade 7e3ddad2a00b -> ad4d656d92bc, Add avg() to
    default metrics
508 superset_init | INFO [alembic.runtime.migration] Running upgrade ad4d656d92bc -> c611f2b591b8, dim_spec
509 superset_init | INFO [alembic.runtime.migration] Running upgrade c611f2b591b8 -> e46f2d27a08e, materialize
    perms
510 superset_init | INFO [alembic.runtime.migration] Running upgrade e46f2d27a08e -> f1f2d4af5b90, Enable Filter
    Select
511 superset_init | INFO [alembic.runtime.migration] Running upgrade e46f2d27a08e -> 525c854f0005, log_this_plus
512 superset_init | INFO [alembic.runtime.migration] Running upgrade 525c854f0005, f1f2d4af5b90 -> 6414e83d82b7,
    empty message
513 superset_init | INFO [alembic.runtime.migration] Running upgrade 6414e83d82b7 -> 1296d28ec131, Adds params to
    the datasource (druid) table
514 superset_init | INFO [alembic.runtime.migration] Running upgrade 1296d28ec131 -> f18570e03440, Add index on
    the result key to the query table.

```

515	superset_init table	INFO	[alembic.runtime.migration]	Running upgrade f18570e03440 -> bcf3126872fc, Add keyvalue
516	superset_init update_slice_model_json	INFO	[alembic.runtime.migration]	Running upgrade f18570e03440 -> db0c65b146bd,
517	superset_init	INFO	[alembic.runtime.migration]	Running upgrade db0c65b146bd -> a99f2f7c195a, rewriting url
518	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade a99f2f7c195a, bcf3126872fc -> d6db5a5cdb5d,
519	superset_init verbose_name to druid column	INFO	[alembic.runtime.migration]	Running upgrade d6db5a5cdb5d -> b318dfe5fb6c, adding
520	superset_init predicate	INFO	[alembic.runtime.migration]	Running upgrade d6db5a5cdb5d -> 732f1c06bcfb, add fetch values
521	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 732f1c06bcfb, b318dfe5fb6c -> ea033256294a,
522	superset_init name to DruidCluster and Database	INFO	[alembic.runtime.migration]	Running upgrade b318dfe5fb6c -> db527d8c4c78, Add verbose
523	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade db527d8c4c78, ea033256294a -> 979c03af3341,
524	superset_init query.start_running_time	INFO	[alembic.runtime.migration]	Running upgrade 979c03af3341 -> a6c18f869a4e,
525	superset_init	INFO	[alembic.runtime.migration]	Running upgrade a6c18f869a4e -> 2fcdcb35e487, saved_queries
526	superset_init add_result_backend_time_logging	INFO	[alembic.runtime.migration]	Running upgrade 2fcdcb35e487 -> a65458420354,
527	superset_init	INFO	[alembic.runtime.migration]	Running upgrade a65458420354 -> ca69c70ec99b, tracking_url
528	superset_init impersonate_user to dbs	INFO	[alembic.runtime.migration]	Running upgrade ca69c70ec99b -> a9c47e2c1547, add
529	superset_init	INFO	[alembic.runtime.migration]	Running upgrade ca69c70ec99b -> ddd6ebdd853b, annotations
530	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade a9c47e2c1547, ddd6ebdd853b -> d39b1e37131d,
531	superset_init warning_text	INFO	[alembic.runtime.migration]	Running upgrade ca69c70ec99b -> 19a814813610, Adding metric
532	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 19a814813610, a9c47e2c1547 -> 472d2f73dfd4,
533	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 472d2f73dfd4, d39b1e37131d -> f959a6652acd,
534	superset_init	INFO	[alembic.runtime.migration]	Running upgrade f959a6652acd -> 4736ec66ce19, empty message
535	superset_init update_spatial_params	INFO	[alembic.runtime.migration]	Running upgrade 4736ec66ce19 -> 67a6ac9b727b,
536	superset_init migrate_old_annotation_layers	INFO	[alembic.runtime.migration]	Running upgrade 67a6ac9b727b -> 21e88bc06c02,
537	superset_init	INFO	[alembic.runtime.migration]	Running upgrade 21e88bc06c02 -> e866bd2d4976, smaller_grid
538	superset_init allow_multi_schema_metadata_fetch	INFO	[alembic.runtime.migration]	Running upgrade e866bd2d4976 -> e68c4473c581,
539	superset_init	INFO	[alembic.runtime.migration]	Running upgrade e68c4473c581 -> f231d82b9b26, empty message
540	superset_init cal_heatmap_metric_to_metrics	INFO	[alembic.runtime.migration]	Running upgrade f231d82b9b26 -> bf706ae5eb46,
541	superset_init	INFO	[alembic.runtime.migration]	Running upgrade f231d82b9b26 -> 30bb17c0dc76, empty message
542	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 30bb17c0dc76, bf706ae5eb46 -> c9495751e314,
543	superset_init	INFO	[alembic.runtime.migration]	Running upgrade f231d82b9b26 -> 130915240929, is_sqllab_view
544	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 130915240929, c9495751e314 -> 5ccf602336a0,
545	superset_init template_params to tables	INFO	[alembic.runtime.migration]	Running upgrade 5ccf602336a0 -> e502db2af7be, add
546	superset_init	INFO	[alembic.runtime.migration]	Running upgrade e502db2af7be -> c5756bec8b47, Time grain SQLA
547	superset_init filters	INFO	[alembic.runtime.migration]	Running upgrade c5756bec8b47 -> afb7730f6a9c, remove empty
548	superset_init metric	INFO	[alembic.runtime.migration]	Running upgrade afb7730f6a9c -> 80a67c5192fa, single pie chart
549	superset_init	INFO	[alembic.runtime.migration]	Running upgrade 80a67c5192fa -> bddc498dd179, adhoc filters
550	superset_init percents	INFO	[alembic.runtime.migration]	Running upgrade bddc498dd179 -> 4451805bbaa1, remove double
551	superset_init num_period_compare and period_ratio_type	INFO	[alembic.runtime.migration]	Running upgrade bddc498dd179 -> 3dda56f1c4c6, Migrate
552	superset_init	INFO	[alembic.runtime.migration]	Running upgrade 3dda56f1c4c6 -> 1d9e835a84f9, empty message
553	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 4451805bbaa1, 1d9e835a84f9 -> e3970889f38e,
554	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 4451805bbaa1, 1d9e835a84f9 -> 705732c70154,
555	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 4451805bbaa1, 1d9e835a84f9 -> fc480c87706c,
556	superset_init position_json data from V1 to V2	INFO	[alembic.runtime.migration]	Running upgrade fc480c87706c -> bebcf3fed1fe, Migrate dashboard
557	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade bebcf3fed1fe, 705732c70154 -> ec1f88a35cc6,
558	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 705732c70154, e3970889f38e -> 46ba6aaaac97,
559	superset_init empty message	INFO	[alembic.runtime.migration]	Running upgrade 46ba6aaaac97, ec1f88a35cc6 -> c18bd4186f15,
560	superset_init position_json size by remove extra space and component id prefix	INFO	[alembic.runtime.migration]	Running upgrade c18bd4186f15 -> 7fcdcd0761c, Reduce
561	superset_init attributes table	INFO	[alembic.runtime.migration]	Running upgrade 7fcdcd0761c -> 0c5070e96b57, add user
562	superset_init	INFO	[alembic.runtime.migration]	Running upgrade 0c5070e96b57 -> 1a1d627ebd8e, position_json

563 superset_init | INFO [alembic.runtime.migration] Running upgrade 1a1d627ebd8e -> 55e910a74826, add_metadata_column_to_annotation_model.py

564 superset_init | INFO [alembic.runtime.migration] Running upgrade 55e910a74826 -> 4ce8df208545, empty message

565 superset_init | INFO [alembic.runtime.migration] Running upgrade 4ce8df208545 -> 46f444d8b9b7, remove_coordinator_from_druid_cluster_model.py

566 superset_init | INFO [alembic.runtime.migration] Running upgrade 46f444d8b9b7 -> a61b40f9f57f, remove allow_run_sync

567 superset_init | INFO [alembic.runtime.migration] Running upgrade a61b40f9f57f -> 6c7537a6004a, models for email reports

568 superset_init | INFO [alembic.runtime.migration] Running upgrade 6c7537a6004a -> 3e1b21cd94a4, change_owner_to_m2m_relation_on_datasources.py

569 superset_init | INFO [alembic.runtime.migration] Running upgrade 6c7537a6004a -> cefabc8f7d38, Increase size of name column in ab_view_menu

570 superset_init | INFO [alembic.runtime.migration] Running upgrade 55e910a74826 -> 0b1f1ab473c0, Add extra column to Query

571 superset_init | INFO [alembic.runtime.migration] Running upgrade 0b1f1ab473c0, cefabc8f7d38, 3e1b21cd94a4 -> de021a1ca60d, empty message

572 superset_init | INFO [alembic.runtime.migration] Running upgrade de021a1ca60d -> fb13d49b72f9, better_filters

573 superset_init | INFO [alembic.runtime.migration] Running upgrade fb13d49b72f9 -> a33a03f16c4a, Add extra column to SavedQuery

574 superset_init | INFO [alembic.runtime.migration] Running upgrade 4451805bbaa1, 1d9e835a84f9 -> c829ff0b37d0, empty message

575 superset_init | INFO [alembic.runtime.migration] Running upgrade c829ff0b37d0 -> 7467e77870e4, remove_aggs

576 superset_init | INFO [alembic.runtime.migration] Running upgrade 7467e77870e4, de021a1ca60d -> fbd55e0f83eb, empty message

577 superset_init | INFO [alembic.runtime.migration] Running upgrade fbd55e0f83eb, fb13d49b72f9 -> 8b70aa3d0f87, empty message

578 superset_init | INFO [alembic.runtime.migration] Running upgrade 8b70aa3d0f87, a33a03f16c4a -> 18dc26817ad2, empty message

579 superset_init | INFO [alembic.runtime.migration] Running upgrade 18dc26817ad2 -> c617da68de7d, form nullable

580 superset_init | INFO [alembic.runtime.migration] Running upgrade c617da68de7d -> c82ee8a39623, Add implicit tags

581 superset_init | INFO [alembic.runtime.migration] Running upgrade 18dc26817ad2 -> e553e78e90c5, add_druid_auth_py.py

582 superset_init | INFO [alembic.runtime.migration] Running upgrade e553e78e90c5, c82ee8a39623 -> 45e7da7cfeba, empty message

583 superset_init | INFO [alembic.runtime.migration] Running upgrade 45e7da7cfeba -> 80aa3f04bc82, Add Parent ids in dashboard layout metadata

584 superset_init | INFO [alembic.runtime.migration] Running upgrade 80aa3f04bc82 -> d94d33dbe938, form strip

585 superset_init | INFO [alembic.runtime.migration] Running upgrade d94d33dbe938 -> 937d04c16b64, update datasources

586 superset_init | INFO [alembic.runtime.migration] Running upgrade 937d04c16b64 -> 7f2635b51f5d, update base columns

587 superset_init | INFO [alembic.runtime.migration] Running upgrade 7f2635b51f5d -> e9df189e5c7e, update base metrics

588 superset_init | INFO [alembic.runtime.migration] Running upgrade e9df189e5c7e -> afc69274c25a, update the sql, select_sql, and executed_sql columns in the

589 superset_init | query table in mysql dbs to be long text columns

590 superset_init | INFO [alembic.runtime.migration] Running upgrade afc69274c25a -> d7c1a0d6f2da, Remove limit used from query model

591 superset_init | INFO [alembic.runtime.migration] Running upgrade d7c1a0d6f2da -> ab8c66efdd01, resample

592 superset_init | INFO [alembic.runtime.migration] Running upgrade ab8c66efdd01 -> b4a38aa87893, deprecate database expression

593 superset_init | INFO [alembic.runtime.migration] Running upgrade b4a38aa87893 -> d6ffdf31bdd4, Add published column to dashboards

594 superset_init | INFO [alembic.runtime.migration] Running upgrade d6ffdf31bdd4 -> 190188938582, Remove duplicated entries in dashboard_slices table and add unique constraint

595 superset_init | INFO [alembic.runtime.migration] Running upgrade 190188938582 -> def97f26fdfb, Add index to tagged_object

596 superset_init | INFO [alembic.runtime.migration] Running upgrade def97f26fdfb -> 11c737c17cc6, deprecate_restricted_metrics

597 superset_init | INFO [alembic.runtime.migration] Running upgrade 11c737c17cc6 -> 258b5280a45e, form strip leading and trailing whitespace

598 superset_init | INFO [alembic.runtime.migration] Running upgrade 258b5280a45e -> 1495eb914ad3, time range

599 superset_init | INFO [alembic.runtime.migration] Running upgrade 1495eb914ad3 -> b6fa807eac07, make_names_non_nullable

600 superset_init | INFO [alembic.runtime.migration] Running upgrade b6fa807eac07 -> cca2f5d568c8, add encrypted_extra to dbs

601 superset_init | INFO [alembic.runtime.migration] Running upgrade cca2f5d568c8 -> c2acd2cf3df2, alter type of dbs encrypted_extra

602 superset_init | INFO [alembic.runtime.migration] Running upgrade c2acd2cf3df2 -> 78ee127d0d1d, reconvert legacy filters into adhoc

603 superset_init | INFO [alembic.runtime.migration] Running upgrade 78ee127d0d1d -> db4b49eb0782, Add tables for SQL Lab state

604 superset_init | INFO [alembic.runtime.migration] Running upgrade db4b49eb0782 -> 5afa9079866a, serialize_schema_permissions.py

605 superset_init | INFO [alembic.runtime.migration] Running upgrade 5afa9079866a -> 89115a40e8ea, Change table schema description to long text

606 superset_init | INFO [alembic.runtime.migration] Running upgrade 89115a40e8ea -> 817e1c9b09d0, add_not_null_to_dbs_sqlalchemy_url

607 superset_init | INFO [alembic.runtime.migration] Running upgrade 817e1c9b09d0 -> e96dbf2cfef0, datasource_cluster_fk

608 superset_init | INFO [alembic.runtime.migration] Running upgrade e96dbf2cfef0 -> 3325d4cacc8, empty message

609 superset_init | INFO [alembic.runtime.migration] Running upgrade 3325d4cacc8 -> 0a6f12f60c73, add_role_level_security

610 superset_init | INFO [alembic.runtime.migration] Running upgrade 0a6f12f60c73 -> 72428d1ea401, Add
tmp_schema_name to the query object.

611 superset_init | INFO [alembic.runtime.migration] Running upgrade 72428d1ea401 -> b5998378c225, add certificate
to dbs

612 superset_init | INFO [alembic.runtime.migration] Running upgrade b5998378c225 -> f9a30386bd74,
cleanup_time_granularity

613 superset_init | INFO [alembic.runtime.migration] Running upgrade f9a30386bd74 -> 620241d1153f, update
time_grain_sqla

614 superset_init | INFO [alembic.runtime.migration] Running upgrade 620241d1153f -> 743a117f0d98, Add slack to the
schedule

615 superset_init | INFO [alembic.runtime.migration] Running upgrade 743a117f0d98 -> e557699a813e,
add_tables_relation_to_row_level_security

616 superset_init | INFO [alembic.runtime.migration] Running upgrade e557699a813e -> ea396d202291, Add
ctas_method to the Query object

617 superset_init | INFO [alembic.runtime.migration] Running upgrade ea396d202291 -> a72cb0ebeb22, deprecate
dbs.perm column

618 superset_init | INFO [alembic.runtime.migration] Running upgrade a72cb0ebeb22 -> 2f1d15e8a6af, add_alerts

619 superset_init | INFO [alembic.runtime.migration] Running upgrade 2f1d15e8a6af -> f2672aa8350a,
add_slack_to_alerts

620 superset_init | INFO [alembic.runtime.migration] Running upgrade f2672aa8350a -> f120347acb39, Add extra
column to tables and metrics

621 superset_init | INFO [alembic.runtime.migration] Running upgrade f2672aa8350a -> 978245563a02, Migrate iframe
in dashboard to markdown component

622 superset_init | INFO [alembic.runtime.migration] Running upgrade 978245563a02, f120347acb39 -> f80a3b88324b,
empty message

623 superset_init | INFO [alembic.runtime.migration] Running upgrade f80a3b88324b -> 2e5a0ee25ed4,
refractor_alerting

624 superset_init | INFO [alembic.runtime.migration] Running upgrade f80a3b88324b -> 175ea3592453, Add cache to
datasource lookup table.

625 superset_init | INFO [alembic.runtime.migration] Running upgrade 175ea3592453, 2e5a0ee25ed4 -> ae19b4ee3692,
empty message

626 superset_init | INFO [alembic.runtime.migration] Running upgrade ae19b4ee3692 -> e5ef6828ac4e, add rls filter
type and grouping key

627 superset_init | INFO [alembic.runtime.migration] Running upgrade e5ef6828ac4e -> 3fbbc6e8d654, fix data access
permissions for virtual datasets

628 superset_init | INFO [alembic.runtime.migration] Running upgrade 3fbbc6e8d654 -> 18532d70ab98, Delete
table_name unique constraint in mysql

629 superset_init | INFO [alembic.runtime.migration] Running upgrade 18532d70ab98 -> b56500de1855,
add_uuid_column_to_import_mixin

630 superset_init | INFO [alembic.runtime.migration] Running upgrade b56500de1855 -> af30ca79208f, Collapse alerting
models into a single one

631 superset_init | INFO [alembic.runtime.migration] Running upgrade af30ca79208f -> 585b0b1a7b18, add exec info to
saved queries

632 superset_init | INFO [alembic.runtime.migration] Running upgrade 585b0b1a7b18 -> 96e99fb176a0,
add_import_mixing_to_saved_query

633 superset_init | INFO [alembic.runtime.migration] Running upgrade 96e99fb176a0 -> 49b5a32daba5, add report
schedules

634 superset_init | INFO [alembic.runtime.migration] Running upgrade 49b5a32daba5 -> a8173232b786, Add path to logs

635 superset_init | INFO [alembic.runtime.migration] Running upgrade a8173232b786 -> e38177dbf641, security
converge saved queries

636 superset_init | INFO [alembic.runtime.migration] Running upgrade e38177dbf641 -> 8ee129739cf9, security
converge css templates

637 superset_init | INFO [alembic.runtime.migration] Running upgrade 8ee129739cf9 -> 811494c0cc23, Remove path,
path_no_int, and ref from logs

638 superset_init | INFO [alembic.runtime.migration] Running upgrade 811494c0cc23 -> 5daced1f0e76, reports add
working_timeout column

639 superset_init | INFO [alembic.runtime.migration] Running upgrade 5daced1f0e76 -> 40f16acf1ba7, security converge
reports

640 superset_init | INFO [alembic.runtime.migration] Running upgrade 40f16acf1ba7 -> ccb74baaa89b, security
converge charts

641 superset_init | INFO [alembic.runtime.migration] Running upgrade ccb74baaa89b -> c25cb2c78727, security
converge annotations

642 superset_init | INFO [alembic.runtime.migration] Running upgrade c25cb2c78727 -> 45731db65d9c, security
converge datasets

643 superset_init | INFO [alembic.runtime.migration] Running upgrade 45731db65d9c -> 4b84f97828aa, security
converge logs

644 superset_init | INFO [alembic.runtime.migration] Running upgrade 4b84f97828aa -> 1f6dca87d1a2, security
converge dashboards

645 superset_init | INFO [alembic.runtime.migration] Running upgrade 1f6dca87d1a2 -> 42b4c9e01447, security
converge databases

646 superset_init | INFO [alembic.runtime.migration] Running upgrade 42b4c9e01447 -> e37912a26567, security
converge queries

647 superset_init | INFO [alembic.runtime.migration] Running upgrade e37912a26567 -> ab104a954a8f, reports alter
crontab size

648 superset_init | INFO [alembic.runtime.migration] Running upgrade ab104a954a8f -> 73fd22e742ab,
add_dynamic_plugins.py

649 superset_init | INFO [alembic.runtime.migration] Running upgrade 73fd22e742ab -> c878781977c6, alert reports
shared uniqueness

650 superset_init | INFO [alembic.runtime.migration] Running upgrade c878781977c6 -> 260bf0649a77, migrate [x
dateunit] to [x dateunit ago/later]

651 superset_init | INFO [alembic.runtime.migration] Running upgrade 260bf0649a77 -> e11ccdd12658, add roles
relationship to dashboard

652 superset_init | INFO [alembic.runtime.migration] Running upgrade e11ccdd12658 -> 41ce8799acc3, rename pie label
type

653 superset_init | INFO [alembic.runtime.migration] Running upgrade 41ce8799acc3 -> 070c043f2fdb, add granularity
to charts where missing
654 superset_init | INFO [alembic.runtime.migration] Running upgrade 070c043f2fdb -> c501b7c653a3, add missing uuid
column
655 superset_init | INFO [alembic.runtime.migration] Running upgrade c501b7c653a3 -> 1412ec1e5a7b, legacy force
directed to echart
656 superset_init | INFO [alembic.runtime.migration] Running upgrade 1412ec1e5a7b -> 67da9ef1ef9c, add
hide_left_bar to tabstate
657 superset_init | INFO [alembic.runtime.migration] Running upgrade 67da9ef1ef9c -> 989bbe479899,
rename_filter_configuration_in_dashboard_metadata.py
658 superset_init | INFO [alembic.runtime.migration] Running upgrade 989bbe479899 -> 301362411006,
add_execution_id_to_report_execution_log_model.py
659 superset_init | INFO [alembic.runtime.migration] Running upgrade 301362411006 -> 134cea61c5e7, remove dataset
health check message
660 superset_init | INFO [alembic.runtime.migration] Running upgrade 134cea61c5e7 -> 085f06488938, Country map
use lowercase country name
661 superset_init | INFO [alembic.runtime.migration] Running upgrade 085f06488938 -> fc3a3a8ff221, migrate filter sets
to new format
662 superset_init | INFO [alembic.runtime.migration] Running upgrade fc3a3a8ff221 -> 19e978e1b9c3,
add_report_format_to_report_schedule_model.py
663 superset_init | INFO [alembic.runtime.migration] Running upgrade 19e978e1b9c3 -> d416d0d715cc,
add_limiting_factor_column_to_query_model.py
664 superset_init | INFO [alembic.runtime.migration] Running upgrade d416d0d715cc -> f1410ed7ec95, migrate native
filters to new schema
665 superset_init | INFO [alembic.runtime.migration] Running upgrade f1410ed7ec95 -> 453530256cea,
add_save_form_column_to_db_model
666 superset_init | INFO [alembic.runtime.migration] Running upgrade 453530256cea -> 3317e9248280,
add_creation_method_to_reports_model
667 superset_init | INFO [alembic.runtime.migration] Running upgrade 3317e9248280 -> 030c840e3a1c, Add query
context to slices
668 superset_init | INFO [alembic.runtime.migration] Running upgrade 030c840e3a1c -> ae1ed299413b,
add_timezone_to_report_schedule
669 superset_init | INFO [alembic.runtime.migration] Running upgrade ae1ed299413b -> 31b2a1039d4a, drop tables
constraint
670 superset_init | INFO [alembic.runtime.migration] Running upgrade 31b2a1039d4a -> e323605f370a, fix
schemas_allowed_for_csv_upload
671 superset_init | INFO [alembic.runtime.migration] Running upgrade e323605f370a -> 143b6f2815da, migrate pivot
table v2 heatmaps to new format
672 superset_init | INFO [alembic.runtime.migration] Running upgrade 143b6f2815da -> f6196627326f, update chart
permissions
673 superset_init | INFO [alembic.runtime.migration] Running upgrade f6196627326f -> 6d20ba9ecb33,
add_last_saved_at_to_slice_model
674 superset_init | INFO [alembic.runtime.migration] Running upgrade 6d20ba9ecb33 -> 07071313dd52,
change_fetch_values_predicate_to_text
675 superset_init | INFO [alembic.runtime.migration] Running upgrade 07071313dd52 -> 021b81fe4fbb, Add type to
native filter configuration
676 superset_init | INFO [alembic] [AddTypeToNativeFilter] Starting upgrade
677 superset_init | INFO [alembic] [AddTypeToNativeFilter] Done!
678 superset_init | INFO [alembic.runtime.migration] Running upgrade 021b81fe4fbb -> 181091c0ef16,
add_extra_column_to_columns_model
679 superset_init | INFO [alembic.runtime.migration] Running upgrade 181091c0ef16 -> 3ebe0993c770, add filter set
model
680 superset_init | INFO [alembic.runtime.migration] Running upgrade 3ebe0993c770 -> 60dc453f4e2e, migrate
timeseries_limit_metric to legacy_order_by in pivot_table_v2
681 superset_init | INFO [alembic.runtime.migration] Running upgrade 60dc453f4e2e -> 32646df09c64, update time
grain SQLA
682 superset_init | INFO [alembic.runtime.migration] Running upgrade 32646df09c64 -> f9847149153d,
add_certifications_columns_to_slice
683 superset_init | INFO [alembic.runtime.migration] Running upgrade f9847149153d -> aea15018d53b,
add_certifications_columns_to_dashboard
684 superset_init | INFO [alembic.runtime.migration] Running upgrade aea15018d53b -> b92d69a6643c,
rename_csv_to_file
685 superset_init | INFO [alembic.runtime.migration] Running upgrade b92d69a6643c -> 0ca9e5f1dacd, rename to
schemas_allowed_for_file_upload in dbs.extra
686 superset_init | INFO [alembic.runtime.migration] Running upgrade 0ca9e5f1dacd -> abe27eaf93db,
add_extra_config_column_to_alerts
687 superset_init | INFO [alembic.runtime.migration] Running upgrade abe27eaf93db -> 3ba29ecbaac5, Change datatype
of type in BaseColumn
688 superset_init | INFO [alembic.runtime.migration] Running upgrade 3ba29ecbaac5 -> fe23025b9441,
rename_big_viz_total_form_data_fields
689 superset_init | INFO [alembic.runtime.migration] Running upgrade fe23025b9441 -> 31bb738bd1d2,
move_pivot_table_v2_legacy_order_by_to_timeseries_limit_metric
690 superset_init | INFO [alembic.runtime.migration] Running upgrade 31bb738bd1d2 -> bb38f40aa3ff, Add
force_screenshot to alerts/reports
691 superset_init | INFO [alembic.runtime.migration] Running upgrade bb38f40aa3ff -> c53bae8f08dd,
add_saved_query_foreign_key_to_tab_state
692 superset_init | INFO [alembic.runtime.migration] Running upgrade c53bae8f08dd -> 5fd49410a97a, Add columns for
external management
693 superset_init | INFO [alembic.runtime.migration] Running upgrade 5fd49410a97a -> 5afbb1a5849b,
add_embedded_dashboard_table
694 superset_init | INFO [alembic.runtime.migration] Running upgrade 5afbb1a5849b -> b8d3a24d9131, New dataset
models
695 superset_init | INFO [alembic.runtime.migration] Running upgrade b8d3a24d9131 -> b5a422d8e252, fix query and
saved_query null schema

```

696 superset_init | INFO [alembic.runtime.migration] Running upgrade b5a422d8e252 -> ab9a9d86e695, deprecate
time_range_endpoints
697 superset_init | INFO [alembic.runtime.migration] Running upgrade ab9a9d86e695 -> 7293b0ca7944,
change_adhoc_filter_b_from_none_to_empty_array
698 superset_init | INFO [alembic.runtime.migration] Running upgrade 7293b0ca7944 -> 6766938c6065, add key-value
store
699 superset_init | INFO [alembic.runtime.migration] Running upgrade 6766938c6065 -> 58df9d617f14,
add_on_saved_query_delete_tab_state_null_constraint"
700 superset_init | INFO [alembic.runtime.migration] Running upgrade 58df9d617f14 -> 2ed890b36b94,
rm_time_range_endpoints_from_qc
701 superset_init | INFO [alembic.runtime.migration] Running upgrade 2ed890b36b94 -> b0d0249074e4, deprecate
time_range_endpoints v2
702 superset_init | INFO [alembic.runtime.migration] Running upgrade 2ed890b36b94 -> 8b841273bec3,
sql_lab_models_database_constraint_updates
703 superset_init | INFO [alembic.runtime.migration] Running upgrade 8b841273bec3, b0d0249074e4 ->
9d8a8d575284, merge point
704 superset_init | INFO [alembic.runtime.migration] Running upgrade 9d8a8d575284 -> cecc6bf46990,
rm_time_range_endpoints_2
705 superset_init | INFO [alembic.runtime.migration] Running upgrade cecc6bf46990 -> ad07e4fdbaba,
rm_time_range_endpoints_from_qc_3
706 superset_init | INFO [alembic.runtime.migration] Running upgrade ad07e4fdbaba -> a9422eeaae74,
new_dataset_models_take_2
707 superset_init | INFO [alembic.runtime.migration] Running upgrade a9422eeaae74 -> cbe71abde154, fix report
schedule and execution log
708 superset_init | INFO [alembic.runtime.migration] Running upgrade cbe71abde154 -> 6f139c533bea, adding
advanced data type to column models
709 superset_init | INFO [alembic.runtime.migration] Running upgrade 6f139c533bea -> e786798587de, Delete None
permissions
710 superset_init | INFO [alembic.runtime.migration] Running upgrade e786798587de -> e09b4ae78457, Resize
key_value blob
711 superset_init | INFO [alembic.runtime.migration] Running upgrade e09b4ae78457 -> f3afaf1f11f0,
add_unique_name_desc_rls
712 superset_init | INFO [alembic.runtime.migration] Running upgrade f3afaf1f11f0 -> 7fb8bca906d2,
permalink_rename_filterState
713 superset_init | INFO [alembic.runtime.migration] Running upgrade 7fb8bca906d2 -> cdcf3d64daf4, Add user_id and
dtm composite index to Log model
714 superset_init | INFO [alembic.runtime.migration] Running upgrade cdcf3d64daf4 -> c747c78868b6, Migrating legacy
TreeMap
715 superset_init | INFO [alembic.runtime.migration] Running upgrade c747c78868b6 -> 06e1e70058c7, Migrating
legacy Area
716 superset_init | INFO [alembic.runtime.migration] Running upgrade 06e1e70058c7 -> a39867932713,
query_context_to_mediumtext
717 superset_init | INFO [alembic.runtime.migration] Running upgrade a39867932713 -> 409c7b420ab0, add
created_by_fk as owner
718 superset_init | INFO [alembic.runtime.migration] Running upgrade 409c7b420ab0 -> ffa79af61a56, rename
report_schedule.extra to extra_json
719 superset_init | INFO [alembic.runtime.migration] Running upgrade ffa79af61a56 -> 6d3c6f9d665d,
fix_table_chart_conditional_formatting_colors
720 superset_init | INFO [alembic.runtime.migration] Running upgrade 6d3c6f9d665d -> 291f024254b5,
drop_column_allow_multi_schema_metadata_fetch
721 superset_init | INFO [alembic.runtime.migration] Running upgrade 291f024254b5 -> deb4c9d4a4ef, parameters in
saved queries
722 superset_init | INFO [alembic.runtime.migration] Running upgrade deb4c9d4a4ef -> 4ce1d9b25135,
remove_filter_bar_orientation
723 superset_init | INFO [alembic.runtime.migration] Running upgrade 4ce1d9b25135 -> f3c2d8ec8595,
create_ssh_tunnel_credentials_tbl
724 superset_init | INFO [alembic.runtime.migration] Running upgrade f3c2d8ec8595 -> c0a3ea245b61,
remove_show_native_filters
725 superset_init | INFO [alembic.runtime.migration] Running upgrade c0a3ea245b61 -> d0ac08bb5b83,
invert_horizontal_bar_chart_order
726 superset_init | INFO [alembic.runtime.migration] Running upgrade d0ac08bb5b83 -> b5ea9d343307,
bar_chart_stack_options
727 superset_init | INFO [alembic.runtime.migration] Running upgrade b5ea9d343307 -> 07f9a902af1b, drop postgres
enum constrains for tags
728 superset_init | INFO [alembic.runtime.migration] Running upgrade 07f9a902af1b -> 7e67aecbf3f1,
chart-ds-constraint
729 superset_init | INFO [alembic.runtime.migration] Running upgrade 7e67aecbf3f1 -> 9c2a5681ddfd, convert
key-value entries to json
730 superset_init | INFO [alembic.runtime.migration] Running upgrade 9c2a5681ddfd -> 4ea966691069,
cross-filter-global-scoping
731 superset_init | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
732 superset_init |
733 Cleaning up slice uuid from dashboard position json.. Done.      ition json..
734 superset_init |
735 superset_init | Updated 0 pie chart labels.
736 superset_init | 0 slices altered
737 superset_init |
738 Cleaning up slice uuid from dashboard position json.. Done.      ition json..
739 superset_init |
740 superset_init | Updated 0 native filter configurations.
741 superset_init | Updated 0 filter sets with 0 filters.
742 superset_init | Upgraded 0 filters and 0 filter sets.
743 superset_init | Upgraded 0 slices.
744 superset_init | slices updated with no time_range_endpoints: 0

```

```

745 superset_init | >> Assign new UUIDs to tables...
746 superset_init | >> Drop intermediate columns...
747 superset_init |
748 superset_init |
#####
749 superset_init |
750 superset_init |
751 superset_init | Init Step 1/4 [Complete] -- Applying DB migrations
752 superset_init |
753 superset_init |
754 superset_init |
#####
755 superset_init |
756 superset_init |
757 superset_init |
#####
758 superset_init |
759 superset_init |
760 superset_init | Init Step 2/4 [Starting] -- Setting up admin user ( admin / admin )
761 superset_init |
762 superset_init |
763 superset_init |
#####
764 superset_init |
765 superset_init | logging was configured successfully
766 superset_init | 2023-05-26 11:38:44,477:INFO:superset.utils.logging_configurator:logging was configured successfully
767 superset_init | 2023-05-26 11:38:44,482:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
768 superset_init | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure to
configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
769 superset_init | 2023-05-26 11:38:44,483:WARNING:superset.initialization:We haven't found any Content Security
Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check
https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more information. You can disable this warning using the
CONTENT_SECURITY_POLICY_WARNING key.
770 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated
caching backend for production deployments
771 superset_init | 2023-05-26 11:38:44,486:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is recommended
to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
772 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another
dedicated caching backend for production deployments
773 superset_init | 2023-05-26 11:38:44,489:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is
recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
774 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects'
relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
775 superset_init | for prop in class_mapper(obj).iterate_properties:
776 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the
'TaggedObject.tag' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
777 superset_init | for prop in class_mapper(obj).iterate_properties:
778 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column slices.id to column tagged_object.object_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id). If this is not the intention, consider if these
relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are
read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can
be used to isolate the columns that should be written towards. To silence this warning, add the parameter
'overlaps="tags"' to the 'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
779 superset_init | for prop in class_mapper(obj).iterate_properties:
780 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id),
'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects,tag,tags"' to the
'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
781 superset_init | for prop in class_mapper(obj).iterate_properties:
782 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'SqliTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s):

```



```
'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should be
linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the
'SqlaTable.slices' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
783 superset_init | for prop in class_mapper(obj).iterate_properties:
784 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with
relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to
tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or
if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key
constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written
towards. To silence this warning, add the parameter 'overlaps="tags, tags"' to the 'Dashboard.tags' relationship.
(Background on this error at: https://sqlalche.me/e/14/qzyx)
785 superset_init | for prop in class_mapper(obj).iterate_properties:
786 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects'
(copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the
intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one
or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the
orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add
the parameter 'overlaps="objects, tag, tags, tags"' to the 'Dashboard.tags' relationship. (Background on this error at:
https://sqlalche.me/e/14/qzyx)
787 superset_init | for prop in class_mapper(obj).iterate_properties:
788 superset_init | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
789 superset_init | Recognized Database Authentications.
790 superset_init | Admin User admin created.
791 superset_init |
792 superset_init |
#####
793 superset_init |
794 superset_init |
795 superset_init | Init Step 2/4 [Complete] -- Setting up admin user
796 superset_init |
797 superset_init |
798 superset_init |
#####
799 superset_init |
800 superset_init |
801 superset_init |
#####
802 superset_init |
803 superset_init |
804 superset_init | Init Step 3/4 [Starting] -- Setting up roles and perms
805 superset_init |
806 superset_init |
807 superset_init |
#####
808 superset_init |
809 superset_init | logging was configured successfully
810 superset_init | 2023-05-26 11:38:49,453:INFO:superset.utils.logging_configurator:logging was configured successfully
811 superset_init | 2023-05-26 11:38:49,458:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
812 superset_init | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure to
configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
813 superset_init | 2023-05-26 11:38:49,459:WARNING:superset.initialization:We haven't found any Content Security
Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check
https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more information. You can disable this warning using the
CONTENT_SECURITY_POLICY_WARNING key.
814 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated
caching backend for production deployments
815 superset_init | 2023-05-26 11:38:49,461:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is recommended
to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
816 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another
dedicated caching backend for production deployments
817 superset_init | 2023-05-26 11:38:49,464:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is
recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
818 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects'
relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
819 superset_init | for prop in class_mapper(obj).iterate_properties:
820 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
```

```

relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the
'TaggedObject.tag' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
821 superset_init | for prop in class_mapper(obj).iterate_properties:
822 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column slices.id to column tagged_object.object_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id). If this is not the intention, consider if these
relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are
read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can
be used to isolate the columns that should be written towards. To silence this warning, add the parameter
'overlaps="tags"' to the 'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
823 superset_init | for prop in class_mapper(obj).iterate_properties:
824 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id),
'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects,tag,tags"' to the
'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
825 superset_init | for prop in class_mapper(obj).iterate_properties:
826 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'SqaTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s):
'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should be
linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the
'SqaTable.slices' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
827 superset_init | for prop in class_mapper(obj).iterate_properties:
828 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with
relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to
tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or
if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key
constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written
towards. To silence this warning, add the parameter 'overlaps="tags,tags"' to the 'Dashboard.tags' relationship.
(Background on this error at: https://sqlalche.me/e/14/qzyx)
829 superset_init | for prop in class_mapper(obj).iterate_properties:
830 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects'
(copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the
intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one
or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the
orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add
the parameter 'overlaps="objects,tag,tags,tags"' to the 'Dashboard.tags' relationship. (Background on this error at:
https://sqlalche.me/e/14/qzyx)
831 superset_init | for prop in class_mapper(obj).iterate_properties:
832 superset_app | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
833 superset_app | 127.0.0.1 - - [26/May/2023:11:38:54 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
834 superset_init | Syncing role definition
835 superset_init | 2023-05-26 11:38:55,703:INFO:superset.security.manager:Syncing role definition
836 superset_init | Syncing Admin perms
837 superset_init | 2023-05-26 11:38:55,780:INFO:superset.security.manager:Syncing Admin perms
838 superset_init | Syncing Alpha perms
839 superset_init | 2023-05-26 11:38:55,949:INFO:superset.security.manager:Syncing Alpha perms
840 superset_init | Syncing Gamma perms
841 superset_init | 2023-05-26 11:38:56,474:INFO:superset.security.manager:Syncing Gamma perms
842 superset_init | Syncing granter perms
843 superset_init | 2023-05-26 11:38:56,982:INFO:superset.security.manager:Syncing granter perms
844 superset_init | Syncing sql_lab perms
845 superset_init | 2023-05-26 11:38:57,408:INFO:superset.security.manager:Syncing sql_lab perms
846 superset_init | Fetching a set of all perms to lookup which ones are missing
847 superset_init | 2023-05-26 11:38:57,898:INFO:superset.security.manager:Fetching a set of all perms to lookup which
ones are missing
848 superset_init | Creating missing datasource permissions.
849 superset_init | 2023-05-26 11:38:58,049:INFO:superset.security.manager:Creating missing datasource permissions.
850 superset_init | Creating missing database permissions.
851 superset_init | 2023-05-26 11:38:58,056:INFO:superset.security.manager:Creating missing database permissions.
852 superset_init | Cleaning faulty perms
853 superset_init | 2023-05-26 11:38:58,064:INFO:superset.security.manager:Cleaning faulty perms
854 superset_init | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
855 superset_init |
856 superset_init |
#####
857 superset_init |
858 superset_init |
859 superset_init | Init Step 3/4 [Complete] -- Setting up roles and perms
860 superset_init |
861 superset_init |
862 superset_init |

```

```
#####
863 superset_init |
864 superset_init |
865 superset_init |
#####
866 superset_init |
867 superset_init |
868 superset_init | Init Step 4/4 [Starting] -- Loading examples
869 superset_init |
870 superset_init |
871 superset_init |
#####
872 superset_init |
873 superset_worker_beat | [2023-05-26 11:39:00,016: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
874 superset_worker | [2023-05-26 11:39:00,038: INFO/MainProcess] Task
reports.scheduler[e0b6e6cb-a430-4e05-9064-fbf3a7428011] received
875 superset_worker | [2023-05-26 11:39:00,102: INFO/ForkPoolWorker-1] Task
reports.scheduler[e0b6e6cb-a430-4e05-9064-fbf3a7428011] succeeded in 0.0623677390000239s: None
876 superset_init | logging was configured successfully
877 superset_init | 2023-05-26 11:39:02,215:INFO:superset.utils.logging_configurator:logging was configured successfully
878 superset_init | 2023-05-26 11:39:02,221:INFO:root:Configured event logger of type <class
'superset.utils.log.DBEventLogger'>
879 superset_init | We haven't found any Content Security Policy (CSP) defined in the configurations. Please make sure to
configure CSP using the TALISMAN_ENABLED and TALISMAN_CONFIG keys or any other external software. Failing to
configure CSP have serious security implications. Check https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more
information. You can disable this warning using the CONTENT_SECURITY_POLICY_WARNING key.
880 superset_init | 2023-05-26 11:39:02,221:WARNING:superset.initialization:We haven't found any Content Security
Policy (CSP) defined in the configurations. Please make sure to configure CSP using the TALISMAN_ENABLED and
TALISMAN_CONFIG keys or any other external software. Failing to configure CSP have serious security implications. Check
https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP for more information. You can disable this warning using the
CONTENT_SECURITY_POLICY_WARNING key.
881 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`FILTER_STATE_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another dedicated
caching backend for production deployments
882 superset_init | 2023-05-26 11:39:02,224:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `FILTER_STATE_CACHE_CONFIG`. It is recommended
to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
883 superset_init | Falling back to the built-in cache, that stores data in the metadata database, for the following cache:
`EXPLORE_FORM_DATA_CACHE_CONFIG`. It is recommended to use `RedisCache`, `MemcachedCache` or another
dedicated caching backend for production deployments
884 superset_init | 2023-05-26 11:39:02,228:WARNING:superset.utils.cache_manager:Falling back to the built-in cache,
that stores data in the metadata database, for the following cache: `EXPLORE_FORM_DATA_CACHE_CONFIG`. It is
recommended to use `RedisCache`, `MemcachedCache` or another dedicated caching backend for production deployments
885 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Tag.objects' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the 'Tag.objects'
relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
886 superset_init | for prop in class_mapper(obj).iterate_properties:
887 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'TaggedObject.tag' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="tags"' to the
'TaggedObject.tag' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
888 superset_init | for prop in class_mapper(obj).iterate_properties:
889 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column slices.id to column tagged_object.object_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id). If this is not the intention, consider if these
relationships should be linked with back_populates, or if viewonly=True should be applied to one or more if they are
read-only. For the less common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can
be used to isolate the columns that should be written towards. To silence this warning, add the parameter
'overlaps="tags"' to the 'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
890 superset_init | for prop in class_mapper(obj).iterate_properties:
891 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Slice.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects' (copies tag.id to tagged_object.tag_id),
'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the intention, consider if these relationships should
be linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="objects,tag,tags"' to the
'Slice.tags' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
892 superset_init | for prop in class_mapper(obj).iterate_properties:
893 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'SqlaTable.slices' will copy column tables.id to column slices.datasource_id, which conflicts with relationship(s):
'Slice.table' (copies tables.id to slices.datasource_id). If this is not the intention, consider if these relationships should be
linked with back_populates, or if viewonly=True should be applied to one or more if they are read-only. For the less
common case that foreign key constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the
columns that should be written towards. To silence this warning, add the parameter 'overlaps="table"' to the
'SqlaTable.slices' relationship. (Background on this error at: https://sqlalche.me/e/14/qzyx)
```

```
894 superset_init | for prop in class_mapper(obj).iterate_properties:
895 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column dashboards.id to column tagged_object.object_id, which conflicts with
relationship(s): 'SavedQuery.tags' (copies saved_query.id to tagged_object.object_id), 'Slice.tags' (copies slices.id to
tagged_object.object_id). If this is not the intention, consider if these relationships should be linked with back_populates, or
if viewonly=True should be applied to one or more if they are read-only. For the less common case that foreign key
constraints are partially overlapping, the orm.foreign() annotation can be used to isolate the columns that should be written
towards. To silence this warning, add the parameter 'overlaps="tags, tags"' to the 'Dashboard.tags' relationship.
(Background on this error at: https://sqlalche.me/e/14/qzyx)
896 superset_init | for prop in class_mapper(obj).iterate_properties:
897 superset_init | /usr/local/lib/python3.9/site-packages/flask_appbuilder/models/sqla/interface.py:67: SAWarning:
relationship 'Dashboard.tags' will copy column tag.id to column tagged_object.tag_id, which conflicts with relationship(s):
'SavedQuery.tags' (copies tag.id to tagged_object.tag_id), 'Slice.tags' (copies tag.id to tagged_object.tag_id), 'Tag.objects'
(copies tag.id to tagged_object.tag_id), 'TaggedObject.tag' (copies tag.id to tagged_object.tag_id). If this is not the
intention, consider if these relationships should be linked with back_populates, or if viewonly=True should be applied to one
or more if they are read-only. For the less common case that foreign key constraints are partially overlapping, the
orm.foreign() annotation can be used to isolate the columns that should be written towards. To silence this warning, add
the parameter 'overlaps="objects, tag, tags, tags"' to the 'Dashboard.tags' relationship. (Background on this error at:
https://sqlalche.me/e/14/qzyx)
898 superset_init | for prop in class_mapper(obj).iterate_properties:
899 superset_init | Creating database reference for examples
900 superset_init | 2023-05-26 11:39:03,949:INFO:superset.utils.database:Creating database reference for examples
901 superset_app | 127.0.0.1 - - [26/May/2023:11:39:24 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
902 superset_app | 127.0.0.1 - - [26/May/2023:11:39:54 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
903 superset_worker_beat | [2023-05-26 11:40:00,048: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
904 superset_worker | [2023-05-26 11:40:00,052: INFO/MainProcess] Task
reports.scheduler[04db18fe-ca21-4ca6-b8da-7ace9d97d232] received
905 superset_worker | [2023-05-26 11:40:00,083: INFO/ForkPoolWorker-1] Task
reports.scheduler[04db18fe-ca21-4ca6-b8da-7ace9d97d232] succeeded in 0.02986082699999315s: None
906 superset_app | 127.0.0.1 - - [26/May/2023:11:40:24 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
907 superset_app | 127.0.0.1 - - [26/May/2023:11:40:54 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
908 superset_worker_beat | [2023-05-26 11:41:00,035: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
909 superset_worker | [2023-05-26 11:41:00,058: INFO/MainProcess] Task
reports.scheduler[c02d8452-69be-4d73-abf4-9b439fe39840] received
910 superset_worker | [2023-05-26 11:41:00,232: INFO/ForkPoolWorker-1] Task
reports.scheduler[c02d8452-69be-4d73-abf4-9b439fe39840] succeeded in 0.15443705300003785s: None
911 superset_app | 127.0.0.1 - - [26/May/2023:11:41:24 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
912 superset_init | /app/superset/commands/importers/v1/utls.py:112: SAWarning: TypeDecorator EncryptedType() will
not produce a cache key because the ``cache_ok`` attribute is not set to True. This can have significant performance
implications including some performance degradations in comparison to prior SQLAlchemy versions. Set this attribute to
True if this type object's state is safe to use in a cache key, or False to disable this warning. (Background on this error at:
https://sqlalche.me/e/14/cprf)
913 superset_init | for uuid, password in db.session.query(Database.uuid, Database.password).all()
914 superset_init | /app/superset/commands/importers/v1/utls.py:117: SAWarning: TypeDecorator EncryptedType() will
not produce a cache key because the ``cache_ok`` attribute is not set to True. This can have significant performance
implications including some performance degradations in comparison to prior SQLAlchemy versions. Set this attribute to
True if this type object's state is safe to use in a cache key, or False to disable this warning. (Background on this error at:
https://sqlalche.me/e/14/cprf)
915 superset_init | for uuid, password in db.session.query(SSHTunnel.uuid, SSHTunnel.password).all()
916 superset_init | /app/superset/commands/importers/v1/utls.py:122: SAWarning: TypeDecorator EncryptedType() will
not produce a cache key because the ``cache_ok`` attribute is not set to True. This can have significant performance
implications including some performance degradations in comparison to prior SQLAlchemy versions. Set this attribute to
True if this type object's state is safe to use in a cache key, or False to disable this warning. (Background on this error at:
https://sqlalche.me/e/14/cprf)
917 superset_init | for uuid, private_key in db.session.query(
918 superset_init | /app/superset/commands/importers/v1/utls.py:129: SAWarning: TypeDecorator EncryptedType() will
not produce a cache key because the ``cache_ok`` attribute is not set to True. This can have significant performance
implications including some performance degradations in comparison to prior SQLAlchemy versions. Set this attribute to
True if this type object's state is safe to use in a cache key, or False to disable this warning. (Background on this error at:
https://sqlalche.me/e/14/cprf)
919 superset_init | for uuid, private_key_password in db.session.query(
920 superset_init | Importing new tables public.FCC 2018 Survey
921 superset_init | 2023-05-26 11:41:41,228:INFO:superset.models.helpers:Importing new tables public.FCC 2018 Survey
922 superset_init | Dataset has no database will retry with database_id to set permission
923 superset_init | 2023-05-26 11:41:41,231:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
924 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
925 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
926 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
927 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
928 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
929 superset_init | obj = obj_query.one_or_none()
930 superset_init | Importing new sql_metrics count
931 superset_init | 2023-05-26 11:41:41,247:INFO:superset.models.helpers:Importing new sql_metrics count
932 superset_init | Importing new table_columns highest_degree_earned
933 superset_init | 2023-05-26 11:41:41,252:INFO:superset.models.helpers:Importing new table_columns
```


	highest_degree_earned	
934	superset_init	Importing new table_columns job_location_preference
935	superset_init	2023-05-26 11:41:41,256:INFO:superset.models.helpers:Importing new table_columns job_location_preference
936	superset_init	Importing new table_columns ethnic_minority
937	superset_init	2023-05-26 11:41:41,259:INFO:superset.models.helpers:Importing new table_columns ethnic_minority
938	superset_init	Importing new table_columns willing_to_relocate
939	superset_init	2023-05-26 11:41:41,263:INFO:superset.models.helpers:Importing new table_columns willing_to_relocate
940	superset_init	Importing new table_columns developer_type
941	superset_init	2023-05-26 11:41:41,266:INFO:superset.models.helpers:Importing new table_columns developer_type
942	superset_init	Importing new table_columns first_time_developer
943	superset_init	2023-05-26 11:41:41,270:INFO:superset.models.helpers:Importing new table_columns first_time_developer
944	superset_init	Importing new table_columns gender
945	superset_init	2023-05-26 11:41:41,273:INFO:superset.models.helpers:Importing new table_columns gender
946	superset_init	Importing new table_columns calc_first_time_dev
947	superset_init	2023-05-26 11:41:41,276:INFO:superset.models.helpers:Importing new table_columns calc_first_time_dev
948	superset_init	Importing new table_columns yt_codingtuts360
949	superset_init	2023-05-26 11:41:41,280:INFO:superset.models.helpers:Importing new table_columns yt_codingtuts360
950	superset_init	Importing new table_columns is_recv_disab_bnft
951	superset_init	2023-05-26 11:41:41,283:INFO:superset.models.helpers:Importing new table_columns is_recv_disab_bnft
952	superset_init	Importing new table_columns job_intr_qa_engn
953	superset_init	2023-05-26 11:41:41,286:INFO:superset.models.helpers:Importing new table_columns job_intr_qa_engn
954	superset_init	Importing new table_columns has_high_spd_ntnet
955	superset_init	2023-05-26 11:41:41,289:INFO:superset.models.helpers:Importing new table_columns has_high_spd_ntnet
956	superset_init	Importing new table_columns is_first_dev_job
957	superset_init	2023-05-26 11:41:41,293:INFO:superset.models.helpers:Importing new table_columns is_first_dev_job
958	superset_init	Importing new table_columns job_intr_ux_engn
959	superset_init	2023-05-26 11:41:41,296:INFO:superset.models.helpers:Importing new table_columns job_intr_ux_engn
960	superset_init	Importing new table_columns bootcamp_have_loan
961	superset_init	2023-05-26 11:41:41,299:INFO:superset.models.helpers:Importing new table_columns bootcamp_have_loan
962	superset_init	Importing new table_columns podcast_js_jabber
963	superset_init	2023-05-26 11:41:41,303:INFO:superset.models.helpers:Importing new table_columns podcast_js_jabber
964	superset_init	Importing new table_columns job_intr_datasci
965	superset_init	2023-05-26 11:41:41,306:INFO:superset.models.helpers:Importing new table_columns job_intr_datasci
966	superset_init	Importing new table_columns job_intr_dataengn
967	superset_init	2023-05-26 11:41:41,309:INFO:superset.models.helpers:Importing new table_columns job_intr_dataengn
968	superset_init	Importing new table_columns rsrc_khan_acdm
969	superset_init	2023-05-26 11:41:41,313:INFO:superset.models.helpers:Importing new table_columns rsrc_khan_acdm
970	superset_init	Importing new table_columns has_finance_depends
971	superset_init	2023-05-26 11:41:41,316:INFO:superset.models.helpers:Importing new table_columns has_finance_depends
972	superset_init	Importing new table_columns has_served_military
973	superset_init	2023-05-26 11:41:41,319:INFO:superset.models.helpers:Importing new table_columns has_served_military
974	superset_init	Importing new table_columns job_intr_backend
975	superset_init	2023-05-26 11:41:41,323:INFO:superset.models.helpers:Importing new table_columns job_intr_backend
976	superset_init	Importing new table_columns job_intr_teacher
977	superset_init	2023-05-26 11:41:41,326:INFO:superset.models.helpers:Importing new table_columns job_intr_teacher
978	superset_init	Importing new table_columns months_job_search
979	superset_init	2023-05-26 11:41:41,329:INFO:superset.models.helpers:Importing new table_columns months_job_search
980	superset_init	Importing new table_columns student_debt_has
981	superset_init	2023-05-26 11:41:41,333:INFO:superset.models.helpers:Importing new table_columns student_debt_has
982	superset_init	Importing new table_columns student_debt_amt
983	superset_init	2023-05-26 11:41:41,336:INFO:superset.models.helpers:Importing new table_columns student_debt_amt
984	superset_init	Importing new table_columns job_intr_gamedev
985	superset_init	2023-05-26 11:41:41,340:INFO:superset.models.helpers:Importing new table_columns job_intr_gamedev
986	superset_init	Importing new table_columns rsrc_code_wars
987	superset_init	2023-05-26 11:41:41,343:INFO:superset.models.helpers:Importing new table_columns rsrc_code_wars
988	superset_init	Importing new table_columns do_finance_support
989	superset_init	2023-05-26 11:41:41,346:INFO:superset.models.helpers:Importing new table_columns do_finance_support
990	superset_init	Importing new table_columns last_yr_income
991	superset_init	2023-05-26 11:41:41,349:INFO:superset.models.helpers:Importing new table_columns last_yr_income
992	superset_init	Importing new table_columns is_software_dev

993	superset_init	2023-05-26 11:41:41,353:INFO:superset.models.helpers:Importing new table_columns
	is_software_dev	
994	superset_init	Importing new table_columns money_for_learning
995	superset_init	2023-05-26 11:41:41,356:INFO:superset.models.helpers:Importing new table_columns
	money_for_learning	
996	superset_init	Importing new table_columns home_mrtg_has
997	superset_init	2023-05-26 11:41:41,360:INFO:superset.models.helpers:Importing new table_columns
	home_mrtg_has	
998	superset_init	Importing new table_columns job_intr_mobile
999	superset_init	2023-05-26 11:41:41,363:INFO:superset.models.helpers:Importing new table_columns job_intr_mobile
1000	superset_init	Importing new table_columns job_intr_infosec
1001	superset_init	2023-05-26 11:41:41,366:INFO:superset.models.helpers:Importing new table_columns
	job_intr_infosec	
1002	superset_init	Importing new table_columns job_intr_flstck
1003	superset_init	2023-05-26 11:41:41,369:INFO:superset.models.helpers:Importing new table_columns job_intr_flstck
1004	superset_init	Importing new table_columns job_intr_frntend
1005	superset_init	2023-05-26 11:41:41,373:INFO:superset.models.helpers:Importing new table_columns
	job_intr_frntend	
1006	superset_init	Importing new table_columns job_intr_devops
1007	superset_init	2023-05-26 11:41:41,376:INFO:superset.models.helpers:Importing new table_columns
	job_intr_devops	
1008	superset_init	Importing new table_columns job_intr_projm
1009	superset_init	2023-05-26 11:41:41,379:INFO:superset.models.helpers:Importing new table_columns job_intr_projm
1010	superset_init	Importing new table_columns rsrc_css_tricks
1011	superset_init	2023-05-26 11:41:41,383:INFO:superset.models.helpers:Importing new table_columns rsrc_css_tricks
1012	superset_init	Importing new table_columns yt_cs_dojo
1013	superset_init	2023-05-26 11:41:41,386:INFO:superset.models.helpers:Importing new table_columns yt_cs_dojo
1014	superset_init	Importing new table_columns is_ethnic_minority
1015	superset_init	2023-05-26 11:41:41,390:INFO:superset.models.helpers:Importing new table_columns
	is_ethnic_minority	
1016	superset_init	Importing new table_columns yt_mit_ocw
1017	superset_init	2023-05-26 11:41:41,393:INFO:superset.models.helpers:Importing new table_columns yt_mit_ocw
1018	superset_init	Importing new table_columns is_self_employed
1019	superset_init	2023-05-26 11:41:41,397:INFO:superset.models.helpers:Importing new table_columns
	is_self_employed	
1020	superset_init	Importing new table_columns home_mrtg_owe
1021	superset_init	2023-05-26 11:41:41,400:INFO:superset.models.helpers:Importing new table_columns
	home_mrtg_owe	
1022	superset_init	Importing new table_columns yt_engn_truth
1023	superset_init	2023-05-26 11:41:41,404:INFO:superset.models.helpers:Importing new table_columns yt_engn_truth
1024	superset_init	Importing new table_columns bootcamp_attend
1025	superset_init	2023-05-26 11:41:41,407:INFO:superset.models.helpers:Importing new table_columns
	bootcamp_attend	
1026	superset_init	Importing new table_columns yt_derekbanas
1027	superset_init	2023-05-26 11:41:41,412:INFO:superset.models.helpers:Importing new table_columns yt_derekbanas
1028	superset_init	Importing new table_columns yt_learncodeacdm
1029	superset_init	2023-05-26 11:41:41,415:INFO:superset.models.helpers:Importing new table_columns
	yt_learncodeacdm	
1030	superset_init	Importing new table_columns podcast_changelog
1031	superset_init	2023-05-26 11:41:41,419:INFO:superset.models.helpers:Importing new table_columns
	podcast_changelog	
1032	superset_init	Importing new table_columns rsrc_hackerrank
1033	superset_init	2023-05-26 11:41:41,422:INFO:superset.models.helpers:Importing new table_columns
	rsrc_hackerrank	
1034	superset_init	Importing new table_columns podcast_devtea
1035	superset_init	2023-05-26 11:41:41,426:INFO:superset.models.helpers:Importing new table_columns
	podcast_devtea	
1036	superset_init	Importing new table_columns podcast_sedaily
1037	superset_init	2023-05-26 11:41:41,429:INFO:superset.models.helpers:Importing new table_columns
	podcast_sedaily	
1038	superset_init	Importing new table_columns podcast_seradio
1039	superset_init	2023-05-26 11:41:41,433:INFO:superset.models.helpers:Importing new table_columns
	podcast_seradio	
1040	superset_init	Importing new table_columns codeevnt_gamejam
1041	superset_init	2023-05-26 11:41:41,436:INFO:superset.models.helpers:Importing new table_columns
	codeevnt_gamejam	
1042	superset_init	Importing new table_columns podcast_geekspeak
1043	superset_init	2023-05-26 11:41:41,439:INFO:superset.models.helpers:Importing new table_columns
	podcast_geekspeak	
1044	superset_init	Importing new table_columns podcast_talkpythonme
1045	superset_init	2023-05-26 11:41:41,442:INFO:superset.models.helpers:Importing new table_columns
	podcast_talkpythonme	
1046	superset_init	Importing new table_columns podcast_hanselmnts
1047	superset_init	2023-05-26 11:41:41,445:INFO:superset.models.helpers:Importing new table_columns
	podcast_hanselmnts	
1048	superset_init	Importing new table_columns podcast_syntaxfm
1049	superset_init	2023-05-26 11:41:41,449:INFO:superset.models.helpers:Importing new table_columns
	podcast_syntaxfm	
1050	superset_init	Importing new table_columns podcast_shoptalk
1051	superset_init	2023-05-26 11:41:41,452:INFO:superset.models.helpers:Importing new table_columns
	podcast_shoptalk	
1052	superset_init	Importing new table_columns yt_mozillahacks
1053	superset_init	2023-05-26 11:41:41,455:INFO:superset.models.helpers:Importing new table_columns
	yt_mozillahacks	

1054	superset_init	Importing new table_columns podcast_codingblcks
1055	superset_init	2023-05-26 11:41:41,458:INFO:superset.models.helpers:Importing new table_columns podcast_codingblcks
1056	superset_init	Importing new table_columns podcast_codenewbie
1057	superset_init	2023-05-26 11:41:41,461:INFO:superset.models.helpers:Importing new table_columns podcast_codenewbie
1058	superset_init	Importing new table_columns bootcamp_recommend
1059	superset_init	2023-05-26 11:41:41,465:INFO:superset.models.helpers:Importing new table_columns bootcamp_recommend
1060	superset_init	Importing new table_columns codeevnt_railsbrdg
1061	superset_init	2023-05-26 11:41:41,468:INFO:superset.models.helpers:Importing new table_columns codeevnt_railsbrdg
1062	superset_init	Importing new table_columns bootcamp_finished
1063	superset_init	2023-05-26 11:41:41,471:INFO:superset.models.helpers:Importing new table_columns bootcamp_finished
1064	superset_init	Importing new table_columns podcast_rubyrogues
1065	superset_init	2023-05-26 11:41:41,474:INFO:superset.models.helpers:Importing new table_columns podcast_rubyrogues
1066	superset_init	Importing new table_columns job_relocate
1067	superset_init	2023-05-26 11:41:41,477:INFO:superset.models.helpers:Importing new table_columns job_relocate
1068	superset_init	Importing new table_columns debt_amt
1069	superset_init	2023-05-26 11:41:41,481:INFO:superset.models.helpers:Importing new table_columns debt_amt
1070	superset_init	Importing new table_columns rsrc_codeacdm
1071	superset_init	2023-05-26 11:41:41,484:INFO:superset.models.helpers:Importing new table_columns rsrc_codeacdm
1072	superset_init	Importing new table_columns podcast_fcc
1073	superset_init	2023-05-26 11:41:41,487:INFO:superset.models.helpers:Importing new table_columns podcast_fcc
1074	superset_init	Importing new table_columns podcast_codepenrd
1075	superset_init	2023-05-26 11:41:41,490:INFO:superset.models.helpers:Importing new table_columns podcast_codepenrd
1076	superset_init	Importing new table_columns podcast_fullstckrd
1077	superset_init	2023-05-26 11:41:41,494:INFO:superset.models.helpers:Importing new table_columns podcast_fullstckrd
1078	superset_init	Importing new table_columns codeevnt_hackthn
1079	superset_init	2023-05-26 11:41:41,497:INFO:superset.models.helpers:Importing new table_columns codeevnt_hackthn
1080	superset_init	Importing new table_columns rsrc_udacity
1081	superset_init	2023-05-26 11:41:41,500:INFO:superset.models.helpers:Importing new table_columns rsrc_udacity
1082	superset_init	Importing new table_columns podcast_ltcwm
1083	superset_init	2023-05-26 11:41:41,504:INFO:superset.models.helpers:Importing new table_columns podcast_ltcwm
1084	superset_init	Importing new table_columns rsrc_coursera
1085	superset_init	2023-05-26 11:41:41,507:INFO:superset.models.helpers:Importing new table_columns rsrc_coursera
1086	superset_init	Importing new table_columns codeevnt_djangogrls
1087	superset_init	2023-05-26 11:41:41,511:INFO:superset.models.helpers:Importing new table_columns codeevnt_djangogrls
1088	superset_init	Importing new table_columns codeevnt_startupwknd
1089	superset_init	2023-05-26 11:41:41,515:INFO:superset.models.helpers:Importing new table_columns codeevnt_startupwknd
1090	superset_init	Importing new table_columns podcast_progthrwewn
1091	superset_init	2023-05-26 11:41:41,518:INFO:superset.models.helpers:Importing new table_columns podcast_progthrwewn
1092	superset_init	Importing new table_columns expected_earn
1093	superset_init	2023-05-26 11:41:41,522:INFO:superset.models.helpers:Importing new table_columns expected_earn
1094	superset_init	Importing new table_columns rsrc_egghead
1095	superset_init	2023-05-26 11:41:41,526:INFO:superset.models.helpers:Importing new table_columns rsrc_egghead
1096	superset_init	Importing new table_columns codeevnt_railsgrls
1097	superset_init	2023-05-26 11:41:41,529:INFO:superset.models.helpers:Importing new table_columns codeevnt_railsgrls
1098	superset_init	Importing new table_columns has_children
1099	superset_init	2023-05-26 11:41:41,533:INFO:superset.models.helpers:Importing new table_columns has_children
1100	superset_init	Importing new table_columns podcast_frnhthppyr
1101	superset_init	2023-05-26 11:41:41,537:INFO:superset.models.helpers:Importing new table_columns podcast_frnhthppyr
1102	superset_init	Importing new table_columns yt_codingtrain
1103	superset_init	2023-05-26 11:41:41,541:INFO:superset.models.helpers:Importing new table_columns yt_codingtrain
1104	superset_init	Importing new table_columns rsrc_lynda
1105	superset_init	2023-05-26 11:41:41,544:INFO:superset.models.helpers:Importing new table_columns rsrc_lynda
1106	superset_init	Importing new table_columns rsrc_pluralsight
1107	superset_init	2023-05-26 11:41:41,548:INFO:superset.models.helpers:Importing new table_columns rsrc_pluralsight
1108	superset_init	Importing new table_columns hours_learning
1109	superset_init	2023-05-26 11:41:41,551:INFO:superset.models.helpers:Importing new table_columns hours_learning
1110	superset_init	Importing new table_columns yt_simplilearn
1111	superset_init	2023-05-26 11:41:41,555:INFO:superset.models.helpers:Importing new table_columns yt_simplilearn
1112	superset_init	Importing new table_columns codeevnt_wkndbtcmp
1113	superset_init	2023-05-26 11:41:41,559:INFO:superset.models.helpers:Importing new table_columns codeevnt_wkndbtcmp
1114	superset_init	Importing new table_columns codeevnt_fcc
1115	superset_init	2023-05-26 11:41:41,562:INFO:superset.models.helpers:Importing new table_columns codeevnt_fcc
1116	superset_init	Importing new table_columns rsrc_fcc
1117	superset_init	2023-05-26 11:41:41,566:INFO:superset.models.helpers:Importing new table_columns rsrc_fcc
1118	superset_init	Importing new table_columns codeevnt_coderdojo
1119	superset_init	2023-05-26 11:41:41,569:INFO:superset.models.helpers:Importing new table_columns codeevnt_coderdojo
1120	superset_init	Importing new table_columns codeevnt_nodeschl
1121	superset_init	2023-05-26 11:41:41,573:INFO:superset.models.helpers:Importing new table_columns

	codeevnt_nodeschl	
1122	superset_init	Importing new table_columns codeevnt_womenwc
1123	superset_init	2023-05-26 11:41:41,576:INFO:superset.models.helpers:Importing new table_columns
	codeevnt_womenwc	
1124	superset_init	Importing new table_columns codeevnt_confs
1125	superset_init	2023-05-26 11:41:41,580:INFO:superset.models.helpers:Importing new table_columns codeevnt_confs
1126	superset_init	Importing new table_columns yt_fcc
1127	superset_init	2023-05-26 11:41:41,583:INFO:superset.models.helpers:Importing new table_columns yt_fcc
1128	superset_init	Importing new table_columns codeevnt_girldevit
1129	superset_init	2023-05-26 11:41:41,587:INFO:superset.models.helpers:Importing new table_columns
	codeevnt_girldevit	
1130	superset_init	Importing new table_columns codeevnt_meetup
1131	superset_init	2023-05-26 11:41:41,590:INFO:superset.models.helpers:Importing new table_columns
	codeevnt_meetup	
1132	superset_init	Importing new table_columns codeevnt_workshps
1133	superset_init	2023-05-26 11:41:41,594:INFO:superset.models.helpers:Importing new table_columns
	codeevnt_workshps	
1134	superset_init	Importing new table_columns rsrc_frntendmstr
1135	superset_init	2023-05-26 11:41:41,597:INFO:superset.models.helpers:Importing new table_columns
	rsrc_frntendmstr	
1136	superset_init	Importing new table_columns num_children
1137	superset_init	2023-05-26 11:41:41,601:INFO:superset.models.helpers:Importing new table_columns num_children
1138	superset_init	Importing new table_columns rsrc_udemy
1139	superset_init	2023-05-26 11:41:41,604:INFO:superset.models.helpers:Importing new table_columns rsrc_udemy
1140	superset_init	Importing new table_columns rsrc_edx
1141	superset_init	2023-05-26 11:41:41,608:INFO:superset.models.helpers:Importing new table_columns rsrc_edx
1142	superset_init	Importing new table_columns rsrc_mdn
1143	superset_init	2023-05-26 11:41:41,611:INFO:superset.models.helpers:Importing new table_columns rsrc_mdn
1144	superset_init	Importing new table_columns rsrc_treehouse
1145	superset_init	2023-05-26 11:41:41,615:INFO:superset.models.helpers:Importing new table_columns rsrc_treehouse
1146	superset_init	Importing new table_columns yt_computerphile
1147	superset_init	2023-05-26 11:41:41,618:INFO:superset.models.helpers:Importing new table_columns
	yt_computerphile	
1148	superset_init	Importing new table_columns yt_funfunfunct
1149	superset_init	2023-05-26 11:41:41,622:INFO:superset.models.helpers:Importing new table_columns yt_funfunfunct
1150	superset_init	Importing new table_columns rsrc_so
1151	superset_init	2023-05-26 11:41:41,625:INFO:superset.models.helpers:Importing new table_columns rsrc_so
1152	superset_init	Importing new table_columns yt_googledevs
1153	superset_init	2023-05-26 11:41:41,628:INFO:superset.models.helpers:Importing new table_columns yt_googledevs
1154	superset_init	Importing new table_columns yt_devtips
1155	superset_init	2023-05-26 11:41:41,632:INFO:superset.models.helpers:Importing new table_columns yt_devtips
1156	superset_init	Importing new table_columns yt_simpleprog
1157	superset_init	2023-05-26 11:41:41,635:INFO:superset.models.helpers:Importing new table_columns yt_simpleprog
1158	superset_init	Importing new table_columns yt_lvluptuts
1159	superset_init	2023-05-26 11:41:41,638:INFO:superset.models.helpers:Importing new table_columns yt_lvluptuts
1160	superset_init	Importing new table_columns time_start
1161	superset_init	2023-05-26 11:41:41,642:INFO:superset.models.helpers:Importing new table_columns time_start
1162	superset_init	Importing new table_columns time_total_sec
1163	superset_init	2023-05-26 11:41:41,645:INFO:superset.models.helpers:Importing new table_columns time_total_sec
1164	superset_init	Importing new table_columns months_programming
1165	superset_init	2023-05-26 11:41:41,649:INFO:superset.models.helpers:Importing new table_columns
	months_programming	
1166	superset_init	Importing new table_columns age
1167	superset_init	2023-05-26 11:41:41,652:INFO:superset.models.helpers:Importing new table_columns age
1168	superset_init	Importing new table_columns ID
1169	superset_init	2023-05-26 11:41:41,655:INFO:superset.models.helpers:Importing new table_columns ID
1170	superset_init	Importing new table_columns reasons_to_code_other
1171	superset_init	2023-05-26 11:41:41,659:INFO:superset.models.helpers:Importing new table_columns
	reasons_to_code_other	
1172	superset_init	Importing new table_columns lang_at_home
1173	superset_init	2023-05-26 11:41:41,662:INFO:superset.models.helpers:Importing new table_columns lang_at_home
1174	superset_init	Importing new table_columns when_appl_job
1175	superset_init	2023-05-26 11:41:41,665:INFO:superset.models.helpers:Importing new table_columns when_appl_job
1176	superset_init	Importing new table_columns reasons_to_code
1177	superset_init	2023-05-26 11:41:41,668:INFO:superset.models.helpers:Importing new table_columns
	reasons_to_code	
1178	superset_init	Importing new table_columns live_city_population
1179	superset_init	2023-05-26 11:41:41,672:INFO:superset.models.helpers:Importing new table_columns
	live_city_population	
1180	superset_init	Importing new table_columns job_lctn_pref
1181	superset_init	2023-05-26 11:41:41,675:INFO:superset.models.helpers:Importing new table_columns job_lctn_pref
1182	superset_init	Importing new table_columns job_intr_other
1183	superset_init	2023-05-26 11:41:41,678:INFO:superset.models.helpers:Importing new table_columns job_intr_other
1184	superset_init	Importing new table_columns curr_employment_other
1185	superset_init	2023-05-26 11:41:41,681:INFO:superset.models.helpers:Importing new table_columns
	curr_employment_other	
1186	superset_init	Importing new table_columns marital_status
1187	superset_init	2023-05-26 11:41:41,684:INFO:superset.models.helpers:Importing new table_columns marital_status
1188	superset_init	Importing new table_columns bootcamp_name
1189	superset_init	2023-05-26 11:41:41,687:INFO:superset.models.helpers:Importing new table_columns
	bootcamp_name	
1190	superset_init	Importing new table_columns podcast_other
1191	superset_init	2023-05-26 11:41:41,690:INFO:superset.models.helpers:Importing new table_columns podcast_other
1192	superset_init	Importing new table_columns school_major


```

1193 superset_init | 2023-05-26 11:41:41,693:INFO:superset.models.helpers:Importing new table_columns school_major
1194 superset_init | Importing new table_columns job_pref
1195 superset_init | 2023-05-26 11:41:41,696:INFO:superset.models.helpers:Importing new table_columns job_pref
1196 superset_init | Importing new table_columns country_citizen
1197 superset_init | 2023-05-26 11:41:41,699:INFO:superset.models.helpers:Importing new table_columns country_citizen
1198 superset_init | Importing new table_columns school_degree
1199 superset_init | 2023-05-26 11:41:41,702:INFO:superset.models.helpers:Importing new table_columns school_degree
1200 superset_init | Importing new table_columns codeevnt_other
1201 superset_init | 2023-05-26 11:41:41,705:INFO:superset.models.helpers:Importing new table_columns codeevnt_other
1202 superset_init | Importing new table_columns curr_field
1203 superset_init | 2023-05-26 11:41:41,708:INFO:superset.models.helpers:Importing new table_columns curr_field
1204 superset_init | Importing new table_columns communitie_time
1205 superset_init | 2023-05-26 11:41:41,712:INFO:superset.models.helpers:Importing new table_columns
communitie_time
1206 superset_init | Importing new table_columns rsrc_other
1207 superset_init | 2023-05-26 11:41:41,715:INFO:superset.models.helpers:Importing new table_columns rsrc_other
1208 superset_init | Importing new table_columns country_live
1209 superset_init | 2023-05-26 11:41:41,718:INFO:superset.models.helpers:Importing new table_columns country_live
1210 superset_init | Importing new table_columns curr_employment
1211 superset_init | 2023-05-26 11:41:41,721:INFO:superset.models.helpers:Importing new table_columns
curr_employment
1212 superset_init | Importing new table_columns gender_other
1213 superset_init | 2023-05-26 11:41:41,724:INFO:superset.models.helpers:Importing new table_columns gender_other
1214 superset_init | Importing new table_columns time_end
1215 superset_init | 2023-05-26 11:41:41,726:INFO:superset.models.helpers:Importing new table_columns time_end
1216 superset_init | Importing new table_columns network_id
1217 superset_init | 2023-05-26 11:41:41,730:INFO:superset.models.helpers:Importing new table_columns network_id
1218 superset_init | Importing new table_columns yt_other
1219 superset_init | 2023-05-26 11:41:41,732:INFO:superset.models.helpers:Importing new table_columns yt_other
1220 superset_init | Updating table_columns gender
1221 superset_init | 2023-05-26 11:41:41,735:INFO:superset.models.helpers:Updating table_columns gender
1222 superset_init | Downloading data from
https://github.com/apache-superset/examples-data/raw/master/datasets/examples/fcc\_survey\_2018.csv.gz
1223 superset_init | 2023-05-26 11:41:41,752:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://github.com/apache-superset/examples-data/raw/master/datasets/examples/fcc\_survey\_2018.csv.gz
1224 superset_init | Loading data outside the import transaction
1225 superset_init | 2023-05-26 11:41:43,019:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1226 superset_app | 127.0.0.1 - - [26/May/2023:11:41:54 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
1227 superset_worker_beat | [2023-05-26 11:42:00,049: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
1228 superset_worker | [2023-05-26 11:42:00,052: INFO/MainProcess] Task
reports.scheduler[937b8005-2650-4747-8ee8-d3b45d872077] received
1229 superset_worker | [2023-05-26 11:42:00,080: INFO/ForkPoolWorker-1] Task
reports.scheduler[937b8005-2650-4747-8ee8-d3b45d872077] succeeded in 0.026581951000025583s: None
1230 superset_app | 127.0.0.1 - - [26/May/2023:11:42:25 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
1231 superset_app | 127.0.0.1 - - [26/May/2023:11:42:55 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
1232 superset_worker_beat | [2023-05-26 11:43:00,048: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
1233 superset_worker | [2023-05-26 11:43:00,052: INFO/MainProcess] Task
reports.scheduler[c26189bd-b1c1-4b0c-92ff-33e9cc46f57a] received
1234 superset_worker | [2023-05-26 11:43:00,079: INFO/ForkPoolWorker-1] Task
reports.scheduler[c26189bd-b1c1-4b0c-92ff-33e9cc46f57a] succeeded in 0.0251650799999652s: None
1235 superset_init | Importing new tables public.covid_vaccines
1236 superset_init | 2023-05-26 11:43:14,691:INFO:superset.models.helpers:Importing new tables public.covid_vaccines
1237 superset_init | Dataset has no database will retry with database_id to set permission
1238 superset_init | 2023-05-26 11:43:14,693:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1239 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1240 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1241 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1242 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1243 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1244 superset_init | obj = obj_query.one_or_none()
1245 superset_init | Importing new sql_metrics count
1246 superset_init | 2023-05-26 11:43:14,705:INFO:superset.models.helpers:Importing new sql_metrics count
1247 superset_init | Importing new table_columns clinical_stage
1248 superset_init | 2023-05-26 11:43:14,708:INFO:superset.models.helpers:Importing new table_columns clinical_stage
1249 superset_init | Importing new table_columns fda_approved_indications
1250 superset_init | 2023-05-26 11:43:14,712:INFO:superset.models.helpers:Importing new table_columns
fda_approved_indications
1251 superset_init | Importing new table_columns anticipated_next_steps
1252 superset_init | 2023-05-26 11:43:14,715:INFO:superset.models.helpers:Importing new table_columns
anticipated_next_steps
1253 superset_init | Importing new table_columns ioc_country_code
1254 superset_init | 2023-05-26 11:43:14,719:INFO:superset.models.helpers:Importing new table_columns
ioc_country_code
1255 superset_init | Importing new table_columns clinical_trials_for_other_diseases_or_related_use

```

```

1256 superset_init | 2023-05-26 11:43:14,722:INFO:superset.models.helpers:Importing new table_columns
clinical_trials_for_other_diseases_or_related_use
1257 superset_init | Importing new table_columns country_name
1258 superset_init | 2023-05-26 11:43:14,726:INFO:superset.models.helpers:Importing new table_columns country_name
1259 superset_init | Importing new table_columns product_category
1260 superset_init | 2023-05-26 11:43:14,729:INFO:superset.models.helpers:Importing new table_columns
product_category
1261 superset_init | Importing new table_columns clinical_trials
1262 superset_init | 2023-05-26 11:43:14,732:INFO:superset.models.helpers:Importing new table_columns clinical_trials
1263 superset_init | Importing new table_columns date_last_updated
1264 superset_init | 2023-05-26 11:43:14,735:INFO:superset.models.helpers:Importing new table_columns
date_last_updated
1265 superset_init | Importing new table_columns product_description
1266 superset_init | 2023-05-26 11:43:14,739:INFO:superset.models.helpers:Importing new table_columns
product_description
1267 superset_init | Importing new table_columns developer_or_researcher
1268 superset_init | 2023-05-26 11:43:14,742:INFO:superset.models.helpers:Importing new table_columns
developer_or_researcher
1269 superset_init | Importing new table_columns stage_of_development
1270 superset_init | 2023-05-26 11:43:14,745:INFO:superset.models.helpers:Importing new table_columns
stage_of_development
1271 superset_init | Importing new table_columns funder
1272 superset_init | 2023-05-26 11:43:14,748:INFO:superset.models.helpers:Importing new table_columns funder
1273 superset_init | Importing new table_columns published_results
1274 superset_init | 2023-05-26 11:43:14,751:INFO:superset.models.helpers:Importing new table_columns
published_results
1275 superset_init | Importing new table_columns sources
1276 superset_init | 2023-05-26 11:43:14,754:INFO:superset.models.helpers:Importing new table_columns sources
1277 superset_init | Importing new table_columns treatment_vs_vaccine
1278 superset_init | 2023-05-26 11:43:14,758:INFO:superset.models.helpers:Importing new table_columns
treatment_vs_vaccine
1279 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/lowercase\_columns\_examples/datasets/examples/covid\_vaccines.csv
1280 superset_init | 2023-05-26 11:43:14,772:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://raw.githubusercontent.com/apache-superset/examples-data/lowercase\_columns\_examples/datasets/examples/covid\_vaccines.csv
1281 superset_init | Loading data outside the import transaction
1282 superset_init | 2023-05-26 11:43:14,980:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1283 superset_init | Importing new tables public.threads
1284 superset_init | 2023-05-26 11:43:15,110:INFO:superset.models.helpers:Importing new tables public.threads
1285 superset_init | Dataset has no database will retry with database_id to set permission
1286 superset_init | 2023-05-26 11:43:15,112:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1287 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1288 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1289 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1290 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1291 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1292 superset_init | obj = obj_query.one_or_none()
1293 superset_init | Importing new sql_metrics count
1294 superset_init | 2023-05-26 11:43:15,124:INFO:superset.models.helpers:Importing new sql_metrics count
1295 superset_init | Importing new table_columns ts
1296 superset_init | 2023-05-26 11:43:15,128:INFO:superset.models.helpers:Importing new table_columns ts
1297 superset_init | Importing new table_columns client_msg_id
1298 superset_init | 2023-05-26 11:43:15,132:INFO:superset.models.helpers:Importing new table_columns client_msg_id
1299 superset_init | Importing new table_columns channel_id
1300 superset_init | 2023-05-26 11:43:15,135:INFO:superset.models.helpers:Importing new table_columns channel_id
1301 superset_init | Importing new table_columns thread_ts
1302 superset_init | 2023-05-26 11:43:15,139:INFO:superset.models.helpers:Importing new table_columns thread_ts
1303 superset_init | Importing new table_columns latest_reply
1304 superset_init | 2023-05-26 11:43:15,143:INFO:superset.models.helpers:Importing new table_columns latest_reply
1305 superset_init | Importing new table_columns team
1306 superset_init | 2023-05-26 11:43:15,146:INFO:superset.models.helpers:Importing new table_columns team
1307 superset_init | Importing new table_columns type
1308 superset_init | 2023-05-26 11:43:15,150:INFO:superset.models.helpers:Importing new table_columns type
1309 superset_init | Importing new table_columns user
1310 superset_init | 2023-05-26 11:43:15,153:INFO:superset.models.helpers:Importing new table_columns user
1311 superset_init | Importing new table_columns text
1312 superset_init | 2023-05-26 11:43:15,157:INFO:superset.models.helpers:Importing new table_columns text
1313 superset_init | Importing new table_columns subscribed
1314 superset_init | 2023-05-26 11:43:15,160:INFO:superset.models.helpers:Importing new table_columns subscribed
1315 superset_init | Importing new table_columns reply_count
1316 superset_init | 2023-05-26 11:43:15,163:INFO:superset.models.helpers:Importing new table_columns reply_count
1317 superset_init | Importing new table_columns reply_users
1318 superset_init | 2023-05-26 11:43:15,167:INFO:superset.models.helpers:Importing new table_columns reply_users

```

```

1319 superset_init | Importing new table_columns blocks
1320 superset_init | 2023-05-26 11:43:15,170:INFO:superset.models.helpers:Importing new table_columns blocks
1321 superset_init | Importing new table_columns reply_users_count
1322 superset_init | 2023-05-26 11:43:15,173:INFO:superset.models.helpers:Importing new table_columns
reply_users_count
1323 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/threads.csv
1324 superset_init | 2023-05-26 11:43:15,188:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/threads.csv
1325 superset_init | Loading data outside the import transaction
1326 superset_init | 2023-05-26 11:43:15,404:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1327 superset_init | Importing new tables public.messages
1328 superset_init | 2023-05-26 11:43:15,498:INFO:superset.models.helpers:Importing new tables public.messages
1329 superset_init | Dataset has no database will retry with database_id to set permission
1330 superset_init | 2023-05-26 11:43:15,500:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1331 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1332 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1333 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1334 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1335 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1336 superset_init | obj = obj_query.one_or_none()
1337 superset_init | Importing new sql_metrics count
1338 superset_init | 2023-05-26 11:43:15,513:INFO:superset.models.helpers:Importing new sql_metrics count
1339 superset_init | Importing new table_columns bot_profile__updated
1340 superset_init | 2023-05-26 11:43:15,516:INFO:superset.models.helpers:Importing new table_columns
bot_profile__updated
1341 superset_init | Importing new table_columns last_read
1342 superset_init | 2023-05-26 11:43:15,520:INFO:superset.models.helpers:Importing new table_columns last_read
1343 superset_init | Importing new table_columns ts
1344 superset_init | 2023-05-26 11:43:15,523:INFO:superset.models.helpers:Importing new table_columns ts
1345 superset_init | Importing new table_columns bot_profile__team_id
1346 superset_init | 2023-05-26 11:43:15,526:INFO:superset.models.helpers:Importing new table_columns
bot_profile__team_id
1347 superset_init | Importing new table_columns bot_profile__app_id
1348 superset_init | 2023-05-26 11:43:15,530:INFO:superset.models.helpers:Importing new table_columns
bot_profile__app_id
1349 superset_init | Importing new table_columns bot_profile__name
1350 superset_init | 2023-05-26 11:43:15,533:INFO:superset.models.helpers:Importing new table_columns
bot_profile__name
1351 superset_init | Importing new table_columns bot_profile__id
1352 superset_init | 2023-05-26 11:43:15,536:INFO:superset.models.helpers:Importing new table_columns bot_profile__id
1353 superset_init | Importing new table_columns parent_user_id
1354 superset_init | 2023-05-26 11:43:15,539:INFO:superset.models.helpers:Importing new table_columns parent_user_id
1355 superset_init | Importing new table_columns client_msg_id
1356 superset_init | 2023-05-26 11:43:15,542:INFO:superset.models.helpers:Importing new table_columns client_msg_id
1357 superset_init | Importing new table_columns icons__emoji
1358 superset_init | 2023-05-26 11:43:15,546:INFO:superset.models.helpers:Importing new table_columns icons__emoji
1359 superset_init | Importing new table_columns channel_id
1360 superset_init | 2023-05-26 11:43:15,549:INFO:superset.models.helpers:Importing new table_columns channel_id
1361 superset_init | Importing new table_columns source_team
1362 superset_init | 2023-05-26 11:43:15,552:INFO:superset.models.helpers:Importing new table_columns source_team
1363 superset_init | Importing new table_columns thread_ts
1364 superset_init | 2023-05-26 11:43:15,555:INFO:superset.models.helpers:Importing new table_columns thread_ts
1365 superset_init | Importing new table_columns old_name
1366 superset_init | 2023-05-26 11:43:15,558:INFO:superset.models.helpers:Importing new table_columns old_name
1367 superset_init | Importing new table_columns latest_reply
1368 superset_init | 2023-05-26 11:43:15,561:INFO:superset.models.helpers:Importing new table_columns latest_reply
1369 superset_init | Importing new table_columns user_team
1370 superset_init | 2023-05-26 11:43:15,564:INFO:superset.models.helpers:Importing new table_columns user_team
1371 superset_init | Importing new table_columns bot_id
1372 superset_init | 2023-05-26 11:43:15,567:INFO:superset.models.helpers:Importing new table_columns bot_id
1373 superset_init | Importing new table_columns file_id
1374 superset_init | 2023-05-26 11:43:15,570:INFO:superset.models.helpers:Importing new table_columns file_id
1375 superset_init | Importing new table_columns username
1376 superset_init | 2023-05-26 11:43:15,573:INFO:superset.models.helpers:Importing new table_columns username
1377 superset_init | Importing new table_columns permalink
1378 superset_init | 2023-05-26 11:43:15,577:INFO:superset.models.helpers:Importing new table_columns permalink
1379 superset_init | Importing new table_columns name
1380 superset_init | 2023-05-26 11:43:15,580:INFO:superset.models.helpers:Importing new table_columns name
1381 superset_init | Importing new table_columns team
1382 superset_init | 2023-05-26 11:43:15,583:INFO:superset.models.helpers:Importing new table_columns team
1383 superset_init | Importing new table_columns subtype
1384 superset_init | 2023-05-26 11:43:15,586:INFO:superset.models.helpers:Importing new table_columns subtype
1385 superset_init | Importing new table_columns topic
1386 superset_init | 2023-05-26 11:43:15,590:INFO:superset.models.helpers:Importing new table_columns topic
1387 superset_init | Importing new table_columns inviter

```



```

1388 superset_init | 2023-05-26 11:43:15,593:INFO:superset.models.helpers:Importing new table_columns inviter
1389 superset_init | Importing new table_columns purpose
1390 superset_init | 2023-05-26 11:43:15,596:INFO:superset.models.helpers:Importing new table_columns purpose
1391 superset_init | Importing new table_columns type
1392 superset_init | 2023-05-26 11:43:15,599:INFO:superset.models.helpers:Importing new table_columns type
1393 superset_init | Importing new table_columns user
1394 superset_init | 2023-05-26 11:43:15,603:INFO:superset.models.helpers:Importing new table_columns user
1395 superset_init | Importing new table_columns text
1396 superset_init | 2023-05-26 11:43:15,606:INFO:superset.models.helpers:Importing new table_columns text
1397 superset_init | Importing new table_columns bot_profile__deleted
1398 superset_init | 2023-05-26 11:43:15,609:INFO:superset.models.helpers:Importing new table_columns
bot_profile__deleted
1399 superset_init | Importing new table_columns display_as_bot
1400 superset_init | 2023-05-26 11:43:15,612:INFO:superset.models.helpers:Importing new table_columns display_as_bot
1401 superset_init | Importing new table_columns is_delayed_message
1402 superset_init | 2023-05-26 11:43:15,616:INFO:superset.models.helpers:Importing new table_columns
is_delayed_message
1403 superset_init | Importing new table_columns is_starred
1404 superset_init | 2023-05-26 11:43:15,619:INFO:superset.models.helpers:Importing new table_columns is_starred
1405 superset_init | Importing new table_columns is_intro
1406 superset_init | 2023-05-26 11:43:15,622:INFO:superset.models.helpers:Importing new table_columns is_intro
1407 superset_init | Importing new table_columns upload
1408 superset_init | 2023-05-26 11:43:15,626:INFO:superset.models.helpers:Importing new table_columns upload
1409 superset_init | Importing new table_columns subscribed
1410 superset_init | 2023-05-26 11:43:15,629:INFO:superset.models.helpers:Importing new table_columns subscribed
1411 superset_init | Importing new table_columns reply_users_count
1412 superset_init | 2023-05-26 11:43:15,632:INFO:superset.models.helpers:Importing new table_columns
reply_users_count
1413 superset_init | Importing new table_columns unread_count
1414 superset_init | 2023-05-26 11:43:15,635:INFO:superset.models.helpers:Importing new table_columns unread_count
1415 superset_init | Importing new table_columns reply_count
1416 superset_init | 2023-05-26 11:43:15,638:INFO:superset.models.helpers:Importing new table_columns reply_count
1417 superset_init | Importing new table_columns file_ids
1418 superset_init | 2023-05-26 11:43:15,641:INFO:superset.models.helpers:Importing new table_columns file_ids
1419 superset_init | Importing new table_columns pinned_to
1420 superset_init | 2023-05-26 11:43:15,644:INFO:superset.models.helpers:Importing new table_columns pinned_to
1421 superset_init | Importing new table_columns reply_users
1422 superset_init | 2023-05-26 11:43:15,648:INFO:superset.models.helpers:Importing new table_columns reply_users
1423 superset_init | Importing new table_columns reactions
1424 superset_init | 2023-05-26 11:43:15,651:INFO:superset.models.helpers:Importing new table_columns reactions
1425 superset_init | Importing new table_columns blocks
1426 superset_init | 2023-05-26 11:43:15,654:INFO:superset.models.helpers:Importing new table_columns blocks
1427 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/messages.csv
1428 superset_init | 2023-05-26 11:43:15,669:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/messages.csv
1429 superset_init | Loading data outside the import transaction
1430 superset_init | 2023-05-26 11:43:15,989:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1431 superset_init | Importing new tables public.messages_channels
1432 superset_init | 2023-05-26 11:43:20,541:INFO:superset.models.helpers:Importing new tables
public.messages_channels
1433 superset_init | Dataset has no database will retry with database_id to set permission
1434 superset_init | 2023-05-26 11:43:20,543:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1435 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1436 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1437 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1438 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1439 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1440 superset_init | obj = obj_query.one_or_none()
1441 superset_init | Importing new sql_metrics count
1442 superset_init | 2023-05-26 11:43:20,555:INFO:superset.models.helpers:Importing new sql_metrics count
1443 superset_init | Importing new table_columns ts
1444 superset_init | 2023-05-26 11:43:20,559:INFO:superset.models.helpers:Importing new table_columns ts
1445 superset_init | Importing new table_columns name
1446 superset_init | 2023-05-26 11:43:20,562:INFO:superset.models.helpers:Importing new table_columns name
1447 superset_init | Importing new table_columns text
1448 superset_init | 2023-05-26 11:43:20,566:INFO:superset.models.helpers:Importing new table_columns text
1449 superset_init | Importing new tables public.unicode_test
1450 superset_init | 2023-05-26 11:43:20,598:INFO:superset.models.helpers:Importing new tables public.unicode_test
1451 superset_init | Dataset has no database will retry with database_id to set permission
1452 superset_init | 2023-05-26 11:43:20,601:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1453 superset_init | Importing new sql_metrics count
1454 superset_init | 2023-05-26 11:43:20,612:INFO:superset.models.helpers:Importing new sql_metrics count
1455 superset_init | Importing new table_columns with_missing
1456 superset_init | 2023-05-26 11:43:20,616:INFO:superset.models.helpers:Importing new table_columns with_missing

```

```

1457 superset_init | Importing new table_columns phrase
1458 superset_init | 2023-05-26 11:43:20,619:INFO:superset.models.helpers:Importing new table_columns phrase
1459 superset_init | Importing new table_columns short_phrase
1460 superset_init | 2023-05-26 11:43:20,623:INFO:superset.models.helpers:Importing new table_columns short_phrase
1461 superset_init | Importing new table_columns dtm
1462 superset_init | 2023-05-26 11:43:20,626:INFO:superset.models.helpers:Importing new table_columns dtm
1463 superset_init | Importing new table_columns value
1464 superset_init | 2023-05-26 11:43:20,629:INFO:superset.models.helpers:Importing new table_columns value
1465 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/unicode_test.csv
1466 superset_init | 2023-05-26 11:43:20,645:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/unicode_test.csv
1467 superset_init | Loading data outside the import transaction
1468 superset_init | 2023-05-26 11:43:20,891:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1469 superset_init | Importing new tables public.exported_stats
1470 superset_init | 2023-05-26 11:43:20,961:INFO:superset.models.helpers:Importing new tables public.exported_stats
1471 superset_init | Dataset has no database will retry with database_id to set permission
1472 superset_init | 2023-05-26 11:43:20,963:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1473 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1474 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1475 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1476 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1477 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1478 superset_init | obj = obj_query.one_or_none()
1479 superset_init | Importing new sql_metrics count
1480 superset_init | 2023-05-26 11:43:20,975:INFO:superset.models.helpers:Importing new sql_metrics count
1481 superset_init | Importing new table_columns new_members
1482 superset_init | 2023-05-26 11:43:20,978:INFO:superset.models.helpers:Importing new table_columns new_members
1483 superset_init | Importing new table_columns percent_of_messages_private_channels
1484 superset_init | 2023-05-26 11:43:20,982:INFO:superset.models.helpers:Importing new table_columns
percent_of_messages_private_channels
1485 superset_init | Importing new table_columns percent_of_messages_public_channels
1486 superset_init | 2023-05-26 11:43:20,985:INFO:superset.models.helpers:Importing new table_columns
percent_of_messages_public_channels
1487 superset_init | Importing new table_columns percent_of_views_private_channels
1488 superset_init | 2023-05-26 11:43:20,988:INFO:superset.models.helpers:Importing new table_columns
percent_of_views_private_channels
1489 superset_init | Importing new table_columns percent_of_views_public_channels
1490 superset_init | 2023-05-26 11:43:20,991:INFO:superset.models.helpers:Importing new table_columns
percent_of_views_public_channels
1491 superset_init | Importing new table_columns percent_of_messages_dms
1492 superset_init | 2023-05-26 11:43:20,995:INFO:superset.models.helpers:Importing new table_columns
percent_of_messages_dms
1493 superset_init | Importing new table_columns percent_of_views_dms
1494 superset_init | 2023-05-26 11:43:20,998:INFO:superset.models.helpers:Importing new table_columns
percent_of_views_dms
1495 superset_init | Importing new table_columns date
1496 superset_init | 2023-05-26 11:43:21,001:INFO:superset.models.helpers:Importing new table_columns date
1497 superset_init | Importing new table_columns daily_members_posting_messages
1498 superset_init | 2023-05-26 11:43:21,004:INFO:superset.models.helpers:Importing new table_columns
daily_members_posting_messages
1499 superset_init | Importing new table_columns messages_in_shared_channels
1500 superset_init | 2023-05-26 11:43:21,008:INFO:superset.models.helpers:Importing new table_columns
messages_in_shared_channels
1501 superset_init | Importing new table_columns messages_in_private_channels
1502 superset_init | 2023-05-26 11:43:21,011:INFO:superset.models.helpers:Importing new table_columns
messages_in_private_channels
1503 superset_init | Importing new table_columns messages_in_public_channels
1504 superset_init | 2023-05-26 11:43:21,015:INFO:superset.models.helpers:Importing new table_columns
messages_in_public_channels
1505 superset_init | Importing new table_columns weekly_members_posting_messages
1506 superset_init | 2023-05-26 11:43:21,018:INFO:superset.models.helpers:Importing new table_columns
weekly_members_posting_messages
1507 superset_init | Importing new table_columns public_channels_single_workspace
1508 superset_init | 2023-05-26 11:43:21,021:INFO:superset.models.helpers:Importing new table_columns
public_channels_single_workspace
1509 superset_init | Importing new table_columns messages_in_dms
1510 superset_init | 2023-05-26 11:43:21,024:INFO:superset.models.helpers:Importing new table_columns
messages_in_dms
1511 superset_init | Importing new table_columns daily_active_members
1512 superset_init | 2023-05-26 11:43:21,028:INFO:superset.models.helpers:Importing new table_columns
daily_active_members
1513 superset_init | Importing new table_columns weekly_active_members
1514 superset_init | 2023-05-26 11:43:21,031:INFO:superset.models.helpers:Importing new table_columns
weekly_active_members
1515 superset_init | Importing new table_columns full_members

```



```

1516 superset_init | 2023-05-26 11:43:21,034:INFO:superset.models.helpers:Importing new table_columns full_members
1517 superset_init | Importing new table_columns messages_posted
1518 superset_init | 2023-05-26 11:43:21,038:INFO:superset.models.helpers:Importing new table_columns
messages_posted
1519 superset_init | Importing new table_columns total_membership
1520 superset_init | 2023-05-26 11:43:21,041:INFO:superset.models.helpers:Importing new table_columns
total_membership
1521 superset_init | Importing new table_columns guests
1522 superset_init | 2023-05-26 11:43:21,045:INFO:superset.models.helpers:Importing new table_columns guests
1523 superset_init | Importing new table_columns name
1524 superset_init | 2023-05-26 11:43:21,048:INFO:superset.models.helpers:Importing new table_columns name
1525 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/exported\_stats.csv
1526 superset_init | 2023-05-26 11:43:21,064:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/exported\_stats.csv
1527 superset_init | Loading data outside the import transaction
1528 superset_init | 2023-05-26 11:43:21,330:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1529 superset_init | Importing new tables public.new_members_daily
1530 superset_init | 2023-05-26 11:43:21,988:INFO:superset.models.helpers:Importing new tables
public.new_members_daily
1531 superset_init | Dataset has no database will retry with database_id to set permission
1532 superset_init | 2023-05-26 11:43:21,991:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1533 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1534 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1535 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1536 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1537 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1538 superset_init | obj = obj_query.one_or_none()
1539 superset_init | Importing new sql_metrics count
1540 superset_init | 2023-05-26 11:43:22,003:INFO:superset.models.helpers:Importing new sql_metrics count
1541 superset_init | Importing new table_columns date
1542 superset_init | 2023-05-26 11:43:22,007:INFO:superset.models.helpers:Importing new table_columns date
1543 superset_init | Importing new table_columns new_members
1544 superset_init | 2023-05-26 11:43:22,011:INFO:superset.models.helpers:Importing new table_columns new_members
1545 superset_init | Importing new tables public.users_channels
1546 superset_init | 2023-05-26 11:43:22,043:INFO:superset.models.helpers:Importing new tables public.users_channels
1547 superset_init | Dataset has no database will retry with database_id to set permission
1548 superset_init | 2023-05-26 11:43:22,045:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1549 superset_init | Importing new sql_metrics count
1550 superset_init | 2023-05-26 11:43:22,056:INFO:superset.models.helpers:Importing new sql_metrics count
1551 superset_init | Importing new table_columns user_id
1552 superset_init | 2023-05-26 11:43:22,060:INFO:superset.models.helpers:Importing new table_columns user_id
1553 superset_init | Importing new table_columns name
1554 superset_init | 2023-05-26 11:43:22,063:INFO:superset.models.helpers:Importing new table_columns name
1555 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/users\_channels.csv
1556 superset_init | 2023-05-26 11:43:22,078:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/users\_channels.csv
1557 superset_init | Loading data outside the import transaction
1558 superset_init | 2023-05-26 11:43:22,287:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1559 superset_init | Importing new tables public.members_channels_2
1560 superset_init | 2023-05-26 11:43:22,696:INFO:superset.models.helpers:Importing new tables
public.members_channels_2
1561 superset_init | Dataset has no database will retry with database_id to set permission
1562 superset_init | 2023-05-26 11:43:22,698:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1563 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1564 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1565 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1566 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1567 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1568 superset_init | obj = obj_query.one_or_none()
1569 superset_init | Importing new sql_metrics count
1570 superset_init | 2023-05-26 11:43:22,710:INFO:superset.models.helpers:Importing new sql_metrics count
1571 superset_init | Importing new table_columns channel_name
1572 superset_init | 2023-05-26 11:43:22,714:INFO:superset.models.helpers:Importing new table_columns channel_name

```

```

1573 superset_init | Importing new table_columns member_name
1574 superset_init | 2023-05-26 11:43:22,717:INFO:superset.models.helpers:Importing new table_columns member_name
1575 superset_init | Importing new tables public.channel_members
1576 superset_init | 2023-05-26 11:43:22,750:INFO:superset.models.helpers:Importing new tables
public.channel_members
1577 superset_init | Dataset has no database will retry with database_id to set permission
1578 superset_init | 2023-05-26 11:43:22,752:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1579 superset_init | Importing new sql_metrics count
1580 superset_init | 2023-05-26 11:43:22,764:INFO:superset.models.helpers:Importing new sql_metrics count
1581 superset_init | Importing new table_columns channel_id
1582 superset_init | 2023-05-26 11:43:22,767:INFO:superset.models.helpers:Importing new table_columns channel_id
1583 superset_init | Importing new table_columns user_id
1584 superset_init | 2023-05-26 11:43:22,771:INFO:superset.models.helpers:Importing new table_columns user_id
1585 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/channel\_members.csv
1586 superset_init | 2023-05-26 11:43:22,789:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/channel\_members.csv
1587 superset_init | Loading data outside the import transaction
1588 superset_init | 2023-05-26 11:43:23,016:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1589 superset_init | Importing new tables public.video_game_sales
1590 superset_init | 2023-05-26 11:43:23,482:INFO:superset.models.helpers:Importing new tables
public.video_game_sales
1591 superset_init | Dataset has no database will retry with database_id to set permission
1592 superset_init | 2023-05-26 11:43:23,484:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1593 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1594 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1595 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1596 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1597 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1598 superset_init | obj = obj_query.one_or_none()
1599 superset_init | Importing new sql_metrics count
1600 superset_init | 2023-05-26 11:43:23,496:INFO:superset.models.helpers:Importing new sql_metrics count
1601 superset_init | Importing new table_columns year
1602 superset_init | 2023-05-26 11:43:23,499:INFO:superset.models.helpers:Importing new table_columns year
1603 superset_init | Importing new table_columns na_sales
1604 superset_init | 2023-05-26 11:43:23,503:INFO:superset.models.helpers:Importing new table_columns na_sales
1605 superset_init | Importing new table_columns eu_sales
1606 superset_init | 2023-05-26 11:43:23,506:INFO:superset.models.helpers:Importing new table_columns eu_sales
1607 superset_init | Importing new table_columns global_sales
1608 superset_init | 2023-05-26 11:43:23,509:INFO:superset.models.helpers:Importing new table_columns global_sales
1609 superset_init | Importing new table_columns jp_sales
1610 superset_init | 2023-05-26 11:43:23,512:INFO:superset.models.helpers:Importing new table_columns jp_sales
1611 superset_init | Importing new table_columns other_sales
1612 superset_init | 2023-05-26 11:43:23,515:INFO:superset.models.helpers:Importing new table_columns other_sales
1613 superset_init | Importing new table_columns rank
1614 superset_init | 2023-05-26 11:43:23,518:INFO:superset.models.helpers:Importing new table_columns rank
1615 superset_init | Importing new table_columns genre
1616 superset_init | 2023-05-26 11:43:23,522:INFO:superset.models.helpers:Importing new table_columns genre
1617 superset_init | Importing new table_columns name
1618 superset_init | 2023-05-26 11:43:23,526:INFO:superset.models.helpers:Importing new table_columns name
1619 superset_init | Importing new table_columns platform
1620 superset_init | 2023-05-26 11:43:23,530:INFO:superset.models.helpers:Importing new table_columns platform
1621 superset_init | Importing new table_columns publisher
1622 superset_init | 2023-05-26 11:43:23,533:INFO:superset.models.helpers:Importing new table_columns publisher
1623 superset_init | Downloading data from
https://github.com/apache-superset/examples-data/raw/lowercase\_columns\_examples/datasets/examples/video\_game\_sale\_s.csv
1624 superset_init | 2023-05-26 11:43:23,548:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://github.com/apache-superset/examples-data/raw/lowercase\_columns\_examples/datasets/examples/video\_game\_sale\_s.csv
1625 superset_init | Loading data outside the import transaction
1626 superset_init | 2023-05-26 11:43:24,076:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1627 superset_app | 127.0.0.1 - - [26/May/2023:11:43:25 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
1628 superset_init | Importing new tables public.users
1629 superset_init | 2023-05-26 11:43:29,222:INFO:superset.models.helpers:Importing new tables public.users
1630 superset_init | Dataset has no database will retry with database_id to set permission
1631 superset_init | 2023-05-26 11:43:29,224:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1632 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1633 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()

```

```

1634 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1635 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1636 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.

1637 superset_init | obj = obj_query.one_or_none()
1638 superset_init | Importing new sql_metrics count
1639 superset_init | 2023-05-26 11:43:29,236:INFO:superset.models.helpers:Importing new sql_metrics count
1640 superset_init | Importing new table_columns updated
1641 superset_init | 2023-05-26 11:43:29,240:INFO:superset.models.helpers:Importing new table_columns updated
1642 superset_init | Importing new table_columns has_2fa
1643 superset_init | 2023-05-26 11:43:29,243:INFO:superset.models.helpers:Importing new table_columns has_2fa
1644 superset_init | Importing new table_columns real_name
1645 superset_init | 2023-05-26 11:43:29,247:INFO:superset.models.helpers:Importing new table_columns real_name
1646 superset_init | Importing new table_columns tz_label
1647 superset_init | 2023-05-26 11:43:29,250:INFO:superset.models.helpers:Importing new table_columns tz_label
1648 superset_init | Importing new table_columns team_id
1649 superset_init | 2023-05-26 11:43:29,254:INFO:superset.models.helpers:Importing new table_columns team_id
1650 superset_init | Importing new table_columns name
1651 superset_init | 2023-05-26 11:43:29,257:INFO:superset.models.helpers:Importing new table_columns name
1652 superset_init | Importing new table_columns color
1653 superset_init | 2023-05-26 11:43:29,261:INFO:superset.models.helpers:Importing new table_columns color
1654 superset_init | Importing new table_columns id
1655 superset_init | 2023-05-26 11:43:29,264:INFO:superset.models.helpers:Importing new table_columns id
1656 superset_init | Importing new table_columns tz
1657 superset_init | 2023-05-26 11:43:29,267:INFO:superset.models.helpers:Importing new table_columns tz
1658 superset_init | Importing new table_columns is_ultra_restricted
1659 superset_init | 2023-05-26 11:43:29,271:INFO:superset.models.helpers:Importing new table_columns
is_ultra_restricted
1660 superset_init | Importing new table_columns is_primary_owner
1661 superset_init | 2023-05-26 11:43:29,274:INFO:superset.models.helpers:Importing new table_columns
is_primary_owner
1662 superset_init | Importing new table_columns is_app_user
1663 superset_init | 2023-05-26 11:43:29,278:INFO:superset.models.helpers:Importing new table_columns is_app_user
1664 superset_init | Importing new table_columns is_admin
1665 superset_init | 2023-05-26 11:43:29,281:INFO:superset.models.helpers:Importing new table_columns is_admin
1666 superset_init | Importing new table_columns is_bot
1667 superset_init | 2023-05-26 11:43:29,284:INFO:superset.models.helpers:Importing new table_columns is_bot
1668 superset_init | Importing new table_columns is_restricted
1669 superset_init | 2023-05-26 11:43:29,288:INFO:superset.models.helpers:Importing new table_columns is_restricted
1670 superset_init | Importing new table_columns is_owner
1671 superset_init | 2023-05-26 11:43:29,291:INFO:superset.models.helpers:Importing new table_columns is_owner
1672 superset_init | Importing new table_columns deleted
1673 superset_init | 2023-05-26 11:43:29,294:INFO:superset.models.helpers:Importing new table_columns deleted
1674 superset_init | Importing new table_columns tz_offset
1675 superset_init | 2023-05-26 11:43:29,297:INFO:superset.models.helpers:Importing new table_columns tz_offset
1676 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/users.csv
1677 superset_init | 2023-05-26 11:43:29,312:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/users.csv
1678 superset_init | Loading data outside the import transaction
1679 superset_init | 2023-05-26 11:43:29,601:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1680 superset_init | Importing new tables public.cleaned_sales_data
1681 superset_init | 2023-05-26 11:43:30,647:INFO:superset.models.helpers:Importing new tables
public.cleaned_sales_data
1682 superset_init | Dataset has no database will retry with database_id to set permission
1683 superset_init | 2023-05-26 11:43:30,649:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1684 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1685 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1686 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1687 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1688 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1689 superset_init | obj = obj_query.one_or_none()
1690 superset_init | Importing new sql_metrics count
1691 superset_init | 2023-05-26 11:43:30,661:INFO:superset.models.helpers:Importing new sql_metrics count
1692 superset_init | Importing new table_columns order_date
1693 superset_init | 2023-05-26 11:43:30,664:INFO:superset.models.helpers:Importing new table_columns order_date
1694 superset_init | Importing new table_columns price_each
1695 superset_init | 2023-05-26 11:43:30,668:INFO:superset.models.helpers:Importing new table_columns price_each
1696 superset_init | Importing new table_columns sales
1697 superset_init | 2023-05-26 11:43:30,672:INFO:superset.models.helpers:Importing new table_columns sales
1698 superset_init | Importing new table_columns address_line1
1699 superset_init | 2023-05-26 11:43:30,675:INFO:superset.models.helpers:Importing new table_columns address_line1
1700 superset_init | Importing new table_columns address_line2

```

```

1701 superset_init | 2023-05-26 11:43:30,679:INFO:superset.models.helpers:Importing new table_columns address_line2
1702 superset_init | Importing new table_columns contact_last_name
1703 superset_init | 2023-05-26 11:43:30,683:INFO:superset.models.helpers:Importing new table_columns
contact_last_name
1704 superset_init | Importing new table_columns contact_first_name
1705 superset_init | 2023-05-26 11:43:30,686:INFO:superset.models.helpers:Importing new table_columns
contact_first_name
1706 superset_init | Importing new table_columns quantity_ordered
1707 superset_init | 2023-05-26 11:43:30,690:INFO:superset.models.helpers:Importing new table_columns
quantity_ordered
1708 superset_init | Importing new table_columns year
1709 superset_init | 2023-05-26 11:43:30,693:INFO:superset.models.helpers:Importing new table_columns year
1710 superset_init | Importing new table_columns postal_code
1711 superset_init | 2023-05-26 11:43:30,697:INFO:superset.models.helpers:Importing new table_columns postal_code
1712 superset_init | Importing new table_columns customer_name
1713 superset_init | 2023-05-26 11:43:30,700:INFO:superset.models.helpers:Importing new table_columns
customer_name
1714 superset_init | Importing new table_columns deal_size
1715 superset_init | 2023-05-26 11:43:30,704:INFO:superset.models.helpers:Importing new table_columns deal_size
1716 superset_init | Importing new table_columns state
1717 superset_init | 2023-05-26 11:43:30,707:INFO:superset.models.helpers:Importing new table_columns state
1718 superset_init | Importing new table_columns status
1719 superset_init | 2023-05-26 11:43:30,711:INFO:superset.models.helpers:Importing new table_columns status
1720 superset_init | Importing new table_columns order_line_number
1721 superset_init | 2023-05-26 11:43:30,714:INFO:superset.models.helpers:Importing new table_columns
order_line_number
1722 superset_init | Importing new table_columns order_number
1723 superset_init | 2023-05-26 11:43:30,717:INFO:superset.models.helpers:Importing new table_columns order_number
1724 superset_init | Importing new table_columns month
1725 superset_init | 2023-05-26 11:43:30,721:INFO:superset.models.helpers:Importing new table_columns month
1726 superset_init | Importing new table_columns quarter
1727 superset_init | 2023-05-26 11:43:30,724:INFO:superset.models.helpers:Importing new table_columns quarter
1728 superset_init | Importing new table_columns msrp
1729 superset_init | 2023-05-26 11:43:30,728:INFO:superset.models.helpers:Importing new table_columns msrp
1730 superset_init | Importing new table_columns product_code
1731 superset_init | 2023-05-26 11:43:30,731:INFO:superset.models.helpers:Importing new table_columns product_code
1732 superset_init | Importing new table_columns product_line
1733 superset_init | 2023-05-26 11:43:30,734:INFO:superset.models.helpers:Importing new table_columns product_line
1734 superset_init | Importing new table_columns city
1735 superset_init | 2023-05-26 11:43:30,738:INFO:superset.models.helpers:Importing new table_columns city
1736 superset_init | Importing new table_columns country
1737 superset_init | 2023-05-26 11:43:30,741:INFO:superset.models.helpers:Importing new table_columns country
1738 superset_init | Importing new table_columns phone
1739 superset_init | 2023-05-26 11:43:30,744:INFO:superset.models.helpers:Importing new table_columns phone
1740 superset_init | Importing new table_columns territory
1741 superset_init | 2023-05-26 11:43:30,748:INFO:superset.models.helpers:Importing new table_columns territory
1742 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/lowercase\_columns\_examples/datasets/examples/sales.csv
1743 superset_init | 2023-05-26 11:43:30,762:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from
https://raw.githubusercontent.com/apache-superset/examples-data/lowercase\_columns\_examples/datasets/examples/sales.csv
1744 superset_init | Loading data outside the import transaction
1745 superset_init | 2023-05-26 11:43:31,043:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1746 superset_init | Importing new tables public.channels
1747 superset_init | 2023-05-26 11:43:32,802:INFO:superset.models.helpers:Importing new tables public.channels
1748 superset_init | Dataset has no database will retry with database_id to set permission
1749 superset_init | 2023-05-26 11:43:32,804:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1750 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1751 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1752 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using
alternative event listeners or connection-level operations instead.
1753 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1754 superset_init | /app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1755 superset_init | obj = obj_query.one_or_none()
1756 superset_init | Importing new sql_metrics count
1757 superset_init | 2023-05-26 11:43:32,816:INFO:superset.models.helpers:Importing new sql_metrics count
1758 superset_init | Importing new table_columns topic__last_set
1759 superset_init | 2023-05-26 11:43:32,820:INFO:superset.models.helpers:Importing new table_columns topic__last_set
1760 superset_init | Importing new table_columns purpose__last_set
1761 superset_init | 2023-05-26 11:43:32,823:INFO:superset.models.helpers:Importing new table_columns
purpose__last_set
1762 superset_init | Importing new table_columns created
1763 superset_init | 2023-05-26 11:43:32,827:INFO:superset.models.helpers:Importing new table_columns created
1764 superset_init | Importing new table_columns unlinked
1765 superset_init | 2023-05-26 11:43:32,830:INFO:superset.models.helpers:Importing new table_columns unlinked

```



```

1766 superset_init | Importing new table_columns topic__creator
1767 superset_init | 2023-05-26 11:43:32,834:INFO:superset.models.helpers:Importing new table_columns topic__creator
1768 superset_init | Importing new table_columns purpose__creator
1769 superset_init | 2023-05-26 11:43:32,837:INFO:superset.models.helpers:Importing new table_columns
purpose__creator
1770 superset_init | Importing new table_columns topic__value
1771 superset_init | 2023-05-26 11:43:32,841:INFO:superset.models.helpers:Importing new table_columns topic__value
1772 superset_init | Importing new table_columns purpose__value
1773 superset_init | 2023-05-26 11:43:32,845:INFO:superset.models.helpers:Importing new table_columns
purpose__value
1774 superset_init | Importing new table_columns parent_conversation
1775 superset_init | 2023-05-26 11:43:32,848:INFO:superset.models.helpers:Importing new table_columns
parent_conversation
1776 superset_init | Importing new table_columns name_normalized
1777 superset_init | 2023-05-26 11:43:32,851:INFO:superset.models.helpers:Importing new table_columns
name_normalized
1778 superset_init | Importing new table_columns channel_id
1779 superset_init | 2023-05-26 11:43:32,855:INFO:superset.models.helpers:Importing new table_columns channel_id
1780 superset_init | Importing new table_columns creator
1781 superset_init | 2023-05-26 11:43:32,858:INFO:superset.models.helpers:Importing new table_columns creator
1782 superset_init | Importing new table_columns name
1783 superset_init | 2023-05-26 11:43:32,862:INFO:superset.models.helpers:Importing new table_columns name
1784 superset_init | Importing new table_columns id
1785 superset_init | 2023-05-26 11:43:32,865:INFO:superset.models.helpers:Importing new table_columns id
1786 superset_init | Importing new table_columns is_pending_ext_shared
1787 superset_init | 2023-05-26 11:43:32,869:INFO:superset.models.helpers:Importing new table_columns
is_pending_ext_shared
1788 superset_init | Importing new table_columns is_ext_shared
1789 superset_init | 2023-05-26 11:43:32,872:INFO:superset.models.helpers:Importing new table_columns is_ext_shared
1790 superset_init | Importing new table_columns is_org_shared
1791 superset_init | 2023-05-26 11:43:32,876:INFO:superset.models.helpers:Importing new table_columns is_org_shared
1792 superset_init | Importing new table_columns is_archived
1793 superset_init | 2023-05-26 11:43:32,879:INFO:superset.models.helpers:Importing new table_columns is_archived
1794 superset_init | Importing new table_columns is_channel
1795 superset_init | 2023-05-26 11:43:32,883:INFO:superset.models.helpers:Importing new table_columns is_channel
1796 superset_init | Importing new table_columns is_shared
1797 superset_init | 2023-05-26 11:43:32,886:INFO:superset.models.helpers:Importing new table_columns is_shared
1798 superset_init | Importing new table_columns is_general
1799 superset_init | 2023-05-26 11:43:32,890:INFO:superset.models.helpers:Importing new table_columns is_general
1800 superset_init | Importing new table_columns is_private
1801 superset_init | 2023-05-26 11:43:32,893:INFO:superset.models.helpers:Importing new table_columns is_private
1802 superset_init | Importing new table_columns is_member
1803 superset_init | 2023-05-26 11:43:32,896:INFO:superset.models.helpers:Importing new table_columns is_member
1804 superset_init | Importing new table_columns is_group
1805 superset_init | 2023-05-26 11:43:32,900:INFO:superset.models.helpers:Importing new table_columns is_group
1806 superset_init | Importing new table_columns is_mpim
1807 superset_init | 2023-05-26 11:43:32,903:INFO:superset.models.helpers:Importing new table_columns is_mpim
1808 superset_init | Importing new table_columns is_im
1809 superset_init | 2023-05-26 11:43:32,907:INFO:superset.models.helpers:Importing new table_columns is_im
1810 superset_init | Importing new table_columns num_members
1811 superset_init | 2023-05-26 11:43:32,910:INFO:superset.models.helpers:Importing new table_columns num_members
1812 superset_init | Importing new table_columns pending_connected_team_ids
1813 superset_init | 2023-05-26 11:43:32,913:INFO:superset.models.helpers:Importing new table_columns
pending_connected_team_ids
1814 superset_init | Importing new table_columns shared_team_ids
1815 superset_init | 2023-05-26 11:43:32,917:INFO:superset.models.helpers:Importing new table_columns
shared_team_ids
1816 superset_init | Importing new table_columns pending_shared
1817 superset_init | 2023-05-26 11:43:32,920:INFO:superset.models.helpers:Importing new table_columns
pending_shared
1818 superset_init | Importing new table_columns previous_names
1819 superset_init | 2023-05-26 11:43:32,924:INFO:superset.models.helpers:Importing new table_columns
previous_names
1820 superset_init | Importing new table_columns members
1821 superset_init | 2023-05-26 11:43:32,927:INFO:superset.models.helpers:Importing new table_columns members
1822 superset_init | Downloading data from
https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/channels.csv
1823 superset_init | 2023-05-26 11:43:32,943:INFO:superset.datasets.commands.importers.v1.utils:Downloading data
from https://raw.githubusercontent.com/apache-superset/examples-data/master/datasets/examples/slack/channels.csv
1824 superset_init | Loading data outside the import transaction
1825 superset_init | 2023-05-26 11:43:33,204:WARNING:superset.datasets.commands.importers.v1.utils:Loading data
outside the import transaction
1826 superset_init | Importing new tables public.users_channels-uzooNntSRO
1827 superset_init | 2023-05-26 11:43:33,379:INFO:superset.models.helpers:Importing new tables
public.users_channels-uzooNntSRO
1828 superset_init | Dataset has no database will retry with database_id to set permission
1829 superset_init | 2023-05-26 11:43:33,382:WARNING:superset.security.manager:Dataset has no database will retry
with database_id to set permission
1830 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'related attribute set'
operation is not currently supported within the execution stage of the flush process. Results may not be consistent.
Consider using alternative event listeners or connection-level operations instead.
1831 superset_init | self.database = session.query(Database).filter_by(id=self.database_id).one()
1832 superset_init | /app/superset/connectors/sqla/models.py:1598: SAWarning: Usage of the 'collection append' operation
is not currently supported within the execution stage of the flush process. Results may not be consistent. Consider using

```


alternative event listeners or connection-level operations instead.

1833	superset_init	self.database = session.query(Database).filter_by(id=self.database_id).one()
1834	superset_init	/app/superset/models/helpers.py:311: SAWarning: Attribute history events accumulated on 1
		previously clean instances within inner-flush event handlers have been reset, and will not result in database updates.
		Consider using set_committed_value() within inner-flush event handlers to avoid this warning.
1835	superset_init	obj = obj_query.one_or_none()
1836	superset_init	Importing new sql_metrics count
1837	superset_init	2023-05-26 11:43:33,394:INFO:superset.models.helpers:Importing new sql_metrics count
1838	superset_init	Importing new table_columns channel_1
1839	superset_init	2023-05-26 11:43:33,398:INFO:superset.models.helpers:Importing new table_columns channel_1
1840	superset_init	Importing new table_columns channel_2
1841	superset_init	2023-05-26 11:43:33,401:INFO:superset.models.helpers:Importing new table_columns channel_2
1842	superset_init	Importing new table_columns cnt
1843	superset_init	2023-05-26 11:43:33,405:INFO:superset.models.helpers:Importing new table_columns cnt
1844	superset_init	Importing new slices Overall Sales (By Product Line)
1845	superset_init	2023-05-26 11:43:33,428:INFO:superset.models.helpers:Importing new slices Overall Sales (By
		Product Line)
1846	superset_init	Importing new slices Weekly Messages
1847	superset_init	2023-05-26 11:43:33,435:INFO:superset.models.helpers:Importing new slices Weekly Messages
1848	superset_init	Importing new slices Top 10 Games: Proportion of Sales in Markets
1849	superset_init	2023-05-26 11:43:33,442:INFO:superset.models.helpers:Importing new slices Top 10 Games:
		Proportion of Sales in Markets
1850	superset_init	Importing new slices Members per Channel
1851	superset_init	2023-05-26 11:43:33,449:INFO:superset.models.helpers:Importing new slices Members per Channel
1852	superset_init	Importing new slices Vaccine Candidates per Phase
1853	superset_init	2023-05-26 11:43:33,455:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per
		Phase
1854	superset_init	Importing new slices Commute Time
1855	superset_init	2023-05-26 11:43:33,462:INFO:superset.models.helpers:Importing new slices Commute Time
1856	superset_init	Importing new slices Games per Genre over time
1857	superset_init	2023-05-26 11:43:33,469:INFO:superset.models.helpers:Importing new slices Games per Genre over
		time
1858	superset_init	Importing new slices First Time Developer & Commute Time
1859	superset_init	2023-05-26 11:43:33,475:INFO:superset.models.helpers:Importing new slices First Time Developer &
		Commute Time
1860	superset_init	Importing new slices First Time Developer?
1861	superset_init	2023-05-26 11:43:33,482:INFO:superset.models.helpers:Importing new slices First Time Developer?
1862	superset_init	Importing new slices Proportion of Revenue by Product Line
1863	superset_init	2023-05-26 11:43:33,488:INFO:superset.models.helpers:Importing new slices Proportion of Revenue
		by Product Line
1864	superset_init	Importing new slices Video Game Sales filter
1865	superset_init	2023-05-26 11:43:33,495:INFO:superset.models.helpers:Importing new slices Video Game Sales filter
1866	superset_init	Importing new slices New Members per Month
1867	superset_init	2023-05-26 11:43:33,501:INFO:superset.models.helpers:Importing new slices New Members per
		Month
1868	superset_init	Importing new slices Quarterly Sales (By Product Line)
1869	superset_init	2023-05-26 11:43:33,508:INFO:superset.models.helpers:Importing new slices Quarterly Sales (By
		Product Line)
1870	superset_init	Importing new slices Publishers With Most Titles
1871	superset_init	2023-05-26 11:43:33,514:INFO:superset.models.helpers:Importing new slices Publishers With Most
		Titles
1872	superset_init	Importing new slices Number of Aspiring Developers
1873	superset_init	2023-05-26 11:43:33,521:INFO:superset.models.helpers:Importing new slices Number of Aspiring
		Developers
1874	superset_init	Importing new slices Number of Deals (for each Combination)
1875	superset_init	2023-05-26 11:43:33,528:INFO:superset.models.helpers:Importing new slices Number of Deals (for
		each Combination)
1876	superset_init	Importing new slices Games
1877	superset_init	2023-05-26 11:43:33,535:INFO:superset.models.helpers:Importing new slices Games
1878	superset_init	Importing new slices Messages per Channel
1879	superset_init	2023-05-26 11:43:33,541:INFO:superset.models.helpers:Importing new slices Messages per Channel
1880	superset_init	Importing new slices Most Dominant Platforms
1881	superset_init	2023-05-26 11:43:33,548:INFO:superset.models.helpers:Importing new slices Most Dominant
		Platforms
1882	superset_init	Importing new slices Vaccine Candidates per Country
1883	superset_init	2023-05-26 11:43:33,554:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per
		Country
1884	superset_init	Importing new slices Total Sales per Market (Grouped by Genre)
1885	superset_init	2023-05-26 11:43:33,560:INFO:superset.models.helpers:Importing new slices Total Sales per Market
		(Grouped by Genre)
1886	superset_init	Importing new slices ✖ Relocation ability
1887	superset_init	2023-05-26 11:43:33,567:INFO:superset.models.helpers:Importing new slices ✖ Relocation ability
1888	superset_init	Importing new slices Rise & Fall of Video Game Consoles
1889	superset_init	2023-05-26 11:43:33,573:INFO:superset.models.helpers:Importing new slices Rise & Fall of Video
		Game Consoles
1890	superset_init	Importing new slices Preferred Employment Style
1891	superset_init	2023-05-26 11:43:33,580:INFO:superset.models.helpers:Importing new slices Preferred Employment
		Style
1892	superset_init	Importing new slices Work Location Preference
1893	superset_init	2023-05-26 11:43:33,586:INFO:superset.models.helpers:Importing new slices Work Location
		Preference
1894	superset_init	Importing new slices Vehicle Sales Filter
1895	superset_init	2023-05-26 11:43:33,592:INFO:superset.models.helpers:Importing new slices Vehicle Sales Filter
1896	superset_init	Importing new slices Popular Genres Across Platforms

1897	superset_init Platforms	2023-05-26 11:43:33,598:INFO:superset.models.helpers:Importing new slices Popular Genres Across
1898	superset_init	Importing new slices Weekly Threads
1899	superset_init	2023-05-26 11:43:33,605:INFO:superset.models.helpers:Importing new slices Weekly Threads
1900	superset_init	Importing new slices How do you prefer to work?
1901	superset_init	2023-05-26 11:43:33,611:INFO:superset.models.helpers:Importing new slices How do you prefer to work?
1902	superset_init	Importing new slices Games per Genre
1903	superset_init	2023-05-26 11:43:33,617:INFO:superset.models.helpers:Importing new slices Games per Genre
1904	superset_init	Importing new slices Quarterly Sales
1905	superset_init	2023-05-26 11:43:33,624:INFO:superset.models.helpers:Importing new slices Quarterly Sales
1906	superset_init	Importing new slices Ethnic Minority & Gender
1907	superset_init	2023-05-26 11:43:33,630:INFO:superset.models.helpers:Importing new slices Ethnic Minority & Gender
1908	superset_init	Importing new slices Revenue by Deal Size
1909	superset_init	2023-05-26 11:43:33,636:INFO:superset.models.helpers:Importing new slices Revenue by Deal Size
1910	superset_init	Importing new slices How much do you expect to earn? (\$0 - 100k)
1911	superset_init	2023-05-26 11:43:33,643:INFO:superset.models.helpers:Importing new slices How much do you expect to earn? (\$0 - 100k)
1912	superset_init	Importing new slices Vaccine Candidates per Country
1913	superset_init	2023-05-26 11:43:33,649:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per Country
1914	superset_init	Importing new slices Seasonality of Revenue (per Product Line)
1915	superset_init (per Product Line)	2023-05-26 11:43:33,655:INFO:superset.models.helpers:Importing new slices Seasonality of Revenue (per Product Line)
1916	superset_init	Importing new slices Filter Segments
1917	superset_init	2023-05-26 11:43:33,662:INFO:superset.models.helpers:Importing new slices Filter Segments
1918	superset_init	Importing new slices Last Year Income Distribution
1919	superset_init	2023-05-26 11:43:33,668:INFO:superset.models.helpers:Importing new slices Last Year Income Distribution
1920	superset_init	Importing new slices Total Items Sold
1921	superset_init	2023-05-26 11:43:33,674:INFO:superset.models.helpers:Importing new slices Total Items Sold
1922	superset_init	Importing new slices Degrees vs Income
1923	superset_init	2023-05-26 11:43:33,681:INFO:superset.models.helpers:Importing new slices Degrees vs Income
1924	superset_init	Importing new slices Top 15 Languages Spoken at Home
1925	superset_init	2023-05-26 11:43:33,687:INFO:superset.models.helpers:Importing new slices Top 15 Languages Spoken at Home
1926	superset_init	Importing new slices Age distribution of respondents
1927	superset_init respondents	2023-05-26 11:43:33,693:INFO:superset.models.helpers:Importing new slices Age distribution of respondents
1928	superset_init	Importing new slices Top Timezones
1929	superset_init	2023-05-26 11:43:33,699:INFO:superset.models.helpers:Importing new slices Top Timezones
1930	superset_init	Importing new slices Cross Channel Relationship
1931	superset_init Relationship	2023-05-26 11:43:33,705:INFO:superset.models.helpers:Importing new slices Cross Channel Relationship
1932	superset_init	Importing new slices Breakdown of Developer Type
1933	superset_init	2023-05-26 11:43:33,711:INFO:superset.models.helpers:Importing new slices Breakdown of Developer Type
1934	superset_init	Importing new slices Total Items Sold (By Product Line)
1935	superset_init Product Line)	2023-05-26 11:43:33,717:INFO:superset.models.helpers:Importing new slices Total Items Sold (By Product Line)
1936	superset_init	Importing new slices Vaccine Candidates per Approach & Stage
1937	superset_init	2023-05-26 11:43:33,724:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per Approach & Stage
1938	superset_init	Importing new slices # of Games That Hit 100k in Sales By Release Year
1939	superset_init	2023-05-26 11:43:33,730:INFO:superset.models.helpers:Importing new slices # of Games That Hit 100k in Sales By Release Year
1940	superset_init	Importing new slices Number of Members
1941	superset_init	2023-05-26 11:43:33,737:INFO:superset.models.helpers:Importing new slices Number of Members
1942	superset_init	Importing new slices Gender
1943	superset_init	2023-05-26 11:43:33,743:INFO:superset.models.helpers:Importing new slices Gender
1944	superset_init	Importing new slices Vaccine Candidates per Country & Stage
1945	superset_init	2023-05-26 11:43:33,748:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per Country & Stage
1946	superset_init	Importing new slices Location of Current Developers
1947	superset_init	2023-05-26 11:43:33,754:INFO:superset.models.helpers:Importing new slices Location of Current Developers
1948	superset_init	Importing new slices Highest degree held
1949	superset_init	2023-05-26 11:43:33,760:INFO:superset.models.helpers:Importing new slices Highest degree held
1950	superset_init	Importing new slices Country of Citizenship
1951	superset_init	2023-05-26 11:43:33,766:INFO:superset.models.helpers:Importing new slices Country of Citizenship
1952	superset_init	Importing new slices Vaccine Candidates per Phase
1953	superset_init	2023-05-26 11:43:33,772:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per Phase
1954	superset_init	Importing new slices Cross Channel Relationship heatmap
1955	superset_init	2023-05-26 11:43:33,778:INFO:superset.models.helpers:Importing new slices Cross Channel Relationship heatmap
1956	superset_init	Importing new slices Total Revenue
1957	superset_init	2023-05-26 11:43:33,784:INFO:superset.models.helpers:Importing new slices Total Revenue
1958	superset_init	Importing new slices Current Developers: Is this your first development job?
1959	superset_init	2023-05-26 11:43:33,790:INFO:superset.models.helpers:Importing new slices Current Developers: Is this your first development job?
1960	superset_init	Importing new slices Filtering Vaccines
1961	superset_init	2023-05-26 11:43:33,796:INFO:superset.models.helpers:Importing new slices Filtering Vaccines

```
1962 superset_init | Importing new slices Vaccine Candidates per Country & Stage
1963 superset_init | 2023-05-26 11:43:33,802:INFO:superset.models.helpers:Importing new slices Vaccine Candidates per
Country & Stage
1964 superset_init | Importing new slices Are you an ethnic minority in your city?
1965 superset_init | 2023-05-26 11:43:33,808:INFO:superset.models.helpers:Importing new slices Are you an ethnic
minority in your city?
1966 superset_init | Importing new slices Unicode Cloud
1967 superset_init | 2023-05-26 11:43:33,814:INFO:superset.models.helpers:Importing new slices Unicode Cloud
1968 superset_init | Importing new dashboards Dashboard<None>
1969 superset_init | 2023-05-26 11:43:33,821:INFO:superset.models.helpers:Importing new dashboards
Dashboard<None>
1970 superset_init | Importing new dashboards Dashboard<None>
1971 superset_init | 2023-05-26 11:43:33,828:INFO:superset.models.helpers:Importing new dashboards
Dashboard<None>
1972 superset_init | Importing new dashboards Dashboard<None>
1973 superset_init | 2023-05-26 11:43:33,834:INFO:superset.models.helpers:Importing new dashboards
Dashboard<None>
1974 superset_init | Importing new dashboards Dashboard<None>
1975 superset_init | 2023-05-26 11:43:33,840:INFO:superset.models.helpers:Importing new dashboards
Dashboard<None>
1976 superset_init | Importing new dashboards Dashboard<None>
1977 superset_init | 2023-05-26 11:43:33,845:INFO:superset.models.helpers:Importing new dashboards
Dashboard<None>
1978 superset_init | Importing new dashboards Dashboard<unicode-test>
1979 superset_init | 2023-05-26 11:43:33,850:INFO:superset.models.helpers:Importing new dashboards
Dashboard<unicode-test>
1980 superset_init | Loaded your LOCAL configuration at [/app/docker/pythonpath_dev/superset_config.py]
1981 superset_init | Loading examples metadata and related data into examples
1982 superset_init | Creating default CSS templates
1983 superset_init | Loading [World Bank's Health Nutrition and Population Stats]
1984 superset_init | Creating table [wb_health_population] reference
1985 superset_init | Creating a World's Health Bank dashboard
1986 superset_init | Loading [Birth names]
1987 superset_init | Done loading table!
1988 superset_init | -----
1989 superset_init | Creating table [birth_names] reference
1990 superset_init | Creating some slices
1991 superset_init | Creating a dashboard
1992 superset_init | Loading [Random long/lat data]
1993 superset_init | Done loading table!
1994 superset_init | -----
1995 superset_init | Creating table reference
1996 superset_init | Creating a slice
1997 superset_init | Loading [Country Map data]
1998 superset_init | Done loading table!
1999 superset_init | -----
2000 superset_init | Creating table reference
2001 superset_init | Creating a slice
2002 superset_init | Loading [San Francisco population polygons]
2003 superset_init | Creating table sf_population_polygons reference
2004 superset_init | Loading [Flights data]
2005 superset_init | Done loading table!
2006 superset_init | Loading [BART lines]
2007 superset_init | Creating table bart_lines reference
2008 superset_init | Loading [Multi Line]
2009 superset_init | Creating table [wb_health_population] reference
2010 superset_init | Creating a World's Health Bank dashboard
2011 superset_init | Creating some slices
2012 superset_init | Creating a dashboard
2013 superset_init | Loading [Misc Charts] dashboard
2014 superset_init | Creating the dashboard
2015 superset_init | Loading DECK.gl demo
2016 superset_init | Loading deck.gl dashboard
2017 superset_init | Creating Scatterplot slice
2018 superset_init | Creating Screen Grid slice
2019 superset_init | Creating Hex slice
2020 superset_init | Creating Grid slice
2021 superset_init | Creating Polygon slice
2022 superset_init | Creating Arc slice
2023 superset_init | Creating Path slice
2024 superset_init | Creating a dashboard
2025 superset_init |
2026 superset_init | #####
2027 superset_init |
2028 superset_init |
2029 superset_init | Init Step 4/4 [Complete] -- Loading examples
2030 superset_init |
2031 superset_init |
2032 superset_init | #####
2033 superset_init |
2034 superset_init exited with code 0
2035 superset_app | 127.0.0.1 - - [26/May/2023:11:43:55 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
```

2036 superset_worker_beat | [2023-05-26 11:44:00,050: INFO/MainProcess] Scheduler: Sending due task reports.scheduler
(reports.scheduler)
2037 superset_worker | [2023-05-26 11:44:00,053: INFO/MainProcess] Task
reports.scheduler[92d70f32-0f02-4357-b9b3-0eb83b0d7605] received
2038 superset_worker | [2023-05-26 11:44:00,103: INFO/ForkPoolWorker-1] Task
reports.scheduler[92d70f32-0f02-4357-b9b3-0eb83b0d7605] succeeded in 0.049033017000056134s: None
2039 superset_app | 127.0.0.1 - - [26/May/2023:11:44:25 +0000] "GET /health HTTP/1.1" 200 2 "-" "curl/7.74.0"
2040
2041

2042 5. Superset Web Browser로 연결하기

2043 1)보안그룹에서 8088 포트를 인바운드 포트로 열기

2044 2)http://{Server's IP}:8088

2045
2046 3)http://{Server's IP}:8088/login/으로 redirect
2047 Sign In

2048 USERNAME : admin

2049 PASSWORD : admin

2050
2051 4)로그인 성공하면 http://{Server's IP}:8088/superset/welcome/으로 redirect