

**UAM MyInfo Service Config and API Integration Guide - 6.0.1-GA (AI)**

---

# Table of Contents

|                                                                       |    |
|-----------------------------------------------------------------------|----|
| 1. Preface - UAM MyInfo Service Config and API Integration Guide..... | 3  |
| 2. Introduction to UAM MyInfo Service Config and API Integration..... | 4  |
| 2.1. MyInfo.....                                                      | 5  |
| 2.2. MyInfo Business.....                                             | 8  |
| 3. UAM MyInfo Service Integration Configuration.....                  | 10 |
| 4. MyInfo Service API.....                                            | 20 |
| 4.1. MyInfo Version 3 API.....                                        | 21 |
| 4.2. MyInfo Version 4 API.....                                        | 24 |
| 4.3. MyInfo Business API.....                                         | 27 |
| 5. Appendices.....                                                    | 35 |

---

# 1. Preface - UAM MyInfo Service Config and API Integration Guide

AccessMatrix Universal Access Management (UAM) supports the integration of client applications' services with the Singapore Government MyInfo service to create smoother government transaction experiences for users. This document provides information on how to do so.

## Intended Reader

This guide is intended as a reference for security administrators and developers. The developers must be familiar with the MyInfo service API.

## Document Scope

This document provides detailed instructions on the client application integration of the MyInfo application with the Singapore Government's MyInfo service using the AccessMatrix Universal Access Management (UAM) system. The UAM application serves as a proxy of the MyInfo application to retrieve end user information and data from MyInfo application.

For any feedback or questions regarding this document, contact [doc@i-sprint.com](mailto:doc@i-sprint.com).

## Related Documents

For more information, see the following documents in the AccessMatrix Product Suite:

- [AccessMatrix REST API Specification](#)

---

## 2. Introduction to UAM MyInfo Service Config and API Integration

The MyInfo service is a one-stop data platform that allows any Singpass user to fill up online forms by pulling information from the various Singapore government agencies and automatically populating fields with the user's personal particulars (such as name, NRIC number and address). AccessMatrix UAM helps client applications to integrate their services with the MyInfo service to make government transactions easier for users.

The provision of government-verified digital data also ensures greater accuracy in the information provided to the companies. The security and privacy of Singpass users' data remain a key priority; businesses need to seek consent from customers at each point of every transaction before any data is released for their use.

This document describes two MyInfo services:

- **MyInfo** - MyInfo service for the retrieval of personal data only.



**Important Note:** MyInfo Version 3 is no longer available for new integrations and will be decommissioned on 30 Jun 2025. A new version, MyInfo has been introduced with several major changes. It will be referred to as MyInfo Version 5 for the rest of this guide. AccessMatrix will continue to support MyInfo Version 3 during the transitional period from V3 to V5. However, information provided in this guide will be applicable only for MyInfo Version 5 unless otherwise stated.

- **MyInfo Business** - MyInfo service for the retrieval of corporate and personal data.

### Implementation Checklist


Below is the checklist for implementing the UAM OIDC Relying Party solution. Do note that the steps differ based on whether the MyInfo service (for individuals) or the MyInfo Business service (for business entities) is being used.

| Tasks                            | Reference                                                                                         |
|----------------------------------|---------------------------------------------------------------------------------------------------|
| MyInfo Application Configuration | <a href="#">MyInfo Application</a>                                                                |
| MyInfo APIs                      | <a href="#">MyInfo APIs</a>                                                                       |
| MyInfo Data Catalogue            | <a href="#">MyInfo Data Catalog (Personal)</a><br><a href="#">MyInfo Data Catalog (Corporate)</a> |

## 2.1. MyInfo

### MyInfo Service Integration Flow

The service integration flow for MyInfo is illustrated below.



### OAuth 2.0 Flow for MyInfo APIs

The MyInfo service uses the OAuth 2.1 Authorization Code with Proof Key for Code Exchange (PKCE) flow.

**Note:** MyInfo Version 3 uses the OAuth 2.0 Authorization Code flow. The API descriptions below provide high-level details that are applicable to both Version 3 and Version 5.

It provides the Authorization, Token, and Userinfo endpoints as part of the flow for the retrieval of personal data from MyInfo:

- **Authorization**

The MyInfo Authorization Endpoint (Authorise for MyInfo Version 3) is called to trigger the SingPass authentication process. The user is then presented with a consent page to obtain explicit consent from the user to release the user's personal details to the application.

---

- **Token**

The MyInfo Token Endpoint is called to obtain an access token that is used to call the Userinfo Endpoint for the actual data.

- **Userinfo**

The MyInfo Userinfo Endpoint (Person for MyInfo Version 3 ) is called to obtain a JSON response with the personal data that was requested.

Since the integration process involves the UAM server (also referred to as the AM server), the application only needs to call the UAM server via REST API to obtain the person or business's data. The UAM server handles the API calls to the MyInfo service. The UAM APIs that the application can call are myinfo/getAuthRequestURL/v5 and myinfo/exchangeCodeForPersonInfo/v5.




**Note:** For MyInfo Version 3, the APIs are myinfo/getAuthRequestURL and myinfo/exchangeCodeForPersonInfo respectively.

Refer to [MyInfo Service API - MyInfo APIs](#) for more details on the above APIs.

### **Sequence Diagram**

The following sequence diagram illustrates both the MyInfo Version 3 and Version 4 flows for the retrieval of personal data:

MyInfo Service Integration Sequence Diagram




---

## 2.2. MyInfo Business

### MyInfo Service Integration Flow

The service integration flow for MyInfo Business is illustrated below.



### OAuth 2.0 Flow for MyInfo APIs

The MyInfo Business service uses the OAuth 2.0 Authorization Code flow.

It provides the Authorise, Token, and Entity-Person APIs as part of the flow for the retrieval of corporate and personal data from MyInfo:

- **Authorise**

The MyInfo Business Authorise API is called to trigger the SingPass authentication process. The user is then presented with a consent page to obtain explicit consent from the user to release the corporate entity's and user's details to the application.

- **Token**

The MyInfo Business Token API is called to obtain an access token that is used to call the Entity-Person API for the actual data.

- **Entity-Person**

The MyInfo Business Entity-Person API is called to obtain a JSON response with the corporate and personal data that was requested.


---



Since the integration process involves the UAM server (also referred to as the AM server), the application only needs to call the UAM server via REST API to obtain the person or business's data. The UAM server handles the API calls to the MyInfo Business service. The UAM APIs that the application can call are `myinfo/biz/getAuthRequestURL` and `myinfo/biz/exchangeCodeForPersonInfo`.

Refer to [MyInfo Service API - MyInfo APIs](#) for more details on the above APIs.

## Sequence Diagram



---

### 3. UAM MyInfo Service Integration Configuration

The following requirements are needed for UAM system integration with MyInfo service:

1. The JCE's Unlimited Strength Jurisdiction Policy Files must be installed for the JRE.
2. Ensure you have a Singpass account authorised via Corppass to access Singpass Developer Portal. Refer to <https://docs.developer.singpass.gov.sg/docs/singpass-developer-portal-sdp/user-guide/obtain-access-to-sdp> on how to gain access to the Singpass Developer Portal.
3. For Production environment, fill in details and submit user journey from <https://docs.developer.singpass.gov.sg/docs/getting-started/user-journey> in portal for approval.
4. Ensure you have a publicly accessible JWKS URL.



**Note:** For more information on the MyInfo linkup and onboarding processes, visit the [MyInfo Partner Portal](#).

#### Configure MyInfo Application

MyInfo Version 5 has been introduced along with several major changes. To support backward compatibility for MyInfo applications using MyInfo Version 3, AccessMatrix provides a separate implementation for each version ("MyInfo Version 3.2.7" and "MyInfo New version (v5)"). Refer to the respective section for your application, depending on the MyInfo version it uses.

The configuration details for MyInfo Business applications are unaffected by the updates to the MyInfo service.

#### MyInfo Version 3 Applications

Perform the following steps to configure MyInfo Version 3 applications:

1. Navigate to **Administration Dashboard > Configuration > MyInfo Application** and click on the **Create** button.
2. Select "MyInfo version 3.2.7" under **Implementation** and click **Next**.
3. Specify the necessary values for the following MyInfo Application attributes:



**Note:** " \* " denotes a mandatory attribute.

---

| Attribute Name                        | Description                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *MyInfo Application Id                | Unique Id of the MyInfo application.                                                                                                                                                                                                                                                                                                                |
| *MyInfo Application Name              | Name of the MyInfo application.                                                                                                                                                                                                                                                                                                                     |
| Description                           | Brief description of the MyInfo application.                                                                                                                                                                                                                                                                                                        |
| <b>Attributes Tab</b>                 |                                                                                                                                                                                                                                                                                                                                                     |
| MyInfo Environment                    | <p>Indicates the MyInfo environment that AM5 should connect to for retrieving user data.</p> <p>Options:</p> <ul style="list-style-type: none"> <li>○ "Development"</li> <li>○ "Staging"</li> <li>○ "Production"</li> </ul> <p>Default: Development</p>                                                                                             |
| *MyInfo IDP Public Certificate        | Specifies the MyInfo X.509 public key certificate used.                                                                                                                                                                                                                                                                                             |
| State Expiry (in minutes)             | <p>The state is generated for an AM5 REST API request to obtain the authorization request URL. This value will be validated during the token exchange process to get an access token.</p> <p>The MyInfo request will be discarded if the state value has expired during its validation.</p> <p>Value should be from 5 to 30.</p> <p>Default: 10</p> |
| <b>Authorise Request URL Settings</b> |                                                                                                                                                                                                                                                                                                                                                     |
| *Application Client Id                | The unique application Id requested from MyInfo Portal for the application. This is under <b>App ID</b> in the MyInfo Partner Portal <b>App Details</b> page.                                                                                                                                                                                       |
| *Application Client Secret            | The shared secret between the application and MyInfo portal. This is under <b>Shared Secret</b> in the MyInfo Partner Portal <b>App Details</b> page.                                                                                                                                                                                               |
| *Application Redirect URL             | The application's callback URL for MyInfo to return. This is under <b>Callback URL(s)</b> in the MyInfo Partner Portal <b>App Details</b> page.                                                                                                                                                                                                     |
| *MyInfo Purpose                       | Specifies the purpose for which this application needs MyInfo from its end user. This is under <b>Application Purpose(s)</b> in the MyInfo Partner Portal <b>App</b>                                                                                                                                                                                |

| Attribute Name                   | Description                                                                                                                                                                                                                                                          |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  | <b>Details</b> page.<br><b>Note:</b> Please specify the same purpose indicated during the MyInfo application onboarding process.                                                                                                                                     |
| *MyInfo Attributes               | Specifies the attributes (delimited by comma, e.g. "email,name") from MyInfo that this application intends to seek consent for from its end user.<br><b>Note:</b> Please specify the same attributes indicated during MyInfo Linkup Request process.                 |
| MyInfo Login Type                | Pilot for SingPass-QR-only-login using SingPass Mobile. SingPass-QR-only-login is enabled by specifying this parameter with the value set to "QR". Note that this only applies to digital services onboarded to perform SingPass-QR-only-login.<br>Default: SINGPASS |
| MyInfo App Launch URL            | The URL scheme to launch the original triggering mobile app after successful authentication using SingPass mobile.                                                                                                                                                   |
| MyInfo Auth Mode                 | The mode of authentication used to obtain user consent.<br>Default is "SINGPASS"                                                                                                                                                                                     |
| <b>Key Pair Used for Signing</b> |                                                                                                                                                                                                                                                                      |
| *Keystore Path                   | Refers to the keystore's path for the signing certificate.                                                                                                                                                                                                           |
| *Keystore Passphrase             | The passphrase of a key store for the signing.                                                                                                                                                                                                                       |
| *Keystore Alias                  | The alias of the key store used for signing.                                                                                                                                                                                                                         |
| <b>Proxy Tab</b>                 |                                                                                                                                                                                                                                                                      |
| <b>HTTP Forward Proxy</b>        |                                                                                                                                                                                                                                                                      |
| Enabled                          | Setting this to "true" will enable the HTTP Proxy.<br>Default: false                                                                                                                                                                                                 |
| Proxy Host Name                  | Refers to the URL of the proxy server.                                                                                                                                                                                                                               |
| Port                             | Refers to the port of the proxy server.                                                                                                                                                                                                                              |
| User Name                        | Refers to the username used to authenticate the proxy server.                                                                                                                                                                                                        |

| Attribute Name      | Description                                                                                                                                                                                                                                                                                                                                        |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| User Password       | Refers to the user's password used to authenticate the proxy server.                                                                                                                                                                                                                                                                               |
| NTLM Authentication | Indicates whether NTLM authentication is used. If <b>NTLM Authentication</b> is enabled, <b>Domain Name</b> must be specified. In addition to that, it might be necessary to configure the AM server host domain name or IP address in <b>amsystem.properties</b> with the property key "am.social.ntlm.host" for each instance.<br>Default: false |
| Domain Name         | Refers to the domain name of AD used in NTLM authentication.                                                                                                                                                                                                                                                                                       |

4. Save the changes.

## MyInfo Version 4 Applications

Perform the following steps to configure MyInfo Version 4 applications:

1. Navigate to **Administration Dashboard > Configuration > MyInfo Application** and click on the **Create** button.
2. Select "MyInfo New version (v5)" under **Implementation** and click **Next**.
3. Specify the necessary values for the following MyInfo Application attributes:

|  <b>Note:</b> " * " denotes a mandatory attribute. |                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Attribute Name                                                                                                                        | Description                                                                                       |
| *MyInfo Application Id                                                                                                                | Unique Id of the MyInfo application.                                                              |
| *MyInfo Application Name                                                                                                              | Name of the MyInfo application.                                                                   |
| Description                                                                                                                           | Brief description of the MyInfo application.                                                      |
| Attributes Tab                                                                                                                        |                                                                                                   |
| MyInfo Environment                                                                                                                    | Indicates the MyInfo environment that AM5 should connect to for retrieving user data.<br>Options: |

| Attribute Name                          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                         | <ul style="list-style-type: none"> <li>○ "Test"</li> <li>○ "Production"</li> </ul> <p>Default: Test</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| PKCE Code Challenge Expiry (in minutes) | <p>The code_challenge and code_verifier duo are generated in the PKCE authorization process. The duo will be cached and used for validation during the token exchange process to get an access token.</p> <p>The code_challenge will be in the cache for usage until the specified expiry duration has passed, or they are consumed for validation (whichever occurs earlier).</p> <p>Value should be from 5 to 30.</p> <p>Default: 10</p>                                                                                                                                       |
| <b>Authorize Request URL Settings</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| *Application Client Id                  | The unique application Id requested from MyInfo Portal for the application. This is under <b>App ID</b> in the Singpass Developer Portal <b>Dashboard</b> page.                                                                                                                                                                                                                                                                                                                                                                                                                  |
| *Application Redirect URL               | The application's callback URL for MyInfo to return. This is under <b>Redirect URL(s)</b> in the Singpass Developer Portal <b>App Config</b> page.                                                                                                                                                                                                                                                                                                                                                                                                                               |
| *Scopes (in space-separated list)       | Specifies the scopes (user details) to be retrieved. Refer to <a href="https://docs.developer.singpass.gov.sg/docs/data-catalog-myinfo/catalog">https://docs.developer.singpass.gov.sg/docs/data-catalog-myinfo/catalog</a> for supported scopes by MyInfo.                                                                                                                                                                                                                                                                                                                      |
| MyInfo App Launch URL                   | The URL scheme to launch the original triggering mobile app after successful authentication using SingPass mobile. This is under <b>App Launch URL(s)</b> in the Singpass Developer Portal <b>App Config</b> page.                                                                                                                                                                                                                                                                                                                                                               |
| <b>JWS Tab</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Wrapping Key                            | A wrapping key is required to generate the OpenID Connect encryption key pair and signing key pair. This key is used to protect the system-generated encryption key pair and signing key pair.                                                                                                                                                                                                                                                                                                                                                                                   |
| Key Rollover Strategy                   | <p>Specifies the key rollover strategy used.</p> <ul style="list-style-type: none"> <li>○ The "From system-generated key to system-generated key" strategy maintains the existing key rollover behaviour for customers who have just upgraded from an older version of AM5.</li> <li>○ The "From system-generated key to keystore" strategy allows a keystore key pair to be set as the active signing key pair.</li> </ul> <p><b>Note:</b> The <b>Rollover Key Pair For JWS</b> button will be disabled after the key rollover to the keystore key pair has been completed.</p> |

| Attribute Name                                     | Description                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                    | <ul style="list-style-type: none"> <li>The "From keystore to keystore" strategy allows a new keystore key pair to replace an existing keystore key pair as the active signing key pair.</li> </ul> <p>Default: From system-generated key to system-generated key</p>                                                 |
| <b>System-Generated Key Pair</b>                   |                                                                                                                                                                                                                                                                                                                      |
| Signing Key Algorithm                              | <p>Algorithm used to generate the key pair for signing.</p> <p>Options:</p> <ul style="list-style-type: none"> <li>"EC-P256"</li> <li>"EC-P384"</li> <li>"EC-P521"</li> </ul>                                                                                                                                        |
| <b>Key Pair in Keystore (Legacy)</b>               |                                                                                                                                                                                                                                                                                                                      |
| Keystore                                           | Specifies the file path of the Java keystore file to be used. The keystore keys must be generated using a supported algorithm. Refer to the <b>Signing Key Algorithm</b> attribute for the list of supported algorithms.                                                                                             |
| Keystore Passphrase                                | The passphrase of the Java keystore.                                                                                                                                                                                                                                                                                 |
| New Key Alias                                      | Alias of the new key pair, as listed in the keystore, that will be set as the active key pair upon clicking the <b>Key Rollover for JWS</b> or <b>Load Initial Key Pair for JWS</b> buttons.                                                                                                                         |
| Old Key Alias                                      | Alias of the existing key pair to be replaced, as listed in the keystore.                                                                                                                                                                                                                                            |
| <b>Client Authentication using Private Key JWT</b> |                                                                                                                                                                                                                                                                                                                      |
| Expiry (in minutes)<br>2                           | <p>This value is used to compute expiry time of the JWT Assertion.</p> <p>Default: 2</p>                                                                                                                                                                                                                             |
| Delay Use of New Key (in hours)                    | <p>This value determines the delay time when the system can start using the new generated key to sign the Client Assertion JWT if the old key is present. This is to allow the OpenID Provider to retrieve the new key before the key starts being used.</p> <p>Value should be from 1 to 240.</p> <p>Default: 6</p> |
| <b>JWE Tab</b>                                     |                                                                                                                                                                                                                                                                                                                      |
| Key Rollover Strategy                              | Specifies the key rollover strategy used.                                                                                                                                                                                                                                                                            |

| Attribute Name                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      | <ul style="list-style-type: none"> <li>○ The "From system-generated key to system-generated key" strategy maintains the existing key rollover behavior for customers who have just upgraded from an older version of AM5.</li> <li>○ The "From system-generated key to keystore" strategy allows a keystore key pair to be set as the active encryption key pair.<br/><b>Note:</b> The <b>Rollover Key Pair For JWE</b> button will be disabled after the key rollover to the keystore key pair has been completed.</li> <li>○ The "From keystore to keystore" strategy allows a new keystore key pair to replace an existing keystore key pair as the active signing key pair.</li> </ul> <p>Default: From system-generated key to system-generated key</p> |
| Expiry of Old Key (in hours)         | <p>Expiry time of the old key is computed based on the creation time of the new encryption key pair (after key rollover) + the hour(s) configured in this setting.<br/>The value should not be less than 1.<br/>Default: 3</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>System-Generated Key Pair</b>     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Encryption Key Algorithm             | <p>Algorithm used to generate the key pair for encryption.<br/>Options:</p> <ul style="list-style-type: none"> <li>○ "EC-P256"</li> <li>○ "EC-P384"</li> <li>○ "EC-P521"</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Key Pair in Keystore (Legacy)</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Keystore                             | Specifies the file path of the Java keystore file to be used. The keystore keys must be generated using a supported algorithm. Refer to the <b>Encryption Key Algorithm</b> attribute for the list of supported algorithms.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Keystore Passphrase                  | The passphrase of the Java keystore.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| New Key Alias                        | Alias of the new key pair, as listed in the keystore, that will be set as the active key pair upon clicking the <b>Key Rollover for JWE</b> or <b>Load Initial Key Pair for JWE</b> buttons.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Old Key Alias                        | Alias of the existing key pair to be replaced, as listed in the keystore.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Proxy Tab</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>HTTP Forward Proxy</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



| Attribute Name      | Description                                                                                                                                                                                                                                                                                                                                        |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Enabled             | Setting this to "true" will enable the HTTP Proxy.<br>Default: false                                                                                                                                                                                                                                                                               |
| Proxy Host Name     | Refers to the URL of the proxy server.                                                                                                                                                                                                                                                                                                             |
| Port                | Refers to the port of the proxy server.                                                                                                                                                                                                                                                                                                            |
| User Name           | Refers to the username used to authenticate the proxy server.                                                                                                                                                                                                                                                                                      |
| User Password       | Refers to the user's password used to authenticate the proxy server.                                                                                                                                                                                                                                                                               |
| NTLM Authentication | Indicates whether NTLM authentication is used. If <b>NTLM Authentication</b> is enabled, <b>Domain Name</b> must be specified. In addition to that, it might be necessary to configure the AM server host domain name or IP address in <b>amsystem.properties</b> with the property key "am.social.ntlm.host" for each instance.<br>Default: false |
| Domain Name         | Refers to the domain name of AD used in NTLM authentication.                                                                                                                                                                                                                                                                                       |

4. Save the changes.

## MyInfo Business Applications

Perform the following steps to configure MyInfo Business applications:

1. Navigate to **Administration Dashboard > Configuration > MyInfo Business Application** and click on the **Create** button to create a MyInfo Business Application.
2. Specify the necessary values for the following MyInfo Application attributes:

|  | <b>Note:</b> " * " denotes a mandatory attribute. |
|-------------------------------------------------------------------------------------|---------------------------------------------------|
| Attribute Name                                                                      | Description                                       |
| *MyInfo Business Application Id                                                     | Unique Id of the MyInfo application.              |
| *MyInfo Business                                                                    | Name of the MyInfo application.                   |

| Attribute Name                        | Description                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Name                      |                                                                                                                                                                                                                                                                                                                                                     |
| Description                           | Brief description of the MyInfo application.                                                                                                                                                                                                                                                                                                        |
| <b>Attributes Tab</b>                 |                                                                                                                                                                                                                                                                                                                                                     |
| MyInfo Environment                    | <p>Indicates the MyInfo environment that AM5 should connect to for retrieving user data.</p> <p>Options:</p> <ul style="list-style-type: none"> <li>○ "Development"</li> <li>○ "Staging"</li> <li>○ "Production"</li> </ul> <p>Default: Development</p>                                                                                             |
| *MyInfo IDP Public Certificate        | Specifies the MyInfo X.509 public key certificate used.                                                                                                                                                                                                                                                                                             |
| State Expiry (in minutes)             | <p>The state is generated for an AM5 REST API request to obtain the authorization request URL. This value will be validated during the token exchange process to get an access token.</p> <p>The MyInfo request will be discarded if the state value has expired during its validation.</p> <p>Value should be from 5 to 30.</p> <p>Default: 10</p> |
| <b>Authorise Request URL Settings</b> |                                                                                                                                                                                                                                                                                                                                                     |
| *Application Client Id                | The unique application Id requested from MyInfo Portal for the application. This is under <b>App ID</b> in the <b>MyInfo Partner Portal App Details</b> page.                                                                                                                                                                                       |
| *Application Client Secret            | The shared secret between the application and MyInfo portal. This is under <b>Shared Secret</b> in the <b>MyInfo Partner Portal App Details</b> page.                                                                                                                                                                                               |
| *Application Redirect URL             | The application's callback URL for MyInfo to return. This is under <b>Callback URL(s)</b> in the <b>MyInfo Partner Portal App Details</b> page.                                                                                                                                                                                                     |
| *MyInfo Purpose                       | <p>Specifies the purpose for which this application needs MyInfo from its end user. This is under <b>Application Purpose(s)</b> in the <b>MyInfo Partner Portal App Details</b> page.</p> <p><b>Note:</b> Please specify the same purpose indicated during the MyInfo application onboarding process.</p>                                           |

| Attribute Name                   | Description                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *MyInfo Attributes               | Specifies the attributes (delimited by comma, e.g. "email,name") from MyInfo that this application intends to seek consent for from its end user.<br><b>Note:</b> Please specify the same attributes indicated during MyInfo Linkup Request process.                                                                                               |
| MyInfo Auth Mode                 | The mode of authentication used to obtain user consent.<br>Default is "SINGPASS"                                                                                                                                                                                                                                                                   |
| <b>Key Pair Used for Signing</b> |                                                                                                                                                                                                                                                                                                                                                    |
| *Keystore Path                   | Refers to the key store's path of the signing certificate.                                                                                                                                                                                                                                                                                         |
| *Keystore Passphrase             | The passphrase of a key store for the signing.                                                                                                                                                                                                                                                                                                     |
| *Keystore Alias                  | The alias of the key store used for signing.                                                                                                                                                                                                                                                                                                       |
| <b>Proxy Tab</b>                 |                                                                                                                                                                                                                                                                                                                                                    |
| <b>HTTP Forward Proxy</b>        |                                                                                                                                                                                                                                                                                                                                                    |
| Enabled                          | Setting this to "true" will enable the HTTP Proxy.<br>Default: false                                                                                                                                                                                                                                                                               |
| Proxy Host Name                  | Refers to the URL of the proxy server.                                                                                                                                                                                                                                                                                                             |
| Port                             | Refers to the port of the proxy server.                                                                                                                                                                                                                                                                                                            |
| User Name                        | Refers to the username used to authenticate the proxy server.                                                                                                                                                                                                                                                                                      |
| User Password                    | Refers to the user's password used to authenticate the proxy server.                                                                                                                                                                                                                                                                               |
| NTLM Authentication              | Indicates whether NTLM authentication is used. If <b>NTLM Authentication</b> is enabled, <b>Domain Name</b> must be specified. In addition to that, it might be necessary to configure the AM server host domain name or IP address in <b>amsystem.properties</b> with the property key "am.social.ntlm.host" for each instance.<br>Default: false |
| Domain Name                      | Refers to the domain name of AD used in NTLM authentication.                                                                                                                                                                                                                                                                                       |

3. Save the changes.

---

## 4. MyInfo Service API

Refer to the respective sections for the REST sample codes:

- [MyInfo Version 3 API](#)
- [MyInfo Version 4 API](#)
- [MyInfo Business API](#)

## 4.1. MyInfo Version 3 API

This section contains REST sample codes for MyInfo Version 3.

- Use `/myinfo/getAuthRequestURL` to prepare an authorization request URL, which can be used by the application to trigger SingPass login to obtain the necessary MyInfo consent.
- Use `/myinfo/exchangeCodeForPersonInfo` to exchange the authorization code (obtained from the application callback URL) with the MyInfo OP's access token for the retrieval of the end user's MyInfo details.
- Refer to the [AccessMatrix REST API Specification](#) for more details.

| Get Authorization Request URL Sample Request (REST) |                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Request</b>                                      |                                                                                                                                                                                                                                                                                                                                                                                                    |
| JSON                                                | <pre>{   "sessionToken":   "10001PLOGJrqPns1U9...truncated...JYZAIPSy00T93V4rX9dHfMtZ3",   "myInfoApplicationId": "MyInfoApp",   "triggerAppLaunch": true }</pre>                                                                                                                                                                                                                                  |
| <b>Response</b>                                     |                                                                                                                                                                                                                                                                                                                                                                                                    |
| JSON                                                | <pre>{   "result": {     "authzEndpointPrepared":     "http://192.168.50.53:8080/clp/auth?client_id=ZUliWicoF66HJ3nO2gXbng&amp;response_type=code&amp;scope=openid&amp;redirect_uri=http%3A%2F%2F192.168.50.53%3A8081%2Ftest&amp;nonce=CaVLk7t8UCV4gyU_&amp;state=1RF2BRF7H3&amp;code_challenge=HtKdpT%2B9ebYA%2Fa15uPugtKv%2FIX%2FUyn1y5cUDnWsyEiQ%3D&amp;code_challenge_method=S256"   } }</pre> |

| Exchange Code for Person Info Sample Request (REST) |                                |
|-----------------------------------------------------|--------------------------------|
| <b>Request</b>                                      |                                |
| JSON                                                | <pre>{   "sessionToken":</pre> |

## Exchange Code for Person Info Sample Request (REST)

```
"10001PLOGJrqPns1U9...truncated...JYZAIPSy00T93V4rX9dHfMtZ3",
  "myInfoApplicationId": "MyInfoApp",
  "authorizationCode": "Splxl0BeZQQYbYS6WxSbIA",
  "state": "1RF2BRF7H3"
}
```

## Response

JSON

```
{
  "result": {
    "uinfo": {
      "lastupdated": "2023-02-15",
      "source": "1",
      "classification": "C",
      "value": "S6005048A"
    },
    "regadd": {
      "country": {
        "code": "SG",
        "desc": "SINGAPORE"
      },
      "unit": {
        "value": "10"
      },
      "street": {
        "value": "ANCHORVALE DRIVE"
      },
      "lastupdated": "2023-02-15",
      "block": {
        "value": "319"
      },
      "source": "1",
      "postal": {
        "value": "542319"
      },
      "classification": "C",
      "floor": {
        "value": "38"
      },
      "type": "SG",
      "building": {
        "value": ""
      }
    },
    "dob": {
      "lastupdated": "2023-02-15",
      "source": "1",
      "classification": "C",
      "value": "1988-10-06"
    },
    "sex": {
      "code": "M",
      "lastupdated": "2023-02-15",

```

### Exchange Code for Person Info Sample Request (REST)

```
{
  "source": "1",
  "classification": "C",
  "desc": "MALE"
},
"name": {
  "lastupdated": "2023-02-15",
  "source": "1",
  "classification": "C",
  "value": "ANDY LAU"
},
"mobilen": {
  "prefix": {
    "value": ""
  },
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "areacode": {
    "value": ""
  },
  "nbr": {
    "value": ""
  }
},
"email": {
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "value": ""
}
},
"amProcessingTimeMillis": 2692
}
```

---

## 4.2. MyInfo Version 4 API

This section contains REST sample codes for MyInfo Version 4.

- Use `/myinfo/getAuthRequestURL/v4` to prepare:
  - An authorization request URL that can be used by the application to trigger SingPass login to obtain the necessary MyInfo consent.
  - The PKCE code challenge that should be stored by the application (to later be used during the access token exchange).
- Use `/myinfo/exchangeCodeForPersonInfo/v4` to provide the following items to be exchanged with the MyInfo OP's access token for the retrieval of the end user's MyInfo details:
  - The authorization code obtained from the application callback URL.
  - The stored PKCE code challenge, which the AccessMatrix server will use to retrieve the associated code verifier it has prepared for the access token exchange.
- Refer to the [AccessMatrix REST API Specification](#) for more details.

### Get Authorization Request URL Sample Request (REST)

#### Request

JSON

```
{
  "sessionToken":
  "10001PLOGJrqPns1U9...truncated...JYZAIPSy0OT93V4rX9dHfMtZ3",
  "myInfoApplicationId": "MyInfoApp",
  "triggerAppLaunch": true
}
```

#### Response

JSON

```
{
  "result": {
    "authzEndpointPrepared":
    "http://192.168.50.53:8080/clp/auth?client_id=ZU1iWicoF66HJ3nO2gXbng&respons
e_type=code&scope=openid&redirect_uri=http%3A%2F%2F192.168.50.53%3A8081%2Fte
st&nonce=CaVLk7t8UCV4gyU_&state=1RF2BRF7H3&code_challenge=HtKdpT%2B9ebYA%2Fa
i5uPugtKv%2FIX%2FUynly5cUDnWsyEiQ%3D&code_challenge_method=S256",
    "codeChallenge": "BuXV0_h20H2KgRkhQ2cwDKDkSOcctPPozQv0JRP8D8k"
  }
}
```

---



## Exchange Code for Person Info Sample Request (REST)

### Request

JSON

```
{
  "sessionToken":
  "10001PLOGJrqPns1U9...truncated...JYZAIPSy00T93V4rX9dHfMtZ3",
  "myInfoApplicationId": "MyInfoApp",
  "authorizationCode": "Splxl0BeZQQYbYS6WxSbIA",
  "codeChallenge":
  "BuXV0_h20H2KgRkhQ2cwDKDkSOcctPPozQv0JRP8D8k"
}
```

### Response

JSON

```
{
  "result": {
    "uinfo": {
      "lastupdated": "2023-02-15",
      "source": "1",
      "classification": "C",
      "value": "S6005048A"
    },
    "regadd": {
      "country": {
        "code": "SG",
        "desc": "SINGAPORE"
      },
      "unit": {
        "value": "10"
      },
      "street": {
        "value": "ANCHORVALE DRIVE"
      },
      "lastupdated": "2023-02-15",
      "block": {
        "value": "319"
      },
      "source": "1",
      "postal": {
        "value": "542319"
      },
      "classification": "C",
      "floor": {
        "value": "38"
      },
      "type": "SG",
      "building": {
        "value": ""
      }
    },
    "dob": {
      "lastupdated": "2023-02-15",
      "source": "1",

```

## Exchange Code for Person Info Sample Request (REST)

```
{
  "classification": "C",
  "value": "1988-10-06"
},
"sex": {
  "code": "M",
  "lastupdated": "2023-02-15",
  "source": "1",
  "classification": "C",
  "desc": "MALE"
},
"name": {
  "lastupdated": "2023-02-15",
  "source": "1",
  "classification": "C",
  "value": "ANDY LAU"
},
"mobilen": {
  "prefix": {
    "value": ""
  },
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "areacode": {
    "value": ""
  },
  "nbr": {
    "value": ""
  }
},
"email": {
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "value": ""
}
},
"amProcessingTimeMillis": 2692
}
```

---

## 4.3. MyInfo Business API

This section contains REST sample codes for MyInfo Business.

- Use `/myinfo/biz/getAuthRequestURL` to prepare an authorization request URL, which can be used by the application to trigger a SingPass login to obtain the necessary MyInfo consent.
- Use `/myinfo/biz/exchangeCodeForPersonInfo` to exchange the authorization code (obtained from the application callback URL) with the MyInfo OP's access token for the retrieval of the end user's MyInfo details.
- Refer to the [AccessMatrix REST API Specification](#) for more details.

| Get Authorization Request URL Sample Request (REST) |                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Request</b>                                      |                                                                                                                                                                                                                                                                                                                                                                                                    |
| JSON                                                | <pre>{   "sessionToken":   "10001PLOGJrqPns1U9...truncated...JYZAIPSy00T93V4rX9dHfMtZ3",   "myInfoApplicationId": "MyInfoApp" }</pre>                                                                                                                                                                                                                                                              |
| <b>Response</b>                                     |                                                                                                                                                                                                                                                                                                                                                                                                    |
| JSON                                                | <pre>{   "result": {     "authzEndpointPrepared":     "http://192.168.50.53:8080/clp/auth?client_id=ZUliWicoF66HJ3nO2gXbng&amp;response_type=code&amp;scope=openid&amp;redirect_uri=http%3A%2F%2F192.168.50.53%3A8081%2Ftest&amp;nonce=CaVLk7t8UCV4gyU_&amp;state=1RF2BRF7H3&amp;code_challenge=HtKdpT%2B9ebYA%2Fa15uPugtKv%2FIX%2FUyn1y5cUDnWsyEiQ%3D&amp;code_challenge_method=S256"   } }</pre> |

| Exchange Code for Entity & Person Info Sample Request (REST) |                                                                                                  |
|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Request</b>                                               |                                                                                                  |
| JSON                                                         | <pre>{   "sessionToken":   "10001PLOGJrqPns1U9...truncated...JYZAIPSy00T93V4rX9dHfMtZ3", }</pre> |

---

## Exchange Code for Entity & Person Info Sample Request (REST)

```
{
  "myInfoApplicationId": "MyInfoApp",
  "authorizationCode": "Splxl0BeZQQYbYS6WxSbIA",
  "state": "1RF2BRF7H3"
}
```

### Response

JSON

```
{
  "result": {
    "entity": {
      "grants": {
        "grants-list": [
        ],
        "lastupdated": "2022-11-22",
        "source": "1",
        "classification": "C"
      },
      "financials": {
        "lastupdated": "2022-11-22",
        "source": "1",
        "highlights": [
        ],
        "classification": "C"
      },
      "addresses": {
        "lastupdated": "2022-11-22",
        "source": "1",
        "addresses-list": [
          {
            "standard": {
              "code": "D",
              "desc": "Singapore Government Enterprise Architecture (SGEA) Data Reference Model (DRM) Standard"
            },
            "country": {
              "code": "SG",
              "desc": "SINGAPORE"
            },
            "unit": {
              "value": "7"
            },
            "street": {
              "value": "Aljunied Road"
            },
            "block": {
              "value": "623"
            },
            "postal": {
              "value": "389835"
            },
            "floor": {
              "value": "2"
            }
          }
        ]
      }
    }
  }
}
```

## Exchange Code for Entity & Person Info Sample Request (REST)

```
"type": "SG",
"building": {
  "value": ""
}
},
"classification": "C"
},
"appointments": {
  "lastupdated": "2022-11-22",
  "appointments-list": [
    {
      "person-reference": {
        "nationality": {
          "code": "SP",
          "desc": "SINGAPORE PR"
        },
        "idno": {
          "value": "S9912374E"
        },
        "person-name": {
          "value": "TIMOTHY TAN CHENG GUAN"
        }
      },
      "position": {
        "code": "15",
        "desc": "Manager"
      },
      "appointment-date": {
        "value": "2012-05-26"
      },
      "corppass-email": {
        "value": "myinfotesting@company.com"
      },
      "category": {
        "code": "1",
        "desc": "Individual"
      },
      "corppass-mobileno": {
        "value": "97399245"
      }
    }
  ],
  {
    "person-reference": {
      "nationality": {
        "code": "SG",
        "desc": "SINGAPORE CITIZEN"
      },
      "idno": {
        "value": "S9912360E"
      },
      "person-name": {
        "value": "YEE XIN MEI"
      }
    },
    "position": {
      "code": "11",
```

### Exchange Code for Entity & Person Info Sample Request (REST)

```
        "desc": "General Partner"
      },
      "appointment-date": {
        "value": "2012-05-26"
      },
      "corppass-email": {
        "value": ""
      },
      "category": {
        "code": "1",
        "desc": "Individual"
      },
      "corppass-mobileno": {
        "value": ""
      }
    },
    {
      "person-reference": {
        "nationality": {
          "code": "SG",
          "desc": "SINGAPORE CITIZEN"
        },
        "idno": {
          "value": "F1612345P"
        },
        "person-name": {
          "value": "PARTIAL INFO USER ONE"
        }
      },
      "position": {
        "code": "14",
        "desc": "Limited Partner"
      },
      "appointment-date": {
        "value": "2012-05-26"
      },
      "corppass-email": {
        "value": "myinfotesting1@company.com"
      },
      "category": {
        "code": "1",
        "desc": "Individual"
      },
      "corppass-mobileno": {
        "value": "97399246"
      }
    }
  ],
  "source": "1",
  "classification": "C"
},
"builders": {
  "lastupdated": "2022-11-22",
  "source": "1",
  "classification": "C",
  "builders-list": [
  ]
}
```

## Exchange Code for Entity & Person Info Sample Request (REST)

```
{
  "basic-profile": {
    "uen": {
      "value": "T15LP0010D"
    },
    "entity-name": {
      "value": "Proper Partners LP"
    },
    "entity-type": {
      "code": "LP",
      "desc": "Limited Partnerships"
    },
    "entity-status": {
      "value": "LIVE"
    },
    "primary-activity": {
      "code": "20222",
      "desc": "MANUFACTURE OF VARNISHES AND LACQUERS
(INCLUDING ENAMELS)"
    },
    "secondary-activity": {
      "code": "47521",
      "desc": "RETAIL SALE OF PAINTS"
    },
    "registration-date": {
      "value": "2012-05-26"
    },
    "business-expiry-date": {
      "value": "2024-06-11"
    }
  },
  "shareholders": {
    "lastupdated": "2022-11-22",
    "source": "1",
    "classification": "C",
    "shareholders-list": [
    ]
  },
  "capitals": {
    "capitals-list": [
    ],
    "lastupdated": "2022-11-22",
    "source": "1",
    "classification": "C"
  },
  "contractors": {
    "lastupdated": "2022-11-22",
    "source": "1",
    "contractors-list": [
    ],
    "classification": "C"
  },
  "previous-uens": {
    "lastupdated": "2022-11-22",
    "previous-uens-list": [
      {
        "previous-uen": {
```

## Exchange Code for Entity & Person Info Sample Request (REST)

```
        "value": "T21LP8850B"
      },
    },
    {
      "previous-uen": {
        "value": "T47LP3705Q"
      }
    },
    {
      "previous-uen": {
        "value": "T60LP7981Q"
      }
    },
    {
      "previous-uen": {
        "value": "T83LP1870R"
      }
    }
  ],
  "source": "1",
  "classification": "C"
},
"previous-names": {
  "lastupdated": "2022-11-22",
  "source": "1",
  "previous-names-list": [
    {
      "history-name": {
        "value": "Remind Partners LP"
      },
      "history-name-effective-date": {
        "value": "1970-04-08"
      }
    },
    {
      "history-name": {
        "value": "Mainstream Partners LP"
      },
      "history-name-effective-date": {
        "value": "1953-12-14"
      }
    },
    {
      "history-name": {
        "value": "Fixture Partners LP"
      },
      "history-name-effective-date": {
        "value": "1941-09-15"
      }
    },
    {
      "history-name": {
        "value": "Confine Partners LP"
      },
      "history-name-effective-date": {
        "value": "1932-08-10"
      }
    }
  ]
}
```



## Exchange Code for Entity & Person Info Sample Request (REST)

```
    }
  ],
  "classification": "C"
},
"gov-contracts": {
  "lastupdated": "2022-11-22",
  "source": "1",
  "classification": "C",
  "gov-contracts-list": [
  ]
},
"licences": {
  "licences-list": [
  ],
  "lastupdated": "2022-11-22",
  "source": "1",
  "classification": "C"
}
},
"person": {
  "uinfo": {
    "lastupdated": "2023-02-15",
    "source": "1",
    "classification": "C",
    "value": "S6005048A"
  },
  "regadd": {
    "country": {
      "code": "SG",
      "desc": "SINGAPORE"
    },
    "unit": {
      "value": "10"
    },
    "street": {
      "value": "ANCHORVALE DRIVE"
    },
    "lastupdated": "2023-02-15",
    "block": {
      "value": "319"
    },
    "source": "1",
    "postal": {
      "value": "542319"
    },
    "classification": "C",
    "floor": {
      "value": "38"
    },
    "type": "SG",
    "building": {
      "value": ""
    }
  },
  "dob": {
    "lastupdated": "2023-02-15",
    "source": "1",
```

## Exchange Code for Entity & Person Info Sample Request (REST)

```
{
  "classification": "C",
  "value": "1988-10-06"
},
"sex": {
  "code": "M",
  "lastupdated": "2023-02-15",
  "source": "1",
  "classification": "C",
  "desc": "MALE"
},
"name": {
  "lastupdated": "2023-02-15",
  "source": "1",
  "classification": "C",
  "value": "ANDY LAU"
},
"mobilen": {
  "prefix": {
    "value": ""
  },
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "areacode": {
    "value": ""
  },
  "nbr": {
    "value": ""
  }
},
"email": {
  "lastupdated": "2023-02-15",
  "source": "4",
  "classification": "C",
  "value": ""
}
},
"amProcessingTimeMillis": 2692
}
```

## 5. Appendices

### A.1 MyInfo Data Catalog (Personal)

Last updated date: 26th May 2022

 **Note:**

- The table below may be outdated. For the latest information, refer to [MyInfo Data Catalog \(Personal\)](#) in the MyInfo Portal.
- The Code Listing document mentioned in the remarks section can also be retrieved from [MyInfo Data Catalog \(Personal\)](#) in the MyInfo Portal.

| Data Item        | Format       | Applicable To    | Field Type                                                        | Code          | Remarks                                                                                                                                                                                  |
|------------------|--------------|------------------|-------------------------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal         |              |                  |                                                                   |               |                                                                                                                                                                                          |
| NRIC/FIN         | string (<=9) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : MOM/ICA) | uinfin        | NRIC number or FIN of user. NRIC number is the unique identifier given to every Singapore Citizens (SC) and Permanent Residents (PR), while FIN is the unique identifier for Foreigners. |
| Partial NRIC/FIN | string (<=9) | SC,PR,Foreigners | -                                                                 | partialuinfin | Last 3 numerical digits and checksum of the NRIC/FIN number, prefixed with '*****' (e.g. "*****567A" from the full NRIC number                                                           |

| Data Item               | Format        | Applicable To            | Field Type                                                                                           | Code                 | Remarks                                                                                   |
|-------------------------|---------------|--------------------------|------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------|
|                         |               |                          |                                                                                                      |                      | of "S1234567A")<br>.                                                                      |
| Principal Name          | string (<=66) | SC/PR/F<br>oreigne<br>rs | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreigne<br>rs<br>(Source<br>:<br>MOM/I<br>CA) | name                 | Full name of user printed on NRIC or FIN card. Includes Surname if any.                   |
| Alias Name              | string (<=66) | SC/PR                    | Govern<br>ment-<br>verified<br>field for<br>SC/PR<br>(Source<br>:<br>ICA)                            | aliasname            | Refers to an alternate/additional name of the user that is legally recognized.            |
| Hanyu Pinyin Name       | string (<=66) | SC/PR                    | Govern<br>ment-<br>verified<br>field for<br>SC/PR<br>(Source<br>:<br>ICA)                            | hanyupinyinname      | Refers to the officially romanized Chinese name of the user.                              |
| Hanyu Pinyin Alias Name | string (<=66) | SC/PR                    | Govern<br>ment-<br>verified<br>field for<br>SC/PR<br>(Source<br>:<br>ICA)                            | hanyupinyinaliasname | Refers to the legally-recognized alternate officially romanized Chinese name of the user. |
| Married Name            | string (<=66) | SC/PR                    | Govern<br>ment-<br>verified<br>field for<br>SC/PR                                                    | marriedname          | Refers to the family name or surname adopted by the user                                  |

| Data Item      | Format       | Applicable To    | Field Type                                                        | Code          | Remarks                                                                                                                         |
|----------------|--------------|------------------|-------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
|                |              |                  | (Source : ICA)                                                    |               | upon marriage.                                                                                                                  |
| Sex            | string (<=1) | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : MOM/ICA) | sex           | Gender of the user.<br><br>Refer to Code Listing (SexCode) for list of possible values.                                         |
| Race           | string (<=2) | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : MOM/ICA) | race          | Refer to Code Listing (RaceCode) for list of possible values.                                                                   |
| Secondary Race | string (<=2) | SC/PR            | Government-verified field for SC/PR (Source : ICA)                | secondaryrace | Refers to secondary racial category of the Person, if any.<br><br>Refer to Code Listing (RaceCode) for list of possible values. |
| Dialect        | string (<=2) | SC/PR/Foreigners | Government-verified field for SC/PR (Source                       | dialect       | Refer to Code Listing (DialectCode) for list of possible values.                                                                |

| Data Item          | Format                                                                                                           | Applicable To        | Field Type                                                                | Code              | Remarks                                                                                                                      |
|--------------------|------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------|
|                    |                                                                                                                  |                      | : ICA).<br>User-provided field for foreigners                             |                   |                                                                                                                              |
| Date of Birth      | string <date>: <ul style="list-style-type: none"> <li>• YYYY-MM-DD</li> <li>• YYYY-MM</li> <li>• YYYY</li> </ul> | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners (Source : MOM/I<br>CA) | dob               | -                                                                                                                            |
| Residential Status | string (<=1)                                                                                                     | SC/PR                | Government-verified field for SC/PR (Source : ICA)                        | residentialstatus | Indicate if the user is a Citizen, PR or others.<br><br>Refer to Code Listing (ResidentialCode) for list of possible values. |
| Nationality        | string (<=2)                                                                                                     | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners (Source : MOM/I<br>CA) | nationality       | Refer to Code Listing (NationalityCode) for list of possible values.                                                         |
| Country of Birth   | string (<=2)                                                                                                     | SC/PR/F<br>oreigners | Government-verified                                                       | birthcountry      | Refer to Code Listing (BirthCountry)                                                                                         |

| Data Item            | Format                     | Applicable To    | Field Type                                                                              | Code               | Remarks                                                                                                            |
|----------------------|----------------------------|------------------|-----------------------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------|
|                      |                            |                  | field for SC/PR/foreigners (Source : MOM/ICA)                                           |                    | Code) for list of possible values.                                                                                 |
| Passport No.         | string (<=25)              | SC/PR/Foreigners | Government-verified field for SC (Source : ICA). User-provided field for PR/foreigners. | passportnumber     | -                                                                                                                  |
| Passport Expiry Date | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC (Source : ICA). User-provided field for PR/foreigners. | passportexpirydate | -                                                                                                                  |
| Pass Type            | string                     | Foreigners       | Government-verified field for SC/PR/foreigners (Source :                                | passtype           | This refers to the pass type of a FIN holder.<br><br>Note that this only applies to a FIN holder with a valid pass |

| Data Item         | Format                                                                           | Applicable To | Field Type                                                        | Code             | Remarks                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                  |               | MOM/ICA)                                                          |                  | issued by ICA/MOM.<br><br>Refer to Code Listing (PassTypeCode) for list of possible values.                                                  |
| Pass Status       | string: <ul style="list-style-type: none"> <li>Live</li> <li>Approved</li> </ul> | Foreigners    | Government-verified field for SC/PR/foreigners (Source : MOM/ICA) | passstatus       | This refers to the pass status of a FIN holder.<br><br>Note that this only applies to a FIN holder with a valid pass issued by ICA/MOM.      |
| Pass Expiry Date  | string <date> (YYYY-MM-DD)                                                       | Foreigners    | Government-verified field for SC/PR/foreigners (Source : MOM/ICA) | passexpirydate   | This refers to the pass expiry date of a FIN holder.<br><br>Note that this only applies to a FIN holder with a valid pass issued by ICA/MOM. |
| Employment Sector | string                                                                           | Foreigners    | Government-verified field for SC/PR/foreigners (Source : MOM)     | employmentsector | This refers to the employment sector of a FIN holder.<br><br>Note that this only applies to a FIN holder with a                              |



| Data Item          | Format                                                                                                                                                                                                                                                                                                               | Applicable To    | Field Type                                                         | Code     | Remarks                                                                                                                                                                                 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    |                                                                                                                                                                                                                                                                                                                      |                  |                                                                    |          | valid pass issued by MOM.                                                                                                                                                               |
| Mobile Number      | <ul style="list-style-type: none"> <li>prefix - string (&lt;=1)</li> <li>areacode - string (&lt;=3)</li> <li>nbr - string (&lt;=12)</li> </ul>                                                                                                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : Singpass) | mobilenr | Mobile number must be made editable at digital services even though data source is Singpass.                                                                                            |
| Email Address      | string (<=320)                                                                                                                                                                                                                                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : Singpass) | email    | Email address must be made editable at digital services even though data source is Singpass.                                                                                            |
| Registered Address | <p>If type is "SG"* type - string</p> <ul style="list-style-type: none"> <li>block - string (&lt;=10)</li> <li>building - string (&lt;=66)</li> <li>floor - string (&lt;=3)</li> <li>unit - string (&lt;=5)</li> <li>street - string (&lt;=66)</li> <li>postal - string (6)</li> <li>country - string (2)</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : MOM/ICA)  | regadd   | <p>For SC/PR - Registered address is the address that is printed on the NRIC card.</p> <p>For FIN - Registered address is applicable for foreigners under the following Pass Types:</p> |

| Data Item | Format                                                                                                                                                                    | Applicable To | Field Type | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <p>If type is "UNFORMATTED"</p> <ul style="list-style-type: none"> <li>• type - string</li> <li>• line1 - string (&lt;=66)</li> <li>• line2 - string (&lt;=66)</li> </ul> |               |            |      | <p>ICA-issued Passes</p> <ul style="list-style-type: none"> <li>• Long Term Visit Pass / Long Term Visit Pass +</li> <li>• Student Pass</li> <li>• Immigration Exemption Order</li> </ul> <p>MOM-issued Passes</p> <ul style="list-style-type: none"> <li>• S Pass</li> <li>• Employment Pass</li> <li>• Personalised Employment Pass</li> <li>• Entre Pass</li> <li>• Dependent Pass</li> </ul> |

| Data Item           | Format                                                                       | Applicable To            | Field Type                                                                                | Code        | Remarks                                                                                                                                                                                                               |
|---------------------|------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type of HDB         | string (3)                                                                   | SC/PR/F<br>oreigne<br>rs | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreigne<br>rs<br>(Source<br>: HDB) | hdbtype     | Note that this is determined based on user's Registered Address (if it is a HDB flat). It therefore has no association with HDB ownership.<br><br>Refer to Code Listing (HDBTypeCode) for list of possible values.    |
| Type of Housing     | string (3)                                                                   | SC/PR/F<br>oreigne<br>rs | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreigne<br>rs<br>(Source<br>: URA) | housingtype | Note that this is determined based on user's Registered Address (if it is not a HDB flat). It has no association with housing ownership.<br><br>Refer to Code Listing (HousingType Code) for list of possible values. |
| <b>Finance</b>      |                                                                              |                          |                                                                                           |             |                                                                                                                                                                                                                       |
| CPF Account Balance | <ul style="list-style-type: none"> <li>ma - number &lt;double&gt;</li> </ul> | SC/PR                    | Govern<br>ment-<br>verified<br>field for                                                  | cpfbalances | The Central Provident Fund is a mandatory                                                                                                                                                                             |

| Data Item                                  | Format                                                                                                                                                                                                        | Applicable To | Field Type                                         | Code             | Remarks                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                            | <ul style="list-style-type: none"> <li>oa - number &lt;double&gt;</li> <li>sa - number &lt;double&gt;</li> <li>ra - number &lt;double&gt;</li> </ul>                                                          |               | SC/PR<br>(Source : CPF)                            |                  | <p>social security savings scheme funded by contributions from employers and employees.</p> <p>The CPF balance would include Ordinary Account (OA), Special Account (SA), Medisave Account (MA) and Retirement Account (RA) if applicable to the user.</p> <p>Note these values could be negative.</p> <p>Click <a href="#">here</a> to refer to the CPF display guidelines.</p> |
| CPF Contribution History (up to 15 months) | <ul style="list-style-type: none"> <li>employer - string (&lt;= 80)</li> <li>date - string &lt;date&gt; (YYYY-MM-DD)</li> <li>month - string &lt;date&gt; (YYYY-MM)</li> <li>value string (&lt;=7)</li> </ul> | SC/PR         | Government-verified field for SC/PR (Source : CPF) | cpfcontributions | The Central Provident Fund is a mandatory social security savings scheme funded by contributions from                                                                                                                                                                                                                                                                            |

| Data Item | Format                                                                           | Applicable To | Field Type | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------|----------------------------------------------------------------------------------|---------------|------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <ul style="list-style-type: none"> <li>amount - number &lt;double&gt;</li> </ul> |               |            |      | <p>employers and employees.</p> <p>For each contribution record, the 4 fields (Paid for Month, Paid On, Employer Name, Contribution Total) will be provided.</p> <p>Only Contribution(s) related to employment will be provided. Other contributions , such as self-employed or government top-ups, are presently excluded.</p> <p>CPF will return the contributions received (or paid on) in the past 15 months up to the preceding month. Note that a member could have multiple contributions per month</p> |

| Data Item              | Format                                                                                                                         | Applicable To | Field Type                                         | Code                 | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                                                                                                                                |               |                                                    |                      | <p>from the same employer.</p> <p>Example 1: If the query is made on Mar-16, contribution provided will be for a contribution received in the period from Dec-14 to Feb-16.</p> <p>Example 2: Assuming a member has a late CPF contribution for work done in Oct-15 that was credited only in Dec-15. If the query is made on Mar-16, contribution provided will include the late contribution as it was received in the period from Dec-14 to Feb-16.</p> |
| CPF Housing Withdrawal | <ul style="list-style-type: none"> <li>principalwithdrawalamt - number &lt;double&gt;</li> <li>accruedinterestamt -</li> </ul> | SC/PR         | Government-verified field for SC/PR (Source : CPF) | cpfhousingwithdrawal | The Central Provident Fund is a mandatory social security savings                                                                                                                                                                                                                                                                                                                                                                                          |

| Data Item | Format                                                                                                                                                                                                                             | Applicable To | Field Type | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | number<br><double> <ul style="list-style-type: none"> <li>monthly instalmentamt - number<br/>               &lt;double&gt;</li> <li>total amount of cpf allowed for property - number<br/>               &lt;double&gt;</li> </ul> |               |            |      | <p>scheme funded by contributions from employers and employees. The CPF Housing Withdrawal data include the following for the purpose of financing a HDB flat or private residential property:</p> <p>a) Principal Withdrawal Amount: This is the CPF principal amount user has withdrawn under the CPF housing schemes</p> <p>b) Monthly Instalment Amount: This is the monthly CPF deduction for payment of user's property</p> <p>c) Accrued Interest Amount: This is the interest that user</p> |

| Data Item                                 | Format                                                                                                                                    | Applicable To    | Field Type                                                     | Code      | Remarks                                                                                                                                                                                                                                                          |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           |                                                                                                                                           |                  |                                                                |           | <p>would have earned had user's savings remained in the CPF account.</p> <p>d) Total Amount of CPF Allowed for Property: The maximum CPF savings allowed to be used for the financing the property, excluding the amount used for stamp duty and legal fees.</p> |
| Notice of Assessment (Basic, Latest Year) | <ul style="list-style-type: none"> <li>amount - number &lt;double&gt;</li> <li>year of assessment - string &lt;date&gt; (YYYY)</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : IRAS) | noa-basic | <p>This refers to the taxpayer's total income after deducting allowable expenses and approved donations. Total income includes:</p> <p>a) trade income;</p> <p>b) employment income; and</p> <p>c) other</p>                                                     |



| Data Item | Format | Applicable To | Field Type | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|--------|---------------|------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |        |               |            |      | <p>income such as rental income. This field will only return 1 yearly assessable income. The yearly assessable income will be the latest available income up to the last 2 Years of Assessments. If the subscriber does not have any assessment record for up to 2 back years, MyInfo will return the following</p> <p>a) Assessable Income= 'NA' or '-'</p> <p>b) Year Assessed='N A',</p> <p>To note:</p> <p>i. Assessable Income details are only available for finalised assessment. Thus, income information will not be</p> |

| Data Item                                    | Format                                                                           | Applicable To        | Field Type                                                         | Code             | Remarks                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------|----------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              |                                                                                  |                      |                                                                    |                  | <p>available if the subscriber has a Default Assessment (e.g. taxpayers who have not submitted their tax return).</p> <p>ii. This may not be applicable to foreigners depending on their tax residency. For example, in the case of double tax treaties with other countries, a foreigner may not need to pay Singapore tax.</p> |
| Notice of Assessment (Basic, Last 2 Years)   | array (refer to noa-basic)                                                       | SC/PR/F<br>oreigners | Government-verified field for SC/PR/F<br>oreigners (Source : IRAS) | noahistory-basic | Similar to 'Notice of Assessment (Basic, Latest Year)' data field, but for the last 2 years instead.                                                                                                                                                                                                                             |
| Notice of Assessment (Detailed, Latest Year) | <ul style="list-style-type: none"> <li>amount - number &lt;double&gt;</li> </ul> | SC/PR/F<br>oreigners | Government-verified field for SC/PR/F<br>oreigne                   | noa              | Similar to 'Notice of Assessment (Basic, Latest Year)' data field,                                                                                                                                                                                                                                                               |

| Data Item | Format                                                                                                                                                                                                                                                                                                                                    | Applicable To | Field Type            | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <ul style="list-style-type: none"> <li>• yearofassessment - string (&lt;= 4)</li> <li>• employment - number &lt;double&gt;</li> <li>• trade - number &lt;double&gt;</li> <li>• rent - number &lt;double&gt;</li> <li>• interest - number &lt;double&gt;</li> <li>• taxclearance - string (&lt;=1)</li> <li>• category - string</li> </ul> |               | rs<br>(Source : IRAS) |      | <p>including the following income breakdown:</p> <p>a) Employment</p> <p>b) Trade</p> <p>c) Rent</p> <p>d) Interest</p> <p>Additional details in this data field:</p> <p>a) Tax clearance : Indicator will be 'Y' for scenario where non-Singapore Citizen employee that ceases employment in Singapore, and goes on an overseas posting or plans to leave Singapore for more than three months. Only need to display this field if the value = 'Y'.</p> <p>b) Tax Category : Type of</p> |

| Data Item                                     | Format               | Applicable To    | Field Type                                                     | Code         | Remarks                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------|----------------------|------------------|----------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                               |                      |                  |                                                                |              | Income Tax Bill. For more details, click <a href="#">here</a> .                                                                                                                                                                                                                                                                                                                      |
| Notice of Assessment (Detailed, Last 2 Years) | array (refer to noa) | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : IRAS) | noahistory   | Similar to 'Notice of Assessment (Basic, Latest Year)' data field, but for the last 2 years instead.                                                                                                                                                                                                                                                                                 |
| Ownership of Private Residential Property     | boolean              | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : IRAS) | ownerprivate | <p>This refers to the ownership of private residential property. Note that this does not include shophouses which are assessed as commercial properties.</p> <p>This field will be 'Y', if the corresponding NRIC/FIN, in IRAS records, is a primary, secondary or CC owner of an active private residential property and is required to pay property tax. Otherwise will be 'N'</p> |

| Data Item                  | Format                                                                                                                        | Applicable To | Field Type                                                    | Code                    | Remarks                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            |                                                                                                                               |               |                                                               |                         | Where the NRIC/FIN is not found in IRAS records, it will be returned as 'NA'.                                                                                                                                                                                                                                                                                                              |
| CPF Home Protection Scheme | <ul style="list-style-type: none"> <li>coverage - boolean</li> <li>premium - number</li> <li>shareofcover - number</li> </ul> | SC/PR         | Government-verified field for SC/PR/Foreigners (Source : CPF) | cpfhomeprotectionscheme | <p>The Central Provident Fund is a mandatory social security savings scheme funded by contributions from employers and employees.</p> <p>The Home Protection Scheme (HPS) is for CPF members who own an HDB flat and are paying their monthly housing instalments using CPF savings or cash, and it insures members until he/she turns 65, or until the housing loans are paid up. The</p> |

| Data Item                         | Format                                                                                             | Applicable To | Field Type                            | Code                         | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------|----------------------------------------------------------------------------------------------------|---------------|---------------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   |                                                                                                    |               |                                       |                              | <p>data include the following:</p> <p>a) Coverage: This refers to the coverage of the user's HDB property by HPS.</p> <p>This field will be 'Y' if the user's HDB property is covered under HPS. Otherwise, it will be 'N'.</p> <p>b) Premium: This refers to the HPS premium payable by the user</p> <p>c) Share of Cover: This refers to the user's share of the HPS cover. The return value is numeric. A return value of "100" would mean the user has 100% share of cover.</p> |
| CPF Dependents' Protection Scheme | <ul style="list-style-type: none"> <li>coverage - boolean</li> <li>insurercode - string</li> </ul> | SC/PR         | Government-verified field for SC/PR/F | cpfdependantprotectionscheme | The Central Provident Fund is a mandatory social                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Data Item | Format                                                                      | Applicable To | Field Type                | Code | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|-----------------------------------------------------------------------------|---------------|---------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <ul style="list-style-type: none"> <li>sumassuredamount - number</li> </ul> |               | foreigners (Source : CPF) |      | <p>security savings scheme funded by contributions from employers and employees.</p> <p>The Dependants' Protection Scheme (DPS) is a term-life insurance scheme which provides insured members and/or their families with some money to get through the first few years should the insured members meet an untimely death, suffer from terminal illness or total permanent disability. The data include the following:</p> <p>a) Coverage: This refers to the coverage of the user</p> |

| Data Item                       | Format                                                                                                  | Applicable To | Field Type                                                    | Code                        | Remarks                                                                                                                                                                                                                                                                         |
|---------------------------------|---------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                                         |               |                                                               |                             | <p>by DPS. This field will be 'Y' if the user is covered under DPS. Otherwise, it will be 'N'.</p> <p>b) Insurer Code: Refer to Code Listing (InsurerCode) for list of possible values</p> <p>c) Sum Assured Amount: This refers to the sum assured in the event of a claim</p> |
| CPF Investment Scheme - Account | <ul style="list-style-type: none"> <li>agentbankcode - string</li> <li>inbankacctno - string</li> </ul> | SC/PR         | Government-verified field for SC/PR/Foreigners (Source : CPF) | cpfinvestmentscheme.account | <p>The Central Provident Fund is a mandatory social security savings scheme funded by contributions from employers and employees.</p> <p>CPF savings can be used in these investment schemes - CPF Investment</p>                                                               |



| Data Item                                                   | Format | Applicable To | Field Type                                                    | Code                                      | Remarks                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------|--------|---------------|---------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             |        |               |                                                               |                                           | <p>Scheme (CPFIS) &amp; Special Discounted Shares (SDS) Scheme.</p> <p>CPFIS account data includes Agent Bank under CPFIS-OA and Investment Account number which refer to the CPF Investment account that user has opened with one of the CPFIS-OA agent banks under the CPFIS.</p> |
| CPF Investment Scheme - Number of Discounted Singtel Shares | number | SC/PR         | Government-verified field for SC/PR/Foreigners (Source : CPF) | cpfinvestmentscheme.sdsnetshareholdingqty | <p>The Central Provident Fund is a mandatory social security savings scheme funded by contributions from employers and employees.</p> <p>CPF savings can be used in these investment</p>                                                                                            |

| Data Item                                                                       | Format                                                                                      | Applicable To | Field Type                                                    | Code                                       | Remarks                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                 |                                                                                             |               |                                                               |                                            | <p>schemes - CPF Investment Scheme (CPFIS) &amp; Special Discounted Shares (SDS) Scheme.</p> <p>Number of Discounted Singtel Shares refers to the number of discounted Singtel shareholdings held under the SDS Scheme.</p>            |
| CPF Investment Scheme - Self-Awareness Questionnaire (SAQ) Participation Status | string (1): <ul style="list-style-type: none"> <li>• Y</li> <li>• X</li> <li>• N</li> </ul> | SC/PR         | Government-verified field for SC/PR/Foreigners (Source : CPF) | cpfinvestmentscheme.saqparticipationstatus | <p>The Central Provident Fund is a mandatory social security savings scheme funded by contributions from employers and employees.</p> <p>CPF savings can be used in these investment schemes - CPF Investment Scheme (CPFIS) &amp;</p> |

| Data Item                         | Format         | Applicable To | Field Type                                                                              | Code       | Remarks                                                                                                                                                                                                                                           |
|-----------------------------------|----------------|---------------|-----------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   |                |               |                                                                                         |            | <p>Special Discounted Shares (SDS) Scheme.</p> <p>Self-Awareness Questionnaire (SAQ) Participation Status refers to whether the user has taken the CPFIS Self-Awareness Questionnaire (SAQ) to help assess if CPFIS is suitable for the user.</p> |
| <b>Employment &amp; Education</b> |                |               |                                                                                         |            |                                                                                                                                                                                                                                                   |
| Name of Employer                  | string (<=124) | Foreigners    | User-provided field for SC/PR. Government-verified field for foreigners (Source : MOM). | employment | -                                                                                                                                                                                                                                                 |
| Occupation                        | string (<=100) | Foreigners    | User-provided field for Foreigners. Government-                                         | occupation | For FIN - Value will be returned in the description.                                                                                                                                                                                              |

| Data Item     | Format                                                                                                                              | Applicable To | Field Type                                               | Code         | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |                                                                                                                                     |               | verified field for foreigners (Source : MOM).            |              |                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| CPF Employers | <ul style="list-style-type: none"> <li>• employer - string (&lt;=80)</li> <li>• month - string &lt;date&gt; (YYYY-MM-DD)</li> </ul> | SC/PR         | Government-verified field for foreigners (Source : CPF). | cpfemployers | <p>Employer Name for the CPF Contribution. Includes contribution month/year.</p> <p>Only Contribution(s) related to employment will be provided. Other contributions , such as self-employed or government top-ups, are presently excluded.</p> <p>CPF will return the contributions received (or paid on) in the past 15 months up to the preceding month. Note that a member could have multiple contributions per month from the</p> |

| Data Item                                    | Format                                                                                                                                                                               | Applicable To    | Field Type                                               | Code                                | Remarks                                                                                                                                                                                                                                                                    |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              |                                                                                                                                                                                      |                  |                                                          |                                     | same employer.                                                                                                                                                                                                                                                             |
| Singapore - Cambridge Examination            | <ul style="list-style-type: none"> <li>name - string</li> <li>yearattained - string &lt;date&gt; (YYYY-MM-DD)</li> <li>results - array</li> <li>explanatorynotes - string</li> </ul> | SC/PR/Foreigners | Government-verified field for foreigners (Source : MOE). | academicqualifications.transcripts  | <p>Singapore-Cambridge (GCE N, O, A Levels) Examination results attained.</p> <p>Refer to the Code Listing document and MyInfo API specification for more information on this data item.</p>                                                                               |
| Singapore - Cambridge Examination (OpenCert) | <ul style="list-style-type: none"> <li>name - string</li> <li>content - string</li> <li>opencertificate - array</li> <li>opencertificateindicator - boolean</li> </ul>               | SC/PR/Foreigners | Government-verified field for foreigners (Source : MOE). | academicqualifications.certificates | <p>Singapore-Cambridge (GCE N, O, A Levels) Examination results attained. Data to be returned in OpenCert format.</p> <p><a href="#">Click here</a> to find out about OpenCert format.</p> <p>Refer to the Code Listing document and MyInfo API specification for more</p> |

| Data Item      | Format                     | Applicable To    | Field Type                                                                              | Code       | Remarks                                                                                                                                                                                                                                                                                                  |
|----------------|----------------------------|------------------|-----------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                |                            |                  |                                                                                         |            | information on this data item.                                                                                                                                                                                                                                                                           |
| <b>Family</b>  |                            |                  |                                                                                         |            |                                                                                                                                                                                                                                                                                                          |
| Marital Status | string (1)                 | SC/PR/Foreigners | Government-verified field for SC/PR (Source : MSF). User-provided field for foreigners. | marital    | <p>Marital status is based on records that had been reasonably verified by the relevant Government agency upon receipt.</p> <p>Marital Status must be made editable at digital services even though data source is MSF.</p> <p>Refer to Code Listing (MaritalStatusCode) for list of possible values</p> |
| Marriage Date  | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR (Source : MSF). User-provided field for foreigners. | marriedate | <p>Marriage Date refers to the latest date of most recent Marriage. Note that Marriage Date shall be made editable at digital services even</p>                                                                                                                                                          |

| Data Item                   | Format        | Applicable To | Field Type                                                                              | Code              | Remarks                                                                                                                                                                                                                                                         |
|-----------------------------|---------------|---------------|-----------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |               |               |                                                                                         |                   | though data source is MSF.                                                                                                                                                                                                                                      |
| Marriage Certificate Number | string (<=50) | SC/PR         | Government-verified field for SC/PR (Source : MSF). User-provided field for foreigners. | marriagecertno    | This refers to the certificate number of the latest marriage. Note that Marriage Certificate Number shall be made editable at digital services even though data source is MSF.                                                                                  |
| Country/Place of Marriage   | string (<=2)  | SC/PR         | Government-verified field for SC/PR (Source : MSF). User-provided field for foreigners. | countryofmarriage | <p>This refers to the country/place of the latest marriage.</p> <p>Note that Marriage Country/Place shall be made editable at digital services even though data source is MSF.</p> <p>Refer to Code Listing (CountryPlaceCode) for list of possible values.</p> |

| Data Item                                  | Format                     | Applicable To    | Field Type                                                                                  | Code                             | Remarks                                                                                                                                                                                       |
|--------------------------------------------|----------------------------|------------------|---------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Divorce Date                               | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR (Source : MSF). The user-provided field for foreigners. | divorcedate                      | Divorce Date refers to the latest date of most recent Divorce. Note that Divorce Date shall be made editable at digital services even though data source is MSF.                              |
| Children Birth Records - Birth Cert Number | string (<=15)              | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA)                               | childrenbirthrecords.birthcertno | Birth Certificate Number is the unique identifier given for births in Singapore.<br><br>Note that the records are only based on ICA's electronic birth certificate records from 1985 onwards. |
| Children Birth Records - Name              | string (<=66)              | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA)                               | childrenbirthrecords.name        | Name displayed on the Birth Certificate.<br><br>This field will only be returned if the child's age is below 21.                                                                              |



| Data Item                                        | Format        | Applicable To            | Field Type                                                                                | Code                                          | Remarks                                                                                                                                                        |
|--------------------------------------------------|---------------|--------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Children Birth Records - Alias Name              | string (<=66) | SC/PR/F<br>oreign<br>ers | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreign<br>ers<br>(Source<br>: ICA) | childrenbirthrecords.alias<br>name            | Alias Name<br>displayed on<br>the Birth<br>Certificate.<br><br>This field will<br>only be<br>returned if<br>the child's<br>age is below<br>21.                 |
| Children Birth Records - Hanyu Pinyin Name       | string (<=66) | SC/PR/F<br>oreign<br>ers | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreign<br>ers<br>(Source<br>: ICA) | childrenbirthrecords.hany<br>upinyinname      | Hanyu Pinyin<br>Name<br>displayed on<br>the Birth<br>Certificate.<br><br>This field will<br>only be<br>returned if<br>the child's<br>age is below<br>21.       |
| Children Birth Records - Hanyu Pinyin Alias Name | string (<=66) | SC/PR/F<br>oreign<br>ers | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreign<br>ers<br>(Source<br>: ICA) | childrenbirthrecords.hany<br>upinyinaliasname | Hanyu Pinyin<br>Alias Name<br>displayed on<br>the Birth<br>Certificate.<br><br>This field will<br>only be<br>returned if<br>the child's<br>age is below<br>21. |
| Children Birth Records - Married Name            | string (<=66) | SC/PR/F<br>oreign<br>ers | Govern<br>ment-<br>verified<br>field for<br>SC/PR/f<br>oreign<br>ers<br>(Source<br>: ICA) | childrenbirthrecords.marr<br>iedname          | Married<br>Name<br>displayed on<br>the Birth<br>Certificate.<br><br>This field will<br>only be<br>returned if                                                  |

| Data Item                               | Format       | Applicable To    | Field Type                                                    | Code                               | Remarks                                                                                                                                                                 |
|-----------------------------------------|--------------|------------------|---------------------------------------------------------------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                         |              |                  |                                                               |                                    | the child's age is below 21.                                                                                                                                            |
| Children Birth Records - Sex            | string (<=1) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA) | childrenbirthrecords.sex           | <p>Gender of the child.</p> <p>Refer to Code Listing (SexCode) for list of possible values.</p> <p>This field will only be returned if the child's age is below 21.</p> |
| Children Birth Records - Race           | string (<=2) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA) | childrenbirthrecords.race          | <p>Race of the child.</p> <p>Refer to Code Listing (RaceCode) for list of possible values.</p> <p>This field will only be returned if the child's age is below 21.</p>  |
| Children Birth Records - Secondary Race | string (<=2) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA) | childrenbirthrecords.secondaryrace | <p>Secondary Race of the child.</p> <p>Refer to Code Listing (RaceCode) for list of possible</p>                                                                        |

| Data Item                              | Format                     | Applicable To     | Field Type                                                     | Code                            | Remarks                                                                                                                                  |
|----------------------------------------|----------------------------|-------------------|----------------------------------------------------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
|                                        |                            |                   |                                                                |                                 | values.<br><br>This field will only be returned if the child's age is below 21.                                                          |
| Children Birth Records - Date of Birth | string <date> (YYYY-MM-DD) | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : ICA) | childrenbirthrecords.dob        | This field will only be returned if the child's age is below 21.                                                                         |
| Children Birth Records - Time of Birth | string (<=4)               | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : ICA) | childrenbirthrecords.tob        | This field will only be returned if the child's age is below 21.                                                                         |
| Children Birth Records - Dialect       | string (<=2)               | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : ICA) | childrenbirthrecords.dialect    | Refer to Code Listing (DialectCode) for list of possible values.<br><br>This field will only be returned if the child's age is below 21. |
| Children Birth Records - Life Status   | string (1):<br>• A<br>• D  | SC/PR/F oreigners | Government-verified field for                                  | childrenbirthrecords.lifestatus | Indicates the life status of the child.                                                                                                  |

| Data Item                                  | Format                                                                                              | Applicable To    | Field Type                                                       | Code                                         | Remarks                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                            |                                                                                                     |                  | SC/PR/foreigners<br>(Source : ICA)                               |                                              | This field will only be returned if the child's age is below 21.                                                                                                                                                                                                                                                                                                                                                                                        |
| Children Birth Records - Child Vaccination | <ul style="list-style-type: none"> <li>fulfilled - boolean</li> <li>requirement - string</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : HPB) | childrenbirthrecords.vaccinationrequirements | <p>The Child Vaccination data include the following:</p> <p>a) Child Vaccination Requirement Fulfilled: This refers to whether a child has fulfilled the preschool vaccination minimum requirements . This data is based on Health Promotion Board (HPB) National Immunisation Registry (NIR) records where the child is born from 2014 onwards.</p> <p>b) Child Vaccination Requirement Code: Refer to Code Listing (ChildVaccReqCode) for list of</p> |

| Data Item                                      | Format        | Applicable To    | Field Type                                                    | Code                                         | Remarks                                                                                                                                                                    |
|------------------------------------------------|---------------|------------------|---------------------------------------------------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |               |                  |                                                               |                                              | possible values.                                                                                                                                                           |
| Sponsored Children Records - NRIC / FIN        | string (<=15) | SC/PR            | Government-verified field for SC/PR (Source : ICA)            | sponsoredchildrenrecord<br>s.nric            | NRIC / FIN is the unique identifier given to sponsor child whom have obtained citizenship or permanent residency or long-term visit pass via sponsorship by their parents. |
| Sponsored Children Records - Name              | string (<=66) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA) | sponsoredchildrenrecord<br>s.name            | Name of the Sponsored Child.<br>This field will only be returned if the child's age is below 21.                                                                           |
| Sponsored Children Records - Alias Name        | string (<=66) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : ICA) | sponsoredchildrenrecord<br>s.aliasname       | Alias Name of the Sponsored Child.<br>This field will only be returned if the child's age is below 21.                                                                     |
| Sponsored Children Records - Hanyu Pinyin Name | string (<=66) | SC/PR            | Government-verified field for SC/PR                           | sponsoredchildrenrecord<br>s.hanyupinyinname | Hanyu Pinyin Name of the Sponsored Child.<br>This field will                                                                                                               |

| Data Item                                            | Format        | Applicable To | Field Type                                         | Code                                              | Remarks                                                                                                                                                   |
|------------------------------------------------------|---------------|---------------|----------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                      |               |               | (Source : ICA)                                     |                                                   | only be returned if the child's age is below 21.                                                                                                          |
| Sponsored Children Records - Hanyu Pinyin Alias Name | string (<=66) | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.hanyupinyinaliasname | Hanyu Pinyin Alias Name of the Sponsored Child.<br><br>This field will only be returned if the child's age is below 21.                                   |
| Sponsored Children Records - Married Name            | string (<=66) | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.marriedname          | Married Name of the Sponsored Child.<br><br>This field will only be returned if the child's age is below 21.                                              |
| Sponsored Children Records - Sex                     | string (<=1)  | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.sex                  | Gender of the Sponsored Child.<br><br>Refer to Code Listing (SexCode) for list of possible values.<br><br>This field will only be returned if the child's |

| Data Item                                   | Format       | Applicable To | Field Type                                         | Code                                       | Remarks                                                                                                                                                                                    |
|---------------------------------------------|--------------|---------------|----------------------------------------------------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |              |               |                                                    |                                            | age is below 21.                                                                                                                                                                           |
| Sponsored Children Records - Race           | string (<=2) | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.race          | <p>Race of the Sponsored Child.</p> <p>Refer to Code Listing (RaceCode) for list of possible values.</p> <p>This field will only be returned if the child's age is below 21.</p>           |
| Sponsored Children Records - Secondary Race | string (<=2) | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.secondaryrace | <p>Secondary Race of the Sponsored Child.</p> <p>Refer to Code Listing (RaceCode) for list of possible values.</p> <p>This field will only be returned if the child's age is below 21.</p> |
| Sponsored Children Records - Dialect        | string (<=2) | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.dialect       | <p>Refer to Code Listing (DialectCode) for list of possible values.</p>                                                                                                                    |

| Data Item                                           | Format                                                                        | Applicable To | Field Type                                         | Code                                           | Remarks                                                                                                                                       |
|-----------------------------------------------------|-------------------------------------------------------------------------------|---------------|----------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Sponsored Children Records - Date of Birth          | string <date> (YYYY-MM-DD)                                                    | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.dob               | This field will only be returned if the child's age is below 21.                                                                              |
| Sponsored Children Records - Country/Place of Birth | string (<=2)                                                                  | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.birthcountry      | Refer to Code Listing (CountryPlaceCode) for list of possible values.<br><br>This field will only be returned if the child's age is below 21. |
| Sponsored Children Records - Life Status            | string (1):<br><ul style="list-style-type: none"> <li>A</li> <li>D</li> </ul> | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.lifestatus        | Indicates the life status of the Sponsored Child.<br><br>This field will only be returned if the child's age is below 21.                     |
| Sponsored Children Records - Residential Status     | string (<=2)                                                                  | SC/PR         | Government-verified field for SC/PR (Source : ICA) | sponsoredchildrenrecord<br>s.residentialstatus | Indicates if the Sponsored Child is a Citizen, PR or others.<br><br>Refer to Code Listing (ResidentialCode) for list                          |



| Data Item                                             | Format                                                                                              | Applicable To            | Field Type                                                            | Code                                                     | Remarks                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       |                                                                                                     |                          |                                                                       |                                                          | of possible values.                                                                                                                                                                                                                                                                         |
| Sponsored Children Records - Nationality/Citizenship  | string (<= 2)                                                                                       | SC/PR                    | Government-verified field for SC/PR (Source : ICA)                    | sponsoredchildrenrecord<br>s.nationality                 | Refer to Code Listing (NationalityCitizenshipCode) for list of possible values.                                                                                                                                                                                                             |
| Sponsored Children Records - SC / PR / LTP Grant Date | string <date> (YYYY-MM-DD)                                                                          | SC/PR                    | Government-verified field for SC/PR (Source : ICA)                    | sponsoredchildrenrecord<br>s.scprgrantdate               | Date when Sponsored child was granted Singapore Citizenship, Permanent Resident or Long Term Visit Pass.                                                                                                                                                                                    |
| Sponsored Children Records - Child Vaccination        | <ul style="list-style-type: none"> <li>fulfilled - boolean</li> <li>requirement - string</li> </ul> | SC/PR/F<br>oreign<br>ers | Government-verified field for SC/PR/f<br>oreign<br>ers (Source : HPB) | sponsoredchildrenrecord<br>s.vaccinationrequirement<br>s | <p>The Child Vaccination data include the following:</p> <p>a) Child Vaccination Requirement Fulfilled: This refers to whether a child has fulfilled the preschool vaccination minimum requirements . This data is based on Health Promotion Board (HPB) National Immunisation Registry</p> |

| Data Item                             | Format        | Applicable To    | Field Type                                                    | Code               | Remarks                                                                                                                                                                             |
|---------------------------------------|---------------|------------------|---------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                       |               |                  |                                                               |                    | <p>(NIR) records where the child is born from 2014 onwards.</p> <p>b) Child Vaccination Requirement Code: Refer to Code Listing (ChildVaccReqCode) for list of possible values.</p> |
| <b>Vehicles &amp; Driving License</b> |               |                  |                                                               |                    |                                                                                                                                                                                     |
| Vehicles - Vehicle Number             | string (<=20) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.vehiclENO | Vehicle Registration Number displayed on the vehicle number plates.                                                                                                                 |
| Vehicles - Vehicle Type               | string (<=55) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.type      | Type of Vehicle such as 'MOTOR CAR', 'STATION WAGON/JEEP/LAND ROVER'.                                                                                                               |
| Vehicles - IU Label Number            | string (<=10) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners                | vehicles.iulabelNO | In-Vehicle Unit (IU) number of the device fitted in Singapore-registered                                                                                                            |

| Data Item                 | Format        | Applicable To        | Field Type                                                        | Code               | Remarks                                                                                            |
|---------------------------|---------------|----------------------|-------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------|
|                           |               |                      | (Source : LTA)                                                    |                    | vehicles for Electronic Road Pricing (ERP) gantries and Electronic Parking System (EPS) car parks. |
| Vehicles - Vehicle Make   | string (<=44) | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners (Source : LTA) | vehicles.make      | Vehicle Make such as 'TOYOTA', 'HONDA', 'AUDI'.                                                    |
| Vehicles - Vehicle Model  | string (<=40) | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners (Source : LTA) | vehicles.model     | Vehicle Model such as 'COROLLA ALTIS CLASSIC 1.6 CVT', 'HRV 1.5 DX CVT'.                           |
| Vehicles - Chassis Number | string (<=25) | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners (Source : LTA) | vehicles.chassisno | Vehicle Chassis Number.                                                                            |
| Vehicles - Engine Number  | string (<=25) | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners                | vehicles.engineno  | Vehicle Engine Number.                                                                             |

| Data Item                             | Format                     | Applicable To    | Field Type                                                    | Code                              | Remarks                                                         |
|---------------------------------------|----------------------------|------------------|---------------------------------------------------------------|-----------------------------------|-----------------------------------------------------------------|
|                                       |                            |                  | (Source : LTA)                                                |                                   |                                                                 |
| Vehicles - Motor Number               | string (<=25)              | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.motornr                  | Vehicle Motor Number.                                           |
| Vehicles - Year of Manufacture        | string (<=4)               | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.yearofmanufacture        | Manufacturing Year.                                             |
| Vehicles - First Registration Date    | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.firstregistrationdate    | Date when vehicle is registered with LTA.                       |
| Vehicles - Original Registration Date | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : LTA) | vehicles.originalregistrationdate | Date when vehicle is first registered in the Country of Origin. |
| Vehicles - COE Category               | string (<=40)              | SC/PR/Foreigners | Government-verified field for                                 | vehicles.coecategory              | Vehicle Certificate of Entitlement                              |

| Data Item                       | Format                                      | Applicable To    | Field Type                                                       | Code                       | Remarks                                                                                                                                                             |
|---------------------------------|---------------------------------------------|------------------|------------------------------------------------------------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                             |                  | SC/PR/foreigners<br>(Source : LTA)                               |                            | (COE) bid category.                                                                                                                                                 |
| Vehicles - COE Expiry Date      | string <date> (YYYY-MM-DD)                  | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.coeexpirydate     | Vehicle Certificate of Entitlement (COE) expiry date.                                                                                                               |
| Vehicles - Road Tax Expiry Date | string <date> (YYYY-MM-DD)                  | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.roadtaxexpirydate | -                                                                                                                                                                   |
| Vehicles - Quota Premium        | number <double> (<=11, <= 2 decimal places) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.quotapremium      | Actual Quota Premium (QP) amount payable for the COE upon registration, conversion or COE revalidation. For renewal of COE, the value will contain actual PQP paid. |
| Vehicles - Open Market Value    | number <double> (<=11)                      | SC/PR/Foreigners | Government-verified field for                                    | vehicles.openmarketvalue   | Open Market Value is the value of manufacture                                                                                                                       |

| Data Item                    | Format                | Applicable To    | Field Type                                                       | Code                     | Remarks                                                                                          |
|------------------------------|-----------------------|------------------|------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------|
|                              |                       |                  | SC/PR/foreigners<br>(Source : LTA)                               |                          | r invoice price, freight and insurance.                                                          |
| Vehicles - CO2 Emission Rate | number <double> (<=9) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.co2emission     | CO2 emission rate (e.g. 8040).                                                                   |
| Vehicles - Vehicle Status    | string (<=1)          | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.status          | Status of the Vehicle.<br><br>Refer to Code Listing (VehicleStatus) for list of possible values. |
| Vehicles - Primary Colour    | string (<=30)         | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.primarycolour   | Vehicle Primary Colour (e.g. BLACK).                                                             |
| Vehicles - Secondary Colour  | string (<=30)         | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.secondarycolour | Vehicle Secondary Colour (e.g. WHITE).                                                           |

| Data Item                    | Format                | Applicable To        | Field Type                                                           | Code                 | Remarks                                                |
|------------------------------|-----------------------|----------------------|----------------------------------------------------------------------|----------------------|--------------------------------------------------------|
| Vehicles - Attachment 1      | string (<=50)         | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners<br>(Source : LTA) | vehicles.attachment1 | Vehicle Attachment 1 (e.g. DISABLED).                  |
| Vehicles - Attachment 2      | string (<=50)         | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners<br>(Source : LTA) | vehicles.attachment2 | Vehicle Attachment 2 (e.g. WITH SUN ROOF).             |
| Vehicles - Attachment 3      | string (<=50)         | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners<br>(Source : LTA) | vehicles.attachment3 | Vehicle Attachment 3 (e.g. SIDE CURTAIN).              |
| Vehicles - Vehicle Scheme    | string (<=66)         | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners<br>(Source : LTA) | vehicles.scheme      | Vehicle Scheme (e.g. REVISED OFF-PEAK CAR).            |
| Vehicles - THC Emission Rate | number <double> (<=9) | SC/PR/F<br>oreigners | Government-verified field for SC/PR/f<br>oreigners                   | vehicles.thcemission | Total Hydro Carbon (THC) emission rate (e.g. 1011000). |

| Data Item                    | Format                | Applicable To     | Field Type                                                     | Code                    | Remarks                                                                       |
|------------------------------|-----------------------|-------------------|----------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------|
|                              |                       |                   | (Source : LTA)                                                 |                         |                                                                               |
| Vehicles - CO Emission Rate  | number <double> (<=9) | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.coemission     | Carbon Monoxide emission rate (e.g. 1100000).                                 |
| Vehicles - NOx Emission Rate | number <double> (<=9) | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.noxemission    | Nitrogen Oxide (NOx) emission rate (e.g. 11000).                              |
| Vehicles - PM Emission Rate  | number <double> (<=9) | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.pmemission     | Particulates (PM - Atmospheric Particulate Matter) emission rate (e.g. 7000). |
| Vehicles - Engine Capacity   | integer (<=8)         | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.enginecapacity | Engine Capacity (E.g. 1600 = 1,600cc).                                        |
| Vehicles - Power Rate        | number <double> (<=8) | SC/PR/F oreigners | Government-verified field for                                  | vehicles.powerrate      | Power Rate. Applicable to Electric and Hybrid                                 |



| Data Item                                   | Format                                      | Applicable To    | Field Type                                                       | Code                          | Remarks                                                                                                                                                                                                                             |
|---------------------------------------------|---------------------------------------------|------------------|------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |                                             |                  | SC/PR/foreigners<br>(Source : LTA)                               |                               | vehicles powered by electric motors. Unit is Kilowatt. (e.g. 1400).                                                                                                                                                                 |
| Vehicles - Effective Date/Time of Ownership | string <date-time> (YYYY-MM-DD"T"HH:MM:SSZ) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.effectiveownership   | Effective Date/Time of Ownership in DDMMYYHHMMSS format.                                                                                                                                                                            |
| Vehicles - Propellant                       | string (<=40)                               | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : LTA) | vehicles.propellant           | Propellant (e.g. Compressed Natural Gas, Diesel, Diesel-CNG, Diesel-Electric, Diesel-Electric (Plug-In), Electric, Gas, Liquefied Petroleum Gas (LPG), Petrol, Petrol-CNG, Petrol-Electric, Petrol-Electric (Plug-In), Petrol-LPG). |
| Vehicles - Max Unladen Weight               | integer (<=9)                               | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners                   | vehicles.maximumunladenweight | Maximum Unladen Weight.                                                                                                                                                                                                             |

| Data Item                              | Format                      | Applicable To     | Field Type                                                     | Code                        | Remarks                                                     |
|----------------------------------------|-----------------------------|-------------------|----------------------------------------------------------------|-----------------------------|-------------------------------------------------------------|
|                                        |                             |                   | (Source : LTA)                                                 |                             |                                                             |
| Vehicles - Max Laden Weight            | integer (<=12)              | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.maximumladenweight | Maximum Laden Weight.                                       |
| Vehicles - Minimum PARF Benefit        | number <double> (<=12)      | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.minimumparfbenefit | Minimum PARF Benefit.                                       |
| Vehicles - No. of Transfers            | integer (<=5)               | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.nooftransfers      | Number of Transfers.                                        |
| Vehicles - Vehicle Parking Certificate | string (<=10)               | SC/PR/F oreigners | Government-verified field for SC/PR/f oreigners (Source : LTA) | vehicles.vpc                | Vehicle Parking Certificate. Applicable for Heavy Vehicles. |
| Driving Licence - Certificate          | string (<=1):<br>• Y<br>• N | SC/PR/F oreigners | Government-verified field for                                  | drivinglicence.comstatus    | Status of Certificate of Merit (e.g. Y -                    |

| Data Item                                     | Format               | Applicable To    | Field Type                                                   | Code                                      | Remarks                      |
|-----------------------------------------------|----------------------|------------------|--------------------------------------------------------------|-------------------------------------------|------------------------------|
| of Merit Status                               |                      |                  | SC/PR/foreigners (Source : TP)                               |                                           | Eligible, N - Not Eligible). |
| Driving Licence - Total Demerit Points        | integer (<=2)        | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.totaldemeritpoints         | Total Demerit Points.        |
| Driving Licence - Suspension Start Date       | string <date> (<=10) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.suspension.startdate       | Suspension Start Date.       |
| Driving Licence - Suspension End Date         | string <date> (<=10) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.suspension.enddate         | Suspension End Date.         |
| Driving Licence - Disqualification Start Date | string <date> (<=10) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.disqualification.startdate | Disqualification Start Date  |

| Data Item                                                 | Format                                                                                                     | Applicable To    | Field Type                                                   | Code                                    | Remarks                                                                          |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------|
| Driving Licence - Disqualification End Date               | string <date> (<=10)                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.disqualification.enddate | Disqualification End Date                                                        |
| Driving Licence - Revocation Start Date                   | string <date> (<=10)                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.revocation.startdate     | Revocation Start Date                                                            |
| Driving Licence - Revocation End Date                     | string <date> (<=10)                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.revocation.enddate       | Revocation End Date                                                              |
| Driving Licence - Provisional Driving Licence Validity    | string (<=1): <ul style="list-style-type: none"> <li>• V</li> <li>• E</li> <li>• I</li> <li>• N</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.pdl.validity             | Validity of PDL (e.g. V - Valid, E - Expired, I - Invalid, N - Not Holding PDL). |
| Driving Licence - Provisional Driving Licence Expiry Date | string <date> (<=10)                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners               | drivinglicence.pdl.expirydate           | PDL Expiry Date                                                                  |

| Data Item                                               | Format                                                                                                     | Applicable To    | Field Type                                                   | Code                             | Remarks                                                                          |
|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------|----------------------------------|----------------------------------------------------------------------------------|
|                                                         |                                                                                                            |                  | (Source : TP)                                                |                                  |                                                                                  |
| Driving Licence - Provisional Driving Licence Class     | string (<=2)                                                                                               | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.pdl.classes       | PDL Class                                                                        |
| Driving Licence - Qualified Driving Licence Validity    | string (<=1): <ul style="list-style-type: none"> <li>• V</li> <li>• E</li> <li>• I</li> <li>• N</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.qdl.validity      | Validity of QDL (e.g. V - Valid, E - Expired, I - Invalid, N - Not Holding QDL). |
| Driving Licence - Qualified Driving Licence Expiry Date | string <date> (<=10)                                                                                       | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.qdl.expirydate    | QDL Expiry Date                                                                  |
| Driving Licence - Qualified Driving Licence Class       | string (<=2)                                                                                               | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : TP) | drivinglicence.qdl.classes       | QDL Class. Includes Issue Date (e.g. 2B, 2018-01-01).                            |
| Driving Licence - Photo Card                            | string (<=10)                                                                                              | SC/PR/Foreigners | Government-verified field for                                | drivinglicence.photocardserialno | Serial Number of the Photo Card.                                                 |

| Data Item                            | Format                                                                                                                                                                                                                                                                                                                  | Applicable To    | Field Type                                                       | Code                    | Remarks                                                                                         |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------|
| Serial Number                        |                                                                                                                                                                                                                                                                                                                         |                  | SC/PR/foreigners<br>(Source : TP)                                |                         |                                                                                                 |
| <b>Property</b>                      |                                                                                                                                                                                                                                                                                                                         |                  |                                                                  |                         |                                                                                                 |
| HDB Ownership - Number of Owners     | integer (<=9)                                                                                                                                                                                                                                                                                                           | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : HDB) | hdbownership.noofowners | Number of Owners.<br><br>Note that this does not include executors, administrators or trustees. |
| HDB Ownership - Address              | <ul style="list-style-type: none"> <li>• type - (string)</li> <li>• block - (string &lt;=10)</li> <li>• building - (string &lt;=66)</li> <li>• floor - (string &lt;=3)</li> <li>• unit - (string &lt;=5)</li> <li>• street - string (&lt;=66)</li> <li>• postal - string (6)</li> <li>• country - string (2)</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : HDB) | hdbownership.address    | Flat Address.                                                                                   |
| HDB Ownership - Type of HDB Dwelling | string (3)                                                                                                                                                                                                                                                                                                              | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners<br>(Source : HDB) | hdbownership.hdbtype    | HDB Flat Type.<br><br>Refer to Code Listing (HDBTypeCode) for list of possible values.          |

| Data Item                                     | Format                     | Applicable To    | Field Type                                                    | Code                                 | Remarks                                                                                                                                                                                                   |
|-----------------------------------------------|----------------------------|------------------|---------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HDB Ownership - Lease Commencement Date       | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.leasecommencementdate   | Lease Period Start Date.                                                                                                                                                                                  |
| HDB Ownership - Term of Lease                 | integer (<=99)             | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.termoflease             | Term of lease for the property computed from the lease commencement date.                                                                                                                                 |
| HDB Ownership - Date of Purchase              | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.dateofpurchase          | Effective Date of flat purchase.                                                                                                                                                                          |
| HDB Ownership - Date of Transfer of Ownership | string <date> (YYYY-MM-DD) | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.dateofownershiptransfer | Effective date of partial transfer without monetary consideration (e.g. addition, deletion or substitution of a co-owner) for an HDB sold flat.<br><br>For partial transfer of flat where at least one of |

| Data Item                                      | Format          | Applicable To    | Field Type                                                    | Code                               | Remarks                                                                                                                                                                                                                                                                   |
|------------------------------------------------|-----------------|------------------|---------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |                 |                  |                                                               |                                    | <p>the current owner remains in the household, the Date of Purchase remains unchanged while the Date of Transfer of Ownership will be updated.</p> <p>For outright transfer where there is a total change of all owner(s), only the Date of Purchase will be updated.</p> |
| HDB Ownership - Loan Granted                   | number <double> | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : HDB) | hdbownership.loangranted           | The amount of housing loan granted to owner(s) by HDB.                                                                                                                                                                                                                    |
| HDB Ownership - Original Loan Repayment Period | integer (<=99)  | SC/PR/Foreigners | Government-verified field for SC/PR/Foreigners (Source : HDB) | hdbownership.originalloanrepayment | The number of years for loan repayment opted by owner(s) at the time the loan is first granted to him/her.                                                                                                                                                                |



| Data Item                                     | Format                                                                                                          | Applicable To    | Field Type                                                    | Code                                | Remarks                                                                   |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------|
| HDB Ownership - Balance Loan Repayment Period | <ul style="list-style-type: none"> <li>years - integer (&lt;=99)</li> <li>months - integer (&lt;=99)</li> </ul> | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.balanceloanrepayment   | The remaining number of year(s) and month(s) available to repay the loan. |
| HDB Ownership - Outstanding HDB Loan Balance  | number <double>                                                                                                 | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.outstandingloanbalance | Outstanding amount payable to HDB.                                        |
| HDB Ownership - Monthly Loan Instalment       | number <double>                                                                                                 | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.monthlyloaninstalment  | Monthly instalment payable to HDB.                                        |
| HDB Ownership - Purchase Price                | number <double>                                                                                                 | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners (Source : HDB) | hdbownership.purchaseprice          | This refers to the price at which the flat owner paid for the flat.       |
| HDB Ownership - Outstanding Instalment        | number <double>                                                                                                 | SC/PR/Foreigners | Government-verified field for SC/PR/foreigners                | hdbownership.outstandinginstalment  | This refers to the outstanding instalment owed by the flat owner(s) which |

| Data Item                      | Format  | Applicable To | Field Type                                           | Code       | Remarks                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------|---------------|------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                |         |               | (Source : HDB)                                       |            | includes the current month instalment. GST is not applicable. If there is advance payment, the value will be 0.                                                                                                                                                                             |
| <b>Government Scheme</b>       |         |               |                                                      |            |                                                                                                                                                                                                                                                                                             |
| Pioneer Generation Eligibility | boolean | SC            | Government-verified field for SC (Source : MOF/C PF) | pioneergen | The Government has introduced the Pioneer Generation Package to honor and thank our pioneers for their hard work and dedication in making Singapore what it is today. The package includes a host of initiatives aimed at making healthcare affordable for our Pioneer Generation for life. |
| Merdeka Generation Eligibility | boolean | SC            | Government-verified                                  | merdekagen | The Government has                                                                                                                                                                                                                                                                          |

| Data Item | Format | Applicable To | Field Type                          | Code | Remarks                                                                                                                                                                                                                                                                                                                 |
|-----------|--------|---------------|-------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |        |               | field for SC<br>(Source : MOF/C PF) |      | introduced the Merdeka Generation Package to honor and thank our Merdeka Generation for their contributions . The package supports the aspirations of Merdeka Generation seniors in their silver years by helping them to stay active and healthy and providing them better peace of mind over future healthcare costs. |

## A.2 MyInfo Data Catalog (Corporate)

|  | <b>Notes:</b> <ul style="list-style-type: none"><li>The table below may be outdated. For the latest information, refer to <a href="#">MyInfo Data Catalog (Corporate)</a> in the MyInfo Portal.</li><li>The Code Listing document mentioned in the remarks section can also be retrieved from <a href="#">MyInfo Data Catalog (Corporate)</a> in the MyInfo Portal.</li></ul> |            |      |         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|---------|
| Data Item                                                                           | Format                                                                                                                                                                                                                                                                                                                                                                        | Field Type | Code | Remarks |
| Entity Profile                                                                      |                                                                                                                                                                                                                                                                                                                                                                               |            |      |         |

| Data Item             | Format         | Field Type                                  | Code                                | Remarks                                                                                                                                                                                                                                                                            |
|-----------------------|----------------|---------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UEN                   | string (<=10)  | Government-verified field<br>(Source: ACRA) | basic-profile.uen                   | <p>UEN is the Unique Entity Number given to every Singapore registered entity.</p> <p>UEN is issued to businesses by ACRA and 18 other UEN-issuing agencies (e.g. MOH for healthcare institutions and clinics). Refer to the Entity Type data item below for more information.</p> |
| Entity Name           | string (<=100) | Government-verified field<br>(Source: ACRA) | basic-profile.entity-name           | Name of entity.                                                                                                                                                                                                                                                                    |
| Entity Type           | string (2)     | Government-verified field<br>(Source: ACRA) | basic-profile.entity-type           | Type of entity. Refer to Code Listing (Entity Type) for list of possible values and corresponding UEN-issuing agencies.                                                                                                                                                            |
| Entity Status         | string         | Government-verified field<br>(Source: ACRA) | basic-profile.entity-status         | Entity Status.                                                                                                                                                                                                                                                                     |
| Business Constitution | string (1)     | Government-verified field<br>(Source: ACRA) | basic-profile.business-constitution | <p>Type of business. This field is available only for business and public account firm entities, and omitted for other entities. Refer to Code Listing (Business Constitution) for list of possible values.</p>                                                                    |

| Data Item                   | Format                        | Field Type                                                | Code                                       | Remarks                                                                                                                                                                                             |
|-----------------------------|-------------------------------|-----------------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Company Type                | string (2)                    | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-profile.company-<br>type             | Type of company.<br>This field is available<br>only for company<br>entities, and omitted<br>for non-company<br>entities.<br>Refer to Code Listing<br>(Company Type) for list<br>of possible values. |
| Ownership                   | string (<=1)                  | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-profile.ownership                    | Ownership for every<br>company.<br>This field is only<br>applicable for<br>companies.<br>Refer to Code Listing<br>(Ownership) for list of<br>possible values.                                       |
| Country of<br>Incorporation | string (2)                    | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-profile.country-of-<br>incorporation | Country where the<br>entity is incorporated.<br>Refer to Code Listing<br>(CountryPlace) for list<br>of possible values.                                                                             |
| Registration Date           | string <date><br>(YYYY-MM-DD) | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-<br>profile.registration-date        | Entity registration or<br>incorporation date.                                                                                                                                                       |
| Business Expiry<br>Date     | string <date><br>(YYYY-MM-DD) | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-profile.business-<br>expiry-date     | Expiry Date for<br>businesses.<br>Only applicable for<br>Business.                                                                                                                                  |
| Primary Activity            | string (5)                    | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | basic-profile.primary-<br>activity         | Primary activity for<br>every entity.<br>Refer to Code Listing<br>(SSIC) for list of<br>possible values.                                                                                            |

| Data Item             | Format                                                                                                                                                                                                                                                                                                  | Field Type                               | Code                             | Remarks                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Secondary Activity    | string (5)                                                                                                                                                                                                                                                                                              | Government-verified field (Source: ACRA) | basic-profile.secondary-activity | Secondary activity for every entity. Refer to Code Listing (SSIC) for list of possible values.                            |
| <b>Entity Address</b> |                                                                                                                                                                                                                                                                                                         |                                          |                                  |                                                                                                                           |
| Standard              | string (<=10)                                                                                                                                                                                                                                                                                           | Government-verified field (Source: ACRA) | addresses-list.standard          | The standard of formatting that the address is adhering to. Refer to Code Listing (Standard) for list of possible values. |
| Address SG            | <ul style="list-style-type: none"> <li>type - (string)</li> <li>block - (string &lt;=10)</li> <li>building - (string &lt;=66)</li> <li>floor - (string &lt;=3)</li> <li>unit - (string &lt;=5)</li> <li>street - string (&lt;=66)</li> <li>postal - string (6)</li> <li>country - string (2)</li> </ul> | Government-verified field (Source: ACRA) | addresses-list                   | Local addresses.                                                                                                          |
| Address Unformatted   | <ul style="list-style-type: none"> <li>type - string</li> </ul>                                                                                                                                                                                                                                         | Government-verified                      | addresses-list                   | Unformatted foreign address.                                                                                              |

| Data Item                   | Format                                                                                                       | Field Type                                  | Code                                            | Remarks                                                                                                                                                                                                                                               |
|-----------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             | <ul style="list-style-type: none"> <li>line1 - string (&lt;=66)</li> <li>line2 - string (&lt;=66)</li> </ul> | field<br>(Source: ACRA)                     |                                                 |                                                                                                                                                                                                                                                       |
| Previous UENs               |                                                                                                              |                                             |                                                 |                                                                                                                                                                                                                                                       |
| Previous UENs               | string (<=10)                                                                                                | Government-verified field<br>(Source: ACRA) | previous-uens-list.previous-uen                 | Previous UENs (up to the last 5 records) for every entity.                                                                                                                                                                                            |
| History Name                | string (<=100)                                                                                               | Government-verified field<br>(Source: ACRA) | previous-names-list.history-name                | Previous entity names (up to the last 5 records) for every entity.                                                                                                                                                                                    |
| History Name Effective Date | string <date> (YYYY-MM-DD)                                                                                   | Government-verified field<br>(Source: ACRA) | previous-names-list.history-name-effective-date | Effective dates for every history name.                                                                                                                                                                                                               |
| Appointments                |                                                                                                              |                                             |                                                 |                                                                                                                                                                                                                                                       |
| Identification Number       | string (<=20)                                                                                                | Government-verified field<br>(Source: ACRA) | appointments-list.person-reference.idno         | <p>NRIC number or FIN of appointed user. NRIC is the unique identifier given to every Singapore Citizens (SC) and Permanent Residents (PR), while FIN is the unique identifier for Foreigners.</p> <p>Applicable only for individual appointment.</p> |

| Data Item                   | Format         | Field Type                                                    | Code                                                   | Remarks                                                                                                                                                                                                 |
|-----------------------------|----------------|---------------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Person Name                 | string (<=66)  | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA)     | appointments-<br>list.person-<br>reference.person-name | Full name of user<br>printed on NRIC or FIN<br>card. Includes<br>Surname if any.<br><br>Applicable only for<br>individual<br>appointment.                                                               |
| Nationality/Citizen<br>ship | string (2)     | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA)     | appointments-<br>list.person-<br>reference.nationality | Nationality/Citizenship<br>of appointed user.<br><br>Applicable only for<br>individual<br>appointment.<br><br>Refer to Code Listing<br>(NationalityCitizenship<br>Code) for list of<br>possible values. |
| Corppass Email<br>Address   | string (<=320) | Governm<br>ent-<br>verified<br>field<br>(Source:<br>Corppass) | appointments-<br>list.corppass-email                   | Email Address from<br>active Corppass<br>account of the<br>appointed individual.<br><br>Applicable only for<br>individual<br>appointment.                                                               |
| Corppass Mobile<br>Number   | string (<=20)  | Governm<br>ent-<br>verified<br>field<br>(Source:<br>Corppass) | appointments-<br>list.corppass-mobileno                | Mobile Number from<br>active Corppass<br>account of the<br>appointed individual.<br><br>Applicable only for<br>individual<br>appointment.                                                               |
| UEN                         | string (<=10)  | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA)     | appointments-list.entity-<br>reference.uen             | Unique Entity Number<br>of the appointed<br>entity.<br><br>Applicable only for<br>entity appointment.                                                                                                   |



| Data Item   | Format         | Field Type                                                | Code                                               | Remarks                                                                                                                                                                                                                                                                                                                               |
|-------------|----------------|-----------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Entity Name | string (<=100) | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | appointments-list.entity-<br>reference.entity-name | Entity name of the<br>appointed entity.<br><br>Applicable only for<br>entity appointment.                                                                                                                                                                                                                                             |
| Entity Type | string (2)     | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | appointments-list.entity-<br>reference.entity-type | Type of the appointed<br>entity.<br><br>Applicable only for<br>entity appointment.<br><br>Refer to Code Listing<br>(Entity Type) for list of<br>possible values and<br>corresponding UEN-<br>issuing agencies.                                                                                                                        |
| Category    | string (<=1)   | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | appointments-<br>list.category                     | Appointment<br>Category.<br><br>For individual<br>appointment, UEN,<br>Entity Name and Entity<br>Type will not be<br>returned. For entity<br>appointment,<br>Identification Number,<br>Person Name and<br>Nationality/Citizenship<br>will not be returned.<br><br>Refer to Code Listing<br>(Category) for list of<br>possible values. |
| Position    | string (<=10)  | Governm<br>ent-<br>verified<br>field<br>(Source:<br>ACRA) | appointments-<br>list.position                     | Position held by<br>appointed individual<br>or entity.<br><br>Applicable only for<br>Sole-Proprietors,<br>Partnerships, and<br>Companies.<br><br>Refer to Code Listing                                                                                                                                                                |

| Data Item               | Format         | Field Type                               | Code                                           | Remarks                                                                                                                                                                                                                                             |
|-------------------------|----------------|------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         |                |                                          |                                                | (Position) for the list of possible values.                                                                                                                                                                                                         |
| Appointment Date        | string (<=100) | Government-verified field (Source: ACRA) | appointments-list.appointment-date             | Appointed date of the appointed individual or entity.                                                                                                                                                                                               |
| <b>Shareholders</b>     |                |                                          |                                                |                                                                                                                                                                                                                                                     |
| Identification Number   | string (<=20)  | Government-verified field (Source: ACRA) | shareholders-list.person-reference.idno        | <p>NRIC number or FIN of shareholders. NRIC is the unique identifier given to every Singapore Citizens (SC) and Permanent Residents (PR), while FIN is the unique identifier for Foreigners.</p> <p>Applicable only for individual shareholder.</p> |
| Person Name             | string (<=66)  | Government-verified field (Source: ACRA) | shareholders-list.person-reference.person-name | <p>Full name of user printed on NRIC or FIN card. Includes Surname if any.</p> <p>Applicable only for individual shareholder.</p>                                                                                                                   |
| Nationality/Citizenship | string (2)     | Government-verified field (Source: ACRA) | shareholders-list.person-reference.nationality | <p>Nationality/Citizenship of shareholder.</p> <p>Applicable only for individual shareholder.</p> <p>Refer to Code Listing (NationalityCitizenship Code) for list of possible values.</p>                                                           |
| Corppass Email Address  | string (<=320) | Government-                              | shareholders-list.corppass-email               | Email Address from active Corppass                                                                                                                                                                                                                  |

| Data Item              | Format         | Field Type                                       | Code                                           | Remarks                                                                                                                                                                                              |
|------------------------|----------------|--------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                | verified field<br>(Source: Corppass)             |                                                | account of the individual shareholder.<br><br>Applicable only for individual shareholder.                                                                                                            |
| Corppass Mobile Number | string (<=20)  | Governm ent-verified field<br>(Source: Corppass) | shareholders-list.corppass-mobileno            | Mobile Number from active Corppass account of the appointed shareholder.<br><br>Applicable only for individual shareholder.                                                                          |
| UEN                    | string (<=10)  | Governm ent-verified field<br>(Source: ACRA)     | shareholders-list.entity-reference.uen         | Unique Entity Number of the entity shareholder.<br><br>Applicable only for entity shareholder.                                                                                                       |
| Entity Name            | string (<=100) | Governm ent-verified field<br>(Source: ACRA)     | shareholders-list.entity-reference.entity-name | Entity name of the entity shareholder.<br><br>Applicable only for entity shareholder.                                                                                                                |
| Entity Type            | string (2)     | Governm ent-verified field<br>(Source: ACRA)     | shareholders-list.entity-reference.entity-type | Entity type of the entity shareholder.<br><br>Applicable only for entity shareholder.<br><br>Refer to Code Listing (Entity Type) for list of possible values and corresponding UEN-issuing agencies. |
| Category               | string (<=1)   | Governm ent-verified field<br>(Source: ACRA)     | shareholders-list.category                     | Shareholder Category.<br><br>For individual shareholder, UEN, Entity Name and Entity Type will not be                                                                                                |

| Data Item                   | Format                     | Field Type                               | Code                                 | Remarks                                                                                                                                                                               |
|-----------------------------|----------------------------|------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |                            |                                          |                                      | shown. For entity shareholder, Identification Number, Person Name and Nationality/Citizenship will not be shown.<br><br>Refer to Code Listing (Category) for list of possible values. |
| Share Type                  | string (<=1)               | Government-verified field (Source: ACRA) | shareholders-list.share-type         | Type of shares the individual or entity shareholder holds.<br><br>Refer to Code Listing (Share Type) for list of possible values.                                                     |
| Allocation                  | number <double>            | Government-verified field (Source: ACRA) | shareholders-list.allocation         | Appointed date of the appointed individual or entity.                                                                                                                                 |
| Currency                    | string (<=3)               | Government-verified field (Source: ACRA) | shareholders-list.currency           | Currency of the allotted shares.<br><br>Refer to Code Listing (Currency) for list of possible values.                                                                                 |
| <b>Financial Highlights</b> |                            |                                          |                                      |                                                                                                                                                                                       |
| Current Period Start Date   | string <date> (YYYY-MM-DD) | Government-verified field (Source: ACRA) | highlights.current-period-start-date | Financial period start date of the financial data for the given entity (up to last 2 years).                                                                                          |
| Current Period End Date     | string <date> (YYYY-MM-DD) | Government-verified field                | highlights.current-period-end-date   | Financial period end date of the financial data for the given entity (up to last 2 years).                                                                                            |

| Data Item                      | Format          | Field Type                               | Code                                                | Remarks                                                                                                                        |
|--------------------------------|-----------------|------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                                |                 | (Source: ACRA)                           |                                                     |                                                                                                                                |
| Is Audited                     | string (1)      | Government-verified field (Source: ACRA) | highlights.is-audited                               | Indicator to show if financial data is audited (up to last 2 years)                                                            |
| Currency                       | string (<=3)    | Government-verified field (Source: ACRA) | highlights.currency                                 | Currency of the financial data recorded in (up to last 2 years). Refer to Code Listing (Currency) for list of possible values. |
| Company Revenue                | number <double> | Government-verified field (Source: ACRA) | highlights.company-revenue                          | Entity's revenue for the given financial period (up to last 2 years).                                                          |
| Company Profit Loss Before Tax | number <double> | Government-verified field (Source: ACRA) | highlights.company-profit-loss-before-tax           | Entity's profit or loss before tax for the given financial period (up to last 2 years).                                        |
| Company Profit Loss After Tax  | number <double> | Government-verified field (Source: ACRA) | highlights.highlights.company-profit-loss-after-tax | Entity's profit or loss after tax for the given financial period (up to last 2 years).                                         |
| Group Revenue                  | number <double> | Government-verified field (Source: ACRA) | highlights.group-revenue                            | Entity group's revenue for the given financial period (up to last 2 years).                                                    |

| Data Item                            | Format             | Field Type                                  | Code                                            | Remarks                                                                                                                              |
|--------------------------------------|--------------------|---------------------------------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Group Capital Paid Up Capital Amount | number<br><double> | Government-verified field<br>(Source: ACRA) | highlights.group-capital-paid-up-capital-amount | Entity group's paid up capital for the given financial period (up to last 2 years).                                                  |
| Group Profit Loss Before Tax         | number<br><double> | Government-verified field<br>(Source: ACRA) | highlights.group-profit-loss-before-tax         | Entity group's profit or loss before tax for the given financial period (up to last 2 years).                                        |
| Group Profit Loss After Tax          | number<br><double> | Government-verified field<br>(Source: ACRA) | highlights.group-profit-loss-after-tax          | Entity group's profit or loss after tax for the given financial period (up to last 2 years).                                         |
| <b>Grants</b>                        |                    |                                             |                                                 |                                                                                                                                      |
| Grants Type                          | string (<=3)       | Government-verified field<br>(Source: MTI)  | grants-list.grant-type                          | Approved grant type code.<br><br>Refer to Code Listing (Grants Type) for list of possible values.expand icon                         |
| Functional Area                      | string (<=3)       | Government-verified field<br>(Source: MTI)  | grants-list.functional-area                     | Functional area of the approved grant.<br><br>Refer to Code Listing (Grants Functional Area) for list of possible values.expand icon |
| Development Category                 | string (<=2)       | Government-verified field<br>(Source: MTI)  | grants-list.development-category                | Development category of the approved grant.<br><br>Refer to Code Listing (Grants Development Category) for list of                   |

| Data Item        | Format                                    | Field Type                                 | Code                          | Remarks                                    |
|------------------|-------------------------------------------|--------------------------------------------|-------------------------------|--------------------------------------------|
|                  |                                           |                                            |                               | possible values.expand icon                |
| Approved Amount  | number<br><double>                        | Government-verified field<br>(Source: MTI) | grants-list.approved-amount   | Approved grant amount in Singapore Dollar. |
| Submitted Date   | string <date><br>(YYYY-MM-DD"T"HH:MM:SSZ) | Government-verified field<br>(Source: MTI) | grants-list.submitted-date    | Grant submission date.expand icon          |
| Last Update Date | string <date><br>(YYYY-MM-DD"T"HH:MM:SSZ) | Government-verified field<br>(Source: MTI) | grants-list.last-updated-date | Grant last update date.                    |
| <b>Licenses</b>  |                                           |                                            |                               |                                            |
| Licence Number   | string (<=20)                             | Government-verified field<br>(Source: MTI) | licences-list.licence-number  | Licence reference number.                  |
| Licence Name     | string (<=150)                            | Government-verified field<br>(Source: MTI) | licences-list.licence-name    | Licence name.                              |
| Issue Date       | string <date><br>(YYYY-MM-DD)             | Government-verified field<br>(Source: MTI) | licences-list.issue-date      | Date when the licence was issued.          |

| Data Item                         | Format                        | Field Type                                 | Code                              | Remarks                                                                                                                                                                                                                                                                               |
|-----------------------------------|-------------------------------|--------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Expiry Date                       | string <date><br>(YYYY-MM-DD) | Government-verified field<br>(Source: MTI) | licences-list.expiry-date         | Date when the licence will be expired.                                                                                                                                                                                                                                                |
| Issuance Agency                   | string (<=3)                  | Government-verified field<br>(Source: MTI) | licences-list.issuance-agency     | Government agency that issued the licence.<br><br>Refer to Code Listing (Agencies) for list of possible values.                                                                                                                                                                       |
| <b>Builders &amp; Contractors</b> |                               |                                            |                                   |                                                                                                                                                                                                                                                                                       |
| Builder - Licence                 | string (<=6)                  | Government-verified field<br>(Source: BCA) | builders-list.licence             | Builder licence's description and code.<br><br>Refer to Code Listing (Builder Licence) for list of possible values.                                                                                                                                                                   |
| Builder - Licence Expiry Date     | string <date><br>(YYYY-MM-DD) | Government-verified field<br>(Source: BCA) | builders-list.licence-expiry-date | Builder licence's expiry date.                                                                                                                                                                                                                                                        |
| Contractor - Workhead             | string (<=4)                  | Government-verified field<br>(Source: BCA) | contractors-list.workhead         | Contractor workhead description and code.<br><br>Workhead registration is required for contractors that intend to undertake construction or construction-related public sector projects in Singapore.<br><br>Refer to Code Listing (Contractor Workhead) for list of possible values. |



| Data Item                                               | Format                     | Field Type                              | Code                                      | Remarks                                                                                                                              |
|---------------------------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Contractor - Workhead Financial Grade & Tendering Limit | string                     | Government-verified field (Source: BCA) | contractors-list.workhead-financial-grade | Contractor financial grade and tendering limit.<br><br>Refer to Code Listing (Workhead Financial Grade) for list of possible values. |
| Contractor - Registration Expiry Date                   | string <date> (YYYY-MM-DD) | Government-verified field (Source: BCA) | contractors-list.registration-expiry-date | Contractor registration expiry date.                                                                                                 |
| <b>Government Contracts</b>                             |                            |                                         |                                           |                                                                                                                                      |
| Document Identification                                 | string                     | Government-verified field (Source: MOF) | gov-contracts-list.document-id            | Unique identifier for tender or quotation.                                                                                           |
| Notice Description                                      | string                     | Government-verified field (Source: MOF) | gov-contracts-list.notice-description     | Description of the tender or quotation.                                                                                              |
| Procurement Category                                    | string                     | Government-verified field (Source: MOF) | gov-contracts-list.procurement-cat        | Procurement Category.<br><br>Refer to Code Listing (Gebiz Procurement Cat) for list of possible values.                              |
| Awarding Agency                                         | string                     | Government-verified field (Source: MOF) | gov-contracts-list.awarding-agency        | Government agency that awarded the tender or quotation.<br><br>Refer to Code Listing (Agencies) for list of possible values.         |

| Data Item                   | Format                        | Field Type                                 | Code                             | Remarks                                                                                                        |
|-----------------------------|-------------------------------|--------------------------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------|
| Award Date                  | string <date><br>(YYYY-MM-DD) | Government-verified field<br>(Source: MOF) | gov-contracts-list.award-date    | Award date of the tender or quotation.                                                                         |
| Award Procurement Value     | number <double>               | Government-verified field<br>(Source: MOF) | gov-contracts-list.award-value   | Award monetary value in Singapore Dollar.                                                                      |
| Award Currency              | string (<=3)                  | Government-verified field<br>(Source: MOF) | gov-contracts-list.currency      | Currency used for the tender or quotation.<br><br>Refer to Code Listing (Currency) for list of possible values |
| Number of Awarded Suppliers | number                        | Government-verified field<br>(Source: MOF) | gov-contracts-list.num-suppliers | Number of suppliers awarded for the tender or quotation.                                                       |

---

---