3tap.BtoB テーブル設計

Aa No		≡ Column Name		≡ Length	≡ Default	:≡ Enum	✓ NN	☑ PK	✓ FK	✓ Al	✓ INDEX
1001	Authenticates	id	Type	Length	Delauit		V V	✓		✓	
<u>1002</u>	Authenticates	auth_code	string	64			~				
1003	Authenticates	site_id	integer				~		~		
<u>1004</u>	Authenticates	entity_type	string	64			~				
<u>1005</u>	Authenticates	entity_id	integer				~				
<u>1006</u>	Authenticates	login_code	string	50			~				
<u>1007</u>	Authenticates	password	string	255			~				
<u>1011</u>	Authenticates	expires_at	datetime				~				
<u>1008</u>	Authenticates	created_at	datetime				~				
<u>1009</u>	Authenticates	updated_at	datetime								
<u>1010</u>	Authenticates	deleted_at	datetime								
<u>1101</u>	AuthenticateOauths	id	integer				~	~		~	
<u>1102</u>	AuthenticateOauths	auth_code	string	64			~				
<u>1103</u>	AuthenticateOauths	site_id	integer				~		~		
<u>1104</u>	AuthenticateOauths	entity_type	string	64			~				
<u>1105</u>	AuthenticateOauths	entity_id	integer				~				
<u>1106</u>	AuthenticateOauths	auth_provider_id	integer				~		~		
<u>1107</u>	AuthenticateOauths	token	string	255			~				
<u>1108</u>	AuthenticateOauths	expires_at	datetime				~				
<u>1109</u>	AuthenticateOauths	created_at	datetime				~				
<u>1110</u>	AuthenticateOauths	updated_at	datetime								
<u>1111</u>	AuthenticateOauths	deleted_at	datetime								
<u>1201</u>	AuthProviders	id	integer				~	~		~	

Aa	■ Table Name	≡ Column Name	Data	=	≡	:≣ Enum	✓	✓		✓	✓ INDEV
No 1202	AuthProviders	provider_code	Type	Length 64	Default		NN	PK	FK	AI	INDEX
1202	AuthProviders	name	string	32							
1203	AuthProviders			255							
	AuthProviders	description	string	255	falso						
1205		is_enable			false						
1206	AuthProviders	created_at	datetime								
1207	AuthProviders	updated_at	datetime								
<u>1208</u>	AuthProviders	deleted_at	datetime								
<u>1301</u>	UsableSites	id	integer				~	~		~	
<u>1302</u>	UsableSites	entity_type	string	64			✓				
<u>1303</u>	UsableSites	entity_id	integer				~				
<u>1304</u>	UsableSites	site_id	integer				~		~		
<u>1305</u>	UsableSites	shared_login_allowed	boolean		false		~				
<u>1306</u>	UsableSites	created_at	datetime				~				
1307	UsableSites	updated_at	datetime								
<u>1308</u>	UsableSites	deleted_at	datetime								
<u>1401</u>	SiteAuthProviders	id					~	~		~	
<u>1402</u>	SiteAuthProviders	site_id	integer				~		~		
<u>1403</u>	SiteAuthProviders	auth_provider_id	integer				~		~		
<u>1404</u>	SiteAuthProviders	is_enabled	boolean		true		~				
<u>1405</u>	SiteAuthProviders	created_at	datetime				~				
<u>1406</u>	SiteAuthProviders	updated_at	datetime								
<u>2001</u>	Operators	id	integer				~	~		~	
2002	Operators	operator_code	string	64			~				
2003	Operators	company_id	integer				~		~		
2004	Operators	name	string	32			~				
<u>2005</u>	Operators	operator_rank_id	integer				~		~		
2006	Operators	created_at	datetime				~				
2007	Operators	updated_at	datetime								
2008	Operators	deleted_at	datetime								
<u>2101</u>	SiteOperators	id	integer				~	~		~	
<u>2102</u>	SiteOperators	site_id	integer				~		~		

Aa No		≡ Column Name	DataType	≡ Length	≡ Default	:≡ Enum	✓ NN	☑ PK	✓ FK	✓ Al	✓ INDEX
<u>2103</u>	SiteOperators	operator_id	integer				~		~		
<u>2104</u>	SiteOperators	role_id	integer				~		~		
<u>2105</u>	SiteOperators	created_at	datetime				~				
<u>2106</u>	SiteOperators	updated_at	datetime								
<u>2107</u>	SiteOperators	deleted_at	datetime								
<u>2201</u>	OperatorRanks	id	integer				~	~		~	
2202	OperatorRanks	name	string	32			~				
2203	OperatorRanks	priority	integer		1		~				
2204	OperatorRanks	created_at	datetime				~				
<u>2205</u>	OperatorRanks	updated_at	datetime								
2206	OperatorRanks	deleted_at	datetime								
<u>2301</u>	SiteOperatorRoles	id	integer				~	~		~	
2302	SiteOperatorRoles	name	string	32			~				
2303	SiteOperatorRoles	created_at	datetime				~				
<u>2304</u>	SiteOperatorRoles	updated_at	datetime								
<u>2305</u>	SiteOperatorRoles	deleted_at	datetime								
<u>2401</u>	Sites	id	integer				~	~		~	
2402	Sites	site_code	string	64			~				
<u>2403</u>	Sites	company_id	integer				~		~		
<u>2404</u>	Sites	url	string	255			~				
<u>2405</u>	Sites	name	string	64			~				
<u>2406</u>	Sites	description	string	255							
<u>2407</u>	Sites	is_btob	boolean		false		~				
<u>2408</u>	Sites	created_at	datetime				~				
<u>2409</u>	Sites	updated_at	datetime								
<u>2410</u>	Sites	deleted_at	datetime								
<u>3001</u>	Notifications	id	integer				~	~		~	
3002	Notifications	category_id	integer				~		~		
3003	Notifications	notification_code	string	64			~				
3004	Notifications	title	string	64			~				
3005	Notifications	content	text				~				
<u>3006</u>	Notifications	publish_start_at	datetime				~				

Aa No		≡ Column Name	DataType	≡ Length	≡ Default	:≡ Enum	✓ NN	☑ PK	✓ FK	✓ Al	✓ INDEX
3007	Notifications	publish_end_at	datetime								
3008	Notifications	created_at	datetime				~				
3009	Notifications	updated_at	datetime								
<u>3010</u>	Notifications	deleted_at	datetime								
<u>3101</u>	NotificationCategories	id	integer				~	~		~	
3102	NotificationCategories	name	string	64			~				
<u>3103</u>	NotificationCategories	description	string	255							
3104	NotificationCategories	parent_id	integer						~		
<u>3105</u>	NotificationCategories	created_at	datetime				~				
<u>3106</u>	NotificationCategories	updated_at	datetime								
3107	NotificationCategories	deleted_at	datetime								
3201	NotificationReceivers	id	integer				~	~		~	
3202	NotificationReceivers	notification_id	integer				~		~		
3203	NotificationReceivers	entity_type	string	64			~				
3204	NotificationReceivers	entity_id	integer				~				
<u>3205</u>	NotificationReceivers	send_method_id	integer				~		~		
<u>3206</u>	NotificationReceivers	sent_at	datetime				~				
3207	NotificationReceivers	is_read	boolean		false						
3208	NotificationReceivers	read_at	datetime								
3209	NotificationReceivers	created_at	datetime				~				
<u>3210</u>	NotificationReceivers	deleted_at	datetime								
<u>3301</u>	NotificationSenders	id	integer				~	~		~	
3302	NotificationSenders	notification_id	integer				~		~		
3303	NotificationSenders	entity_type	string	64			~				
3304	NotificationSenders	entity_id	integer				~				
<u>3305</u>	NotificationSenders	created_at	datetime				~				

										_		
2401 NotificationSendMethods id Integer 64 </td <td>Aa No</td> <td></td> <td>≡ Column Name</td> <td>DataType</td> <td>≡ Length</td> <td>≡ Default</td> <td>:≡ Enum</td> <td>NN</td> <td>✓ PK</td> <td>✓ FK</td> <td>✓ Al</td> <td>INDEX</td>	Aa No		≡ Column Name	DataType	≡ Length	≡ Default	:≡ Enum	NN	✓ PK	✓ FK	✓ Al	INDEX
3402 NotificationSendMethods name	<u>3306</u>	NotificationSenders	deleted_at	datetime								
2402 NotificationSendMethods description string 255	<u>3401</u>	NotificationSendMethods	id	integer				~	~		~	
3400. NotificationSendMethods created_at datetime </td <td>3402</td> <td>NotificationSendMethods</td> <td>name</td> <td>string</td> <td>64</td> <td></td> <td></td> <td>~</td> <td></td> <td></td> <td></td> <td></td>	3402	NotificationSendMethods	name	string	64			~				
3305 NotificationSendMethods updated_at datetime	3403	NotificationSendMethods	description	string	255							
3306 NotificationSendMethods deleted_at datetime	3404	NotificationSendMethods	created_at	datetime				~				
4000 UserExternalCodes Id Integer	<u>3405</u>	NotificationSendMethods	updated_at	datetime								
4002 UserExternalCodes user_id Integer </td <td>3406</td> <td>NotificationSendMethods</td> <td>deleted_at</td> <td>datetime</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	3406	NotificationSendMethods	deleted_at	datetime								
4003 UserExternalCodes external_code string	<u>4001</u>	UserExternalCodes	id	integer				~	~		~	
4004 UserExternalCodes created_at datetime	<u>4002</u>	UserExternalCodes	user_id	integer				~		~		
4005 UserExternalCodes deleted_at datetime	<u>4003</u>	UserExternalCodes	external_code	string				~				
5001 FavoriteItems id Integer	<u>4004</u>	UserExternalCodes	created_at	datetime				~				
5002 FavoriteItems user_id Integer	<u>4005</u>	UserExternalCodes	deleted_at	datetime								
5003 FavoriteItems Item_id Integer Image: company c	<u>5001</u>	FavoriteItems	id	integer				~	~		~	
5004 FavoriteItems site_id integer Image: control of the control	<u>5002</u>	FavoriteItems	user_id	integer				~		~		
5005 FavoriteItems created_at datetime V	<u>5003</u>	FavoriteItems	item_id	integer				~		~		
5006 FavoriteItems deleted_at datetime	<u>5004</u>	FavoriteItems	site_id	integer				~		~		
Second Items Item Item	<u>5005</u>	FavoriteItems	created_at	datetime				~				
6002 Items item_code string 64 Items Items Items site_id Integer Integer Items Items Items Items Items Items Items Integer Items	<u>5006</u>	FavoriteItems	deleted_at	datetime								
6003 Items site_id integer Items Items category_id integer Items Items category_id integer Image: category_id Items Items Items category_id Integer Items Integer Image: category_id Items	<u>6001</u>	Items	id	integer				~	~		~	
6004 Items category_id integer ✓ <td>6002</td> <td>Items</td> <td>item_code</td> <td>string</td> <td>64</td> <td></td> <td></td> <td>~</td> <td></td> <td></td> <td></td> <td></td>	6002	Items	item_code	string	64			~				
6005 Items maker_name string 64	6003	Items	site_id	integer				~		~		
6006 Items name string 64 ✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	6004	Items	category_id	integer				~		~		
6007 Items description text	<u>6005</u>	Items	maker_name	string	64							
6008 Items unit_price decimal 10,2 Image: square of the content	<u>6006</u>	Items	name	string	64			~				
6009 Items unit_id integer ✓ ✓ ✓ □	6007	Items	description	text								
6010 Items from_source enum IMPORT MANUAL ✓ □ □ □ □ □	6008	Items	unit_price	decimal	10,2			~				
6010 Items from_source enum MANUAL Image: Items of the control	6009	Items	unit_id	integer				~		~		
6012 Items published_at datetime	<u>6010</u>	Items	from_source	enum				~				
6013 Items created_at datetime	<u>6011</u>	Items	is_recommended	boolean		false		~				
6014 Items updated_at datetime	<u>6012</u>	Items	published_at	datetime								
	<u>6013</u>	Items	created_at	datetime				~				
6015 Items deleted_at datetime □ □ □ □ □	<u>6014</u>	Items	updated_at	datetime								
	<u>6015</u>	Items	deleted_at	datetime								

Aa No		≡ Column Name	DataType	≡ Length	≡ Default	:≡ Enum	✓ NN	☑ PK	☑ FK	✓ Al	✓ INDEX
<u>6101</u>	ItemCategories	id	integer				~	~		~	
<u>6102</u>	ItemCategories	category_code	string	64			~				
<u>6103</u>	ItemCategories	site_id	integer				~		~		
<u>6104</u>	ItemCategories	name	string	64			~				
<u>6105</u>	ItemCategories	priority	integer		1		~				
<u>6106</u>	ItemCategories	is_published	boolean		false						
<u>6107</u>	ItemCategories	created_at	datetime				~				
<u>6108</u>	ItemCategories	updated_at	datetime								
<u>6109</u>	ItemCategories	deleted_at	datetime								
<u>6201</u>	ItemUnits	id	integer				~	~		~	
<u>6202</u>	ItemUnits	unit_code	string	64			~				
<u>6203</u>	ItemUnits	site_id	integer				~		~		
<u>6204</u>	ItemUnits	name	string	64			~				
<u>6205</u>	ItemUnits	priority	integer		1		~				
<u>6206</u>	ItemUnits	is_published	boolean		false						
<u>6207</u>	ItemUnits	created_at	datetime				~				
<u>6208</u>	ItemUnits	updated_at	datetime								
<u>6209</u>	ItemUnits	deleted_at	datetime								
<u>7001</u>	Orders	id	integer				~	~		~	
<u>7002</u>	Orders	order_code	string	64			~				
<u>7003</u>	Orders	site_id	integer				~		~		
<u>7004</u>	Orders	user_id	integer				~		~		
<u>7005</u>	Orders	total_price	decimal	10,2							
<u>7006</u>	Orders	tax	decimal	8,0							
<u>7007</u>	Orders	postage	decimal	4,0							
<u>7008</u>	Orders	ordered_at	datetime								
<u>7009</u>	Orders	processed_at	datetime								
<u>7010</u>	Orders	exported_at	datetime								
<u>7011</u>	Orders	created_at	datetime				~				
<u>7012</u>	Orders	updated_at	datetime								
<u>7013</u>	Orders	deleted_at	datetime								
<u>7101</u>	OrderDetails	id	integer				~	~		~	
<u>7102</u>	OrderDetails	detail_code	string	64			~				
<u>7103</u>	OrderDetails	order_id	integer				~		~		

Aa No		≡ Column Name	DataType	≡ Length	≡ Default	:≡ Enum	✓ NN	✓ PK	✓ FK	✓ Al	INDEX
<u>7104</u>	OrderDetails	item_id	integer				~		~		
<u>7105</u>	OrderDetails	volume	integer				~				
<u>7106</u>	OrderDetails	unit_price	decimal	10,2			~				
<u>7107</u>	OrderDetails	unit_name	string	64			~				
<u>7108</u>	OrderDetails	price	decimal	10,2			~				
<u>7109</u>	OrderDetails	tax	decimal	4,0			~				
<u>7110</u>	OrderDetails	processed_at	datetime								
<u>7112</u>	OrderDetails	created_at	datetime				~				
<u>7113</u>	OrderDetails	updated_at	datetime								
<u>7114</u>	OrderDetails	deleted_at	datetime								
<u>8001</u>	Users	id	integer				~	~		~	
8002	Users	user_code	string	64			~				
8003	Users	site_id	integer				~		~		
<u>8004</u>	Users	name	string	64			~				
8005	Users	postal_code	string	10							
8006	Users	address	string	128							
8007	Users	phone	string	24							
8008	Users	created_at	datetime				~				
8009	Users	updated_at	datetime								
<u>8010</u>	Users	deleted_at	datetime								
<u>2401</u>	Companies	id	integer				~	~		~	
2402	Companies	company_code	string	64			~				
<u>2403</u>	Companies	company_name	string	32			~				
<u>2404</u>	Companies	name	string	64			~				
<u>2405</u>	Companies	postal_code	string	10							
2406	Companies	address	string	128							
<u>2407</u>	Companies	phone	string	24							
<u>2408</u>	Companies	created_at	datetime				~				
<u>2409</u>	Companies	updated_at	datetime								
2410	Companies	deleted_at	datetime								