

[Home](#) [Blog](#)

API Documentation

Free, read-only lottery data API. No authentication required.

Base URL

```
https://www.drawanalytics.com/api/v1
```

Rate Limit: 60 requests per minute per IP address. Standard rate limit headers (`RateLimit-Limit`, `RateLimit-Remaining`, `RateLimit-Reset`) are included in every response.

Response Format

All endpoints return a consistent JSON wrapper:

```
{
  "success": true,
  "data": [ ... ],
  "meta": {
    "timestamp": "2026-04-12T12:00:00.000Z",
    "api_version": "1.0",
    "count": 45
  }
}
```

Error responses use the same shape:

```
{
  "success": false,
  "error": "State not found"
}
```

Endpoints

GET </api/v1/states>

List all supported states with their available games and timezone.

```
// Response data item
{
  "id": "california",
  "name": "California",
  "abbreviation": "CA",
  "slug": "california",
  "games": ["daily3", "daily4", "fantasy5", "powerball", "mega_millions", "superlotto_plus"]
  "timezone": "America/Los_Angeles"
}
```

GET /api/v1/:state/games

List games for a specific state with configuration details.

Param	Type	Description
:state	path	State slug, ID, or abbreviation (e.g. california, CA)

```
// Response data item
{
  "id": "powerball",
  "name": "Powerball",
  "type": "pick5plus1",
  "mainBalls": 5,
  "mainRange": [1, 69],
  "bonusBalls": 1,
  "bonusRange": [1, 26],
  "bonusName": "Powerball",
  "drawDays": [1, 3, 6],
  "drawTimes": null
}
```

GET /api/v1/:state/:game/latest

Get the most recent draw result for a game.

Param	Type	Description
:state	path	State slug or abbreviation
:game	path	Game ID (e.g. powerball, daily3)

```
// Lotto-style response
{
```

```
"draw_date": "2026-04-11",
"draw_number": 1234,
"numbers": [5, 12, 28, 43, 61],
"bonus_ball": 17,
"jackpot": 250000000,
"multiplier": 3,
"sum": 149
}

// Digit-game response
{
  "draw_date": "2026-04-11",
  "draw_time": "evening",
  "draw_number": 5678,
  "numbers": [3, 7, 1],
  "combo": "137",
  "sum": 11
}
```

GET /api/v1/:state/:game/results

Get historical draw results with date range filtering and pagination.

Param	Type	Description
:state	path	State slug or abbreviation
:game	path	Game ID
start_date	query	Start date, YYYY-MM-DD (default: 30 days ago)
end_date	query	End date, YYYY-MM-DD (default: today)
limit	query	Results per page, 1-100 (default: 50)
offset	query	Pagination offset (default: 0)

Meta includes total, limit, and offset for pagination.

GET /api/v1/:state/:game/frequency

Number frequency counts over a configurable time window.

Param	Type	Description
:state	path	State slug or abbreviation
:game	path	Game ID
days	query	Lookback window in days, 1-365 (default: 30)

```
// Lotto-style: sorted by count descending
[{"ball": 7, "count": 12, "pct": 40.0 }, ...]

// Digit-game: one entry per digit 0-9
[{"digit": 0, "count": 45, "pct": 15.0 }, ...]
```

GET /api/v1/:state/:game/hot-cold

Top hot and cold numbers based on frequency over a time window.

Param	Type	Description
:state	path	State slug or abbreviation
:game	path	Game ID
days	query	Lookback window in days, 1-365 (default: 30)
count	query	Number of hot/cold entries, 1-20 (default: 5)

```
{
  "hot": [{ "number": 7, "count": 12 }, ...],
  "cold": [{ "number": 42, "count": 1 }, ...]
}
```

GET /api/v1/:state/:game/gaps

Current gap (draws since last appearance) for each number. Higher gap = more overdue.

Param	Type	Description
:state	path	State slug or abbreviation
:game	path	Game ID

```
// Sorted by gap descending (most overdue first, lotto-style)
[{"number": 55, "gap": 42 }, {"number": 12, "gap": 38 }, ...]
```

Code Examples

cURL

JavaScript

Python

```
const BASE = 'https://www.drawanalytics.com/api/v1';

// Fetch latest Powerball draw
const res = await fetch(`${BASE}/california/powerball/latest`);
const { success, data, meta } = await res.json();

if (success) {
  console.log('Draw date:', data.draw_date);
  console.log('Numbers:', data.numbers.join(', '));
  console.log('Bonus:', data.bonus_ball);
}

// Paginate through results
async function getAllResults(state, game, startDate) {
  let offset = 0;
  const all = [];
  while (true) {
    const url = `${BASE}/${state}/${game}/results?start_date=${startDate}&limit=100&offset=${offset}`;
    const r = await fetch(url);
    const json = await r.json();
    all.push(...json.data);
    if (all.length >= json.meta.total) break;
    offset += 100;
  }
  return all;
}
```

Notes

- All dates are in **YYYY-MM-DD** format (UTC).
- State can be referenced by slug (california), ID, or abbreviation (CA).
- Game IDs match the internal registry (e.g. powerball, mega_millions, daily3). Use the /states or /:state/games endpoint to discover valid IDs.
- The API is read-only. No authentication or API keys are required.
- Data is updated automatically after each lottery draw (typically within a few hours).
- CORS is fully open (Access-Control-Allow-Origin: *).
- The frequency endpoint returns percentage relative to total draws (lotto) or total digit slots (digit games).
- The gaps endpoint scans the most recent 200 draws.

DrawAnalytics — Multi-state lottery analytics

EXPLORE [Jackpots](#) [Today's Results](#) [Dream Numbers](#) [Research](#) [Blog](#) [For Webmasters](#)

LEGAL [Terms of Service](#) [Privacy Policy](#)

Spotted an error in the data? [△ Report incorrect data](#)

DrawAnalytics is an informational and entertainment service. We provide historical lottery data analysis and pattern exploration tools. We do not sell predictions, we do not guarantee any outcome, and we make no representation that any tool on this site improves a user's probability of winning any lottery game. Lottery drawings are random. Past results do not predict future drawings. You must be 18 or older (21+ in some states) to play state lottery games. If you or someone you know has a gambling problem, call [1-800-GAMBLER](tel:1-800-GAMBLER) or visit ncpgambling.org.