









Performance

Accessibility

Best Practices

SEO

PWA



Performance

Values are estimated and may vary. The <u>performance score</u> <u>is calculated</u> directly from these metrics. <u>See calculator.</u>

▲ 0-49

50-89

90-100



METRICS Expand view

First Contentful Paint

0.7 s

▲ Time to Interactive

5.4 s

Speed Index

1.6 s

Total Blocking Time

220 ms


▲ Largest Contentful Paint

2.9 s

▲ Cumulative Layout Shift

0.703























Show audits relevant to: All FCP TBT LCP CLS

OPPORTUNITIES

Opportunity Estimated Savings

▲ Enable text compression

4.07 s ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. <u>Learn</u> <u>more</u>. <u>FCP</u> <u>LCP</u>

✓ Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
/main.js (localhost)	701.4 KiB	517.9 KiB
http://localhost:4200	167.9 KiB	147.1 KiB
/979.js (localhost)	94.7 KiB	79.2 KiB
/polyfills.js (localhost)	44.3 KiB	29.3 KiB
home/show-case (localhost)	27.4 KiB	24.6 KiB
/event?a= (sslwidget.criteo.com)	8.7 KiB	5.3 KiB
home/statics (localhost)	4.9 KiB	3.9 KiB

▲ Reduce unused JavaScript 1.4 s ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. <u>Learn more</u>. <u>[LCP]</u>

✓ Show 3rd-party resources (4)

URL	Transfer Size	Potential Savings
/main.js (localhost)	701.7 KiB	217.1 KiB
config/147?v=2.9.62&r=stable (connect.facebook.net)	83.8 KiB	66.5 KiB
/gtm/optimize.js?id=OPT-PNMW4K7 (www.google-analytics.com)	37.7 KiB	30.5 KiB
/optimize.js?id=OPT-PNMW4K7 (www.googleoptimize.com)	37.8 KiB	25.0 KiB
/gtm.js?id=GTM-PMD4VF (www.googletagmanager.com)	92.1 KiB	24.7 KiB
/979.js (localhost)	95.0 KiB	24.4 KiB

▲ Serve images in next-gen formats 0.8 s ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. <u>Learn more</u>.

	URL	Resource Size	Potential Savings
undefined 	slide_1662/full_kit_covid_2001.png (static panveltstnew.panvel.com)	414.9 KiB	386.8 KiB
<pre>image banner </pre>	slide_1720/home_natal_kits_0912.jpg (sta ticpanveltstnew.panvel.com)	190.1 KiB	123.3 KiB
	slide_1718/home_tictacv2_0912.jpg (stati cpanveltstnew.panvel.com)	187.9 KiB	120.8 KiB
BRONZEADORES 	slide_1967/1_autobronzeadores_v3_1901 .png (staticpanveltstnew.panvel.com)	83.0 KiB	69.6 KiB
LOREAL 	slide_2397/5_loreal_v2_1901.png (staticp anveltstnew.panvel.com)	62.3 KiB	56.7 KiB



Reduce initial server response time

0.67 s ^

Keep the server response time for the main document short because all other requests depend on it. <u>Learn more</u>. <u>FCP</u>

URL	Time Spent
http://localhost:4200	770 ms

Preconnect to required origins

0.38 s 🔨

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. <u>Learn more</u>. [FCP] [LCP]

ι	JRL	Potential Savings
h	nttps://static.criteo.net	380 ms

Use HTTP/2 0.34 s ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more.

URL	Protocol
slide_1718/home_tictacv2_0912.jpg (staticpanveltstnew.panvel.com)	http/1.1
slide_1967/1_autobronzeadores_v3_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_2007/2_australian_v2_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_2395/3_verao_v2_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_2396/4_dermolovers_v2_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_2397/5_loreal_v2_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_2398/6_solar_v2_1901.png (staticpanveltstnew.panvel.com)	http/1.1
slide_1662/full_kit_covid_2001.png (staticpanveltstnew.panvel.com)	http/1.1
slide_1720/home_natal_kits_0912.jpg (staticpanveltstnew.panvel.com)	http/1.1

These suggestions can help your page load faster. They don't <u>directly affect</u> the Performance score.



Avoid document.write()

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. <u>Learn more</u>.

✓ Show 3rd-party resources (1)

Source

localhost/:12

sslwidget.criteo.com...0%2F&dtycbr=88567:1

▲ Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more CLS





▲ Registers an unload listener

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. <u>Learn more</u>

Source

polyfills.js:1

polyfills.js:1

▲ Serve static assets with an efficient cache policy — 60 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more.

Show 3rd-party resources (55)

URL	Cache TTL	Transfer Size
/main.js (localhost)	None	702 KiB
/979.js (localhost)	None	95 KiB

URL	Cache TTL	Transfer Size
/angular/Foco_W_Bdlt.woff (cdn1.staticpanvel.com.br)	None	66 KiB
/angular/Foco_W_Bd.woff (cdn1.staticpanvel.com.br)	None	61 KiB
/angular/Foco_W_Lt.woff (cdn1.staticpanvel.com.br)	None	61 KiB
/angular/Foco_W_Rg.woff (cdn1.staticpanvel.com.br)	None	59 KiB
/polyfills.js (localhost)	None	45 KiB
images/reclame-aqui-logo.svg (s3.amazonaws.com)	None	11 KiB
iconesfooter/info-alo-panvel.svg (cdn1.staticpanvel.com.br)	None	9 KiB
cupom/header_alert_coupon_light.svg (cdn1.staticpanvel.com.br)	None	8 KiB
iconesfooter/info-sac-panvel.svg (cdn1.staticpanvel.com.br)	None	8 KiB
svg/grupo-panvel.svg (cdn1.staticpanvel.com.br)	None	7 KiB
iconesfooter/GPLay.svg (cdn1.staticpanvel.com.br)	None	5 KiB
iconesfooter/AppStore.svg (cdn1.staticpanvel.com.br)	None	4 KiB
produto/caminho.svg (cdn1.staticpanvel.com.br)	None	3 KiB
/runtime.js (localhost)	None	3 KiB
/styles.css (localhost)	None	2 KiB
imagens/sprite.svg (cdn1.staticpanvel.com.br)	None	2 KiB
produto/youtube.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/lcn-alo-panvel.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/cesta.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/twitter-square.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-panvel-symbol.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/instagram.svg (cdn1.staticpanvel.com.br)	None	1 KiB

URL	Cache TTL	Transfer Size
produto/icn-right.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-card-outline.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icn-menu.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icn-left.svg (cdn1.staticpanvel.com.br)	None	1 KiB
29001/sync?3rdpartyuserid= (tags.bluekai.com)	None	1 KiB
produto/facebook.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-medication.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-user.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-store.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/email-new.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/arrow-down.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/icon-truck.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/magnifier-search.svg (cdn1.staticpanvel.com.br)	None	1 KiB
produto/bx-chevron-down.svg (cdn1.staticpanvel.com.br)	None	1 KiB
/uid/sync.htm?pid=13079&cuid=k-ljPFw78 (ade.clmbtech.com)	None	0 KiB
/c/hotjar-261182.js?sv=5 (static.hotjar.com)	1 m	3 KiB
/df/tag.js?id=PM-PMD4VF (cdn.pmweb.com.br)	5 m	7 KiB
config/147?v=2.9.62&r=stable (connect.facebook.net)	20 m	84 KiB
/en_US/fbevents.js (connect.facebook.net)	20 m	26 KiB
/aperture/aperture.js (cdn.perfdrive.com)	1 h	13 KiB
/analytics.js (www.google-analytics.com)	2 h	20 KiB

URL	Cache TTL	Transfer Size
selo/img_687.png (newimgebit-a.akamaihd.net)	2 h 34 m 11 s	6 KiB
0.6.34/clarity.js (www.clarity.ms)	1 d	23 KiB
ld/ld.js (static.criteo.net)	1 d	14 KiB
/112189.ct.js (tag.rmp.rakuten.com)	1 d	12 KiB
slide_1662/full_kit_covid_2001.png (staticpanveltstnew.panvel.com)	22 d	415 KiB
slide_1720/home_natal_kits_0912.jpg (staticpanveltstnew.panvel.com)	22 d	190 KiB
slide_1718/home_tictacv2_0912.jpg (staticpanveltstnew.panvel.com)	22 d	188 KiB
slide_1967/1_autobronzeadores_v3_1901.png (staticpanveltstnew.panvel.com)	22 d	83 KiB
slide_2397/5_loreal_v2_1901.png (staticpanveltstnew.panvel.com)	22 d	63 KiB
slide_2398/6_solar_v2_1901.png (staticpanveltstnew.panvel.com)	22 d	56 KiB
slide_2396/4_dermolovers_v2_1901.png (staticpanveltstnew.panvel.com)	22 d	45 KiB
slide_2395/3_verao_v2_1901.png (staticpanveltstnew.panvel.com)	22 d	43 KiB
slide_2007/2_australian_v2_1901.png (staticpanveltstnew.panvel.com)	22 d	25 KiB
/adrum/adrum-20.12.0.3360.js (cdn.appdynamics.com)	31 d	38 KiB
/adrum-ext.54a9a33js (cdn.appdynamics.com)	31 d	20 KiB

Minimize main-thread work — 2.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn more $\overline{\text{TBT}}$

Category	Time Spent
Script Evaluation	1,313 ms
Other	914 ms

Category	Time Spent
Rendering	307 ms
Style & Layout	223 ms
Parse HTML & CSS	67 ms
Garbage Collection	55 ms
Script Parsing & Compilation	39 ms

Avoid enormous network payloads — Total size was 3,245 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn more. [LCP]

✓ Show 3rd-party resources (7)

URL	Transfer Size
/main.js (localhost)	701.7 KiB
slide_1662/full_kit_covid_2001.png (staticpanveltstnew.panvel.com)	415.3 KiB
slide_1720/home_natal_kits_0912.jpg (staticpanveltstnew.panvel.com)	190.4 KiB
slide_1718/home_tictacv2_0912.jpg (staticpanveltstnew.panvel.com)	188.2 KiB
http://localhost:4200	168.3 KiB
/979.js (localhost)	95.0 KiB
/gtm.js?id=GTM-PMD4VF (www.googletagmanager.com)	92.1 KiB
config/147?v=2.9.62&r=stable (connect.facebook.net)	83.8 KiB
slide_1967/1_autobronzeadores_v3_1901.png (staticpanveltstnew.panvel.com)	83.3 KiB
v55/flUhRq6tzwoff2 (fonts.gstatic.com)	80.7 KiB

Avoid an excessive DOM size — 1,038 elements

A large DOM will increase memory usage, cause longer <u>style calculations</u>, and produce costly <u>layout reflows</u>. <u>Learn more</u>. <u>(TBT)</u>

Statistic	Element	Value
Total DOM Elements		1,038
Maximum DOM Depth	<pre>panvel </pre>	31
Maximum Child Elements	body	40

O Avoid chaining critical requests — 9 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. <u>Learn more</u>. (FCP) (LCP)

Maximum critical path latency: 1,560 ms

Initial Navigation

http://localhost:4200

/css2?family=Lato:wght@300;400;700&display=swap (fonts.googleapis.com)

...v23/S6u9w4BMU....woff2 (fonts.gstatic.com) - 50 ms, 13.84 KiB

/angular/Foco_W_Bd.woff (cdn1.staticpanvel.com.br) - 40 ms, 61.12 KiB

/angular/Foco_W_Rg.woff (cdn1.staticpanvel.com.br) - 70 ms, 58.63 KiB

/angular/Foco_W_Bdlt.woff (cdn1.staticpanvel.com.br) - 120 ms, 65.58 KiB

...v55/flUhRq6tz....woff2 (fonts.gstatic.com) - 90 ms, 80.69 KiB

...v29/memvYaGs1....woff2 (fonts.gstatic.com) - 50 ms, 38.64 KiB

/runtime.js (localhost) - 20 ms, 2.98 KiB

/polyfills.js (localhost) - 20 ms, 44.54 KiB

/main.js (localhost) - 40 ms, 701.67 KiB

User Timing marks and measures — 101 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more</u>.

Name	Туре	Start Time	Duration
Zone	Measure	1,085.61 ms	0.39 ms

Name	Туре	Start Time	Duration
Zone:ZoneAwarePromise	Measure	1,086.12 ms	0.28 ms
Zone:util	Measure	1,086.52 ms	0.08 ms
Zone:legacy	Measure	1,086.62 ms	12.98 ms
Zone:defineProperty	Measure	1,086.66 ms	0.04 ms
Zone:registerElement	Measure	1,086.72 ms	0.08 ms
Zone:EventTargetLegacy	Measure	1,086.8 ms	12.8 ms
Zone:timers	Measure	1,099.69 ms	0.11 ms
Zone:requestAnimationFrame	Measure	1,099.87 ms	0.03 ms
Zone:blocking	Measure	1,099.93 ms	0.17 ms
Zone:EventTarget	Measure	1,100.09 ms	1.01 ms
Zone:on_property	Measure	1,103.47 ms	52.33 ms
Zone:customElements	Measure	1,155.8 ms	0.1 ms
Zone:XHR	Measure	1,155.94 ms	0.16 ms
Zone:geolocation	Measure	1,156.06 ms	0.04 ms
Zone:PromiseRejectionEvent	Measure	1,156.17 ms	0.03 ms
NgxSkeletonLoader:Rendered	Measure	1,401.36 ms	0.84 ms
NgxSkeletonLoader:Rendered	Measure	1,402.29 ms	0.27 ms
NgxSkeletonLoader:Rendered	Measure	1,402.61 ms	0.17 ms
NgxSkeletonLoader:Rendered	Measure	1,402.82 ms	0.16 ms
NgxSkeletonLoader:Rendered	Measure	1,403.01 ms	0.16 ms
NgxSkeletonLoader:Rendered	Measure	1,403.2 ms	0.16 ms
NgxSkeletonLoader:Rendered	Measure	1,403.41 ms	0.17 ms

Name	Туре	Start Time	Duration
NgxSkeletonLoader:Rendered	Measure	1,403.61 ms	0.15 ms
NgxSkeletonLoader:Rendered	Measure	1,403.8 ms	0.15 ms
NgxSkeletonLoader:Rendered	Measure	1,403.98 ms	0.15 ms
NgxSkeletonLoader:Rendered	Measure	1,404.16 ms	0.15 ms
NgxSkeletonLoader:Loaded	Measure	1,404.17 ms	2,473 ms
Zone	Mark	1,085.63 ms	
Zone:ZoneAwarePromise	Mark	1,086.13 ms	
Zone:toString	Mark	1,086.42 ms	
Zone:util	Mark	1,086.53 ms	
Zone:legacy	Mark	1,086.62 ms	
Zone:defineProperty	Mark	1,086.66 ms	
Zone:registerElement	Mark	1,086.72 ms	
Zone:EventTargetLegacy	Mark	1,086.8 ms	
Zone:timers	Mark	1,099.7 ms	
Zone:requestAnimationFrame	Mark	1,099.87 ms	
Zone:blocking	Mark	1,099.93 ms	
Zone:EventTarget	Mark	1,100.09 ms	
Zone:on_property	Mark	1,103.48 ms	
Zone:customElements	Mark	1,155.8 ms	
Zone:XHR	Mark	1,155.95 ms	
Zone:geolocation	Mark	1,156.06 ms	
Zone:PromiseRejectionEvent	Mark	1,156.17 ms	

Name	Туре	Start Time	Duration
NgxSkeletonLoader:Rendered	Mark	1,399.07 ms	
NgxSkeletonLoader:Loaded	Mark	1,399.11 ms	
NgxSkeletonLoader:Rendered	Mark	1,399.73 ms	
NgxSkeletonLoader:Loaded	Mark	1,399.99 ms	
NgxSkeletonLoader:Rendered	Mark	1,401.2 ms	
NgxSkeletonLoader:Loaded	Mark	1,401.23 ms	
NgxSkeletonLoader:Rendered	Mark	1,401.38 ms	
NgxSkeletonLoader:Loaded	Mark	1,401.4 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,402.21 ms	
NgxSkeletonLoader:Rendered	Mark	1,402.29 ms	
NgxSkeletonLoader:Loaded	Mark	1,402.3 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,402.57 ms	
NgxSkeletonLoader:Rendered	Mark	1,402.61 ms	
NgxSkeletonLoader:Loaded	Mark	1,402.62 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,402.79 ms	
NgxSkeletonLoader:Rendered	Mark	1,402.82 ms	
NgxSkeletonLoader:Loaded	Mark	1,402.83 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,402.98 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.01 ms	
NgxSkeletonLoader:Loaded	Mark	1,403.02 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,403.17 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.2 ms	

Name	Туре	Start Time	Duration
NgxSkeletonLoader:Loaded	Mark	1,403.21 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,403.36 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.41 ms	
NgxSkeletonLoader:Loaded	Mark	1,403.42 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,403.59 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.62 ms	
NgxSkeletonLoader:Loaded	Mark	1,403.62 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,403.77 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.8 ms	
NgxSkeletonLoader:Loaded	Mark	1,403.81 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,403.95 ms	
NgxSkeletonLoader:Rendered	Mark	1,403.98 ms	
NgxSkeletonLoader:Loaded	Mark	1,403.99 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,404.13 ms	
NgxSkeletonLoader:Rendered	Mark	1,404.16 ms	
NgxSkeletonLoader:Loaded	Mark	1,404.17 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,404.32 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,404.9 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,405.02 ms	
NgxSkeletonLoader:Rendered-end	Mark	1,405.05 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.18 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.23 ms	

Name	Туре	Start Time	Duration
NgxSkeletonLoader:Loaded-end	Mark	3,877.31 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.4 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.44 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.48 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.53 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.58 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.62 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.67 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.71 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.75 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.78 ms	
NgxSkeletonLoader:Loaded-end	Mark	3,877.82 ms	

○ Keep request counts low and transfer sizes small — 190 requests • 3,244 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. <u>Learn more</u>.

Resource Type	Requests	Transfer Size
Total	190	3,243.5 KiB
Script	27	1,362.4 KiB
Image	95	1,250.9 KiB
Font	7	379.3 KiB
Document	11	195.0 KiB
Other	47	53.0 KiB
Stylesheet	3	2.9 KiB

Resource Type	Requests	Transfer Size
Media	0	0.0 KiB
Third-party	177	2,154.2 KiB

○ Largest Contentful Paint element — 1 element found

This is the largest contentful element painted within the viewport. Learn More [LCP]



O Avoid large layout shifts — 5 elements found

These DOM elements contribute most to the CLS of the page. [CLS]

Element		CLS Contribution
nosso aplicati	R ASSINE E RECEBA NOSSAS NOVIDADES ASSINAR AGORA Baixe v nt-serverapp-c94="" class="footer">	0.619
Programa Bem Pa	BRÁTIS PARA TODO O BRASIL CONSULTE O REGULAMENTO n erverapp-c72="" class="home">	0.412
	COLETAMOS DADOS PARA MELHORAR O DESEMPENHO E SEGURANÇA DO SITE, ALÉM DE PERSONA <div _ngcontent-serverapp-c71="" class="cookies desktop ng-star-inserted"></div>	0.047
<pre>loading <div _ngcontent-serverapp<="" pre=""></div></pre>	-c69="" class="ng-star-inserted">	0.031

Element		CLS Contribution
	Programa Bem Panvel bem mais vantagens pra você Desconto de Laboratório benefíc <div _ngcontent-serverapp-c68="" class="container-info-bar ng-star-inserted"></div>	0.018

O Avoid long main-thread tasks — 4 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn more [TBT]

✓ Show 3rd-party resources (1)

URL	Start Time	Duration
/polyfills.js (localhost)	5,675 ms	340 ms
/polyfills.js (localhost)	6,205 ms	151 ms
/polyfills.js (localhost)	6,029 ms	86 ms
/gtm.js?id=GTM-PMD4VF (www.googletagmanager.com)	1,095 ms	59 ms

O Avoid non-composited animations — 37 animated elements found

Animations which are not composited can be janky and increase CLS. Learn more CLS

Element	Name		
<pre>div.ng-star-inserted > div.ng-star-inserted > div.case > div.ng-star-inserted <div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>			
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading		
<pre>undefined <div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>			
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading		

Element	Name
div.ng-star-inserted > div.ng-star-inserted > div.case > div.ng-star-inserted	
<pre><div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading
<pre>icon-banner-right</pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading
Departamento Bebê e Criança PROGRAMA DE USO CONTINUO VERÃO MEDICAMENTOS PROTE	
<pre><div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading
<pre>icon-banner-right <div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading
<pre>div.ng-star-inserted > div.ng-star-inserted > div.case > div.ng-star-inserted <div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading
<pre>undefined <div _ngcontent-serverapp-c115="" class="ng-star-inserted"></div></pre>	
Unsupported CSS Properties: background-position-x, background-position-y	skeleton- loading

Element		Name
	debê e Criança PROGRAMA DE USO CONTINUO AMENTOS PROTE	
<div _ngcontent<="" td=""><td>-serverapp-c115="" class="ng-star-inserted"></td><td></td></div>	-serverapp-c115="" class="ng-star-inserted">	
Unsupported CSS Properties: backgrou	und-position-x, background-position-y	skeleton- loading
div.ng-star-inserted > div.ng-star-inserted		
Unsupported CSS Properties: backgrou	und-position-x, background-position-y	skeleton- loading
	MENTOS ontent-serverapp-c108="" class="brand ng-star- '>	
Unsupported CSS Property: visibility		visibility
	TOS PANVEL ontent-serverapp-c108="" class="brand ng-star- '>	
Unsupported CSS Property: visibility		visibility
BEM ESTAR <pre>sli _ngcontent-serverapp-c108="" class=</pre>	="brand ng-star-inserted">	
Unsupported CSS Property: visibility		visibility
BELEZA <li _ngcc="" inserted'<="" td=""><td>ontent-serverapp-c108="" class="brand ng-star-</td><td></td>	ontent-serverapp-c108="" class="brand ng-star-	
Unsupported CSS Property: visibility		visibility
NFANTIL E GESTANTE	="brand ng-star-inserted">	
Unsupported CSS Property: visibility		visibility
CUIDADO DIÁRIO		
CUIDADO DIÁRIO li _ngcontent-serverapp-c108="" class=	="brand ng-star-inserted">	

Element	Name
Unsupported CSS Property: visibility	visibility
PROTEÇÃO SOLAR <li _ngcontent-serverapp-c108="" cla="" inserted"="">	ass="brand ng-star-
Unsupported CSS Property: visibility	visibility
VERÃO <li _ngcontent-serverapp-c108="" cla="" inserted"="">	ass="brand ng-star-
Unsupported CSS Property: visibility	visibility
PROGRAMA DE USO CONTINUO _ngcontent-serverapp-c108="" cla inserted">	ass="brand ng-star-
Unsupported CSS Property: visibility	visibility
Produtos Panvel <div _ngcontent-serverapp-c107="" cl<="" td=""><td>lass="circle"></td></div>	lass="circle">
Unsupported CSS Property: visibility	visibility
Programa de Uso Continuo <div _ngcontent-serverapp-c107="" cl<="" td=""><td>lass="circle"></td></div>	lass="circle">
Unsupported CSS Property: visibility	visibility
Medicamentos <div _ngcontent-serverapp-c107="" cl<="" td=""><td>lass="circle"></td></div>	lass="circle">
Unsupported CSS Property: visibility	visibility

Element		Name
nfantil e Gestante		
cdiv _ngcontent-serverapp-c10	7="" class="circle">	
Unsupported CSS Property:	visibility	visibility
	Proteção Solar <div _ngcontent-serverapp-c107="" class="circle"></div>	
Unsupported CSS Property:	visibility	visibility
Bem Estar div _ngcontent-serverapp-c10)7="" class="circle">	
Unsupported CSS Property:	visibility	visibility
Cuidado Diário div _ngcontent-serverapp-c10	77="" class="circle">	
Unsupported CSS Property:	visibility	visibility
	<pre>Beleza <div _ngcontent-serverapp-c107="" class="circle"></div></pre>	
Unsupported CSS Property:	visibility	visibility
	<pre>Verão <div _ngcontent-serverapp-c107="" class="circle"></div></pre>	
Unsupported CSS Property:	visibility	visibility
	<pre>Beleza <div _ngcontent-serverapp-c107="" class="img-container"></div></pre>	
Unsupported CSS Property:	visibility	visibility
nfantil e Gestante	NZ NN slass Nime santains No	
<pre>cdiv _ngcontent-serverapp-c10</pre>	<pre>0/="" class="img-container"></pre>	
Unsupported CSS Property:	visibility	visibility

Element		Name
	<pre>Verão <div _ngcontent-serverapp-c107="" class="img-container"></div></pre>	
Unsupported CSS Property: v	isibility	visibility
	Programa de Uso Continuo <div _ngcontent-serverapp-c107="" class="img-container"></div>	
Unsupported CSS Property: v	isibility	visibility
	<pre>Produtos Panvel <div _ngcontent-serverapp-c107="" class="img-container"></div></pre>	
Unsupported CSS Property: v	<pre>Medicamentos <div _ngcontent-serverapp-c107="" class="img-container"></div></pre>	visibility
Unsupported CSS Property: v	isibility	visibility
div _ngcontent-serverapp-c107		
Unsupported CSS Property: v	Proteção Solar <div _ngcontent-serverapp-c107="" class="img-container"></div>	visibility
Unsupported CSS Property: v	isibility	visibility
kdiv _ngcontent-serverapp-c10	7="" class="img-container">	
Unsupported CSS Property: v	isibility	visibility

More information about the performance of your application. These numbers don't $\underline{\text{directly affect}}$ the Performance score.

PASSED AUDITS (20)		Hid
Eliminate render-blocking resources		^
Resources are blocking the first paint of your page. Consider delive JS/styles. Learn more. FCP LCP	ering critical JS/CSS inline and deferring	g all non-critical
Properly size images — Potential savings of 6 KiB		^
Serve images that are appropriately-sized to save cellular data and	I improve load time. <u>Learn more</u> .	
URL	Resource Size	
banner image <img <="" _ngcontent-="" alt="banner image" serverapp-c9="" td=""/> <td></td> <td></td>		
height="752.3" width="2453" src="https://staticpanveltstnew.panvel.c om/banners/banner_1373/slide_1720/home " srcset="https://staticpanveltstnew.panve 1.com/banners/banner_1373/slide_1720/hom e"> slide_1720/home ticpanveltstnew.panve	e_natal_kits_0912.jpg (sta 190.1 KiEnvel.com)	3 5.6 KiB
Defer offscreen images Consider lazy-loading offscreen and hidden images after all critical interactive. Learn more.	resources have finished loading to lowe	er time to
Minify CSS Minifying CSS files can reduce network payload sizes. Learn more.	.(FCP) (LCP)	^
Minify JavaScript — Potential savings of 52 KiB		^
Minifying JavaScript files can reduce payload sizes and script parse	e time. <u>Learn more</u> . <u>FCP</u> <u>LCP</u>	
URL	Transfe Size	

URL	Transfer Size	Potential Savings
<pre>inline: {&q/api/v1/cart/&q:{&qshoppingCartId&</pre>	52.6 KiB	51.7 KiB

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn more. FCP LCP

Efficiently encode images — Potential savings of 82 KiB

Optimized images load faster and consume less cellular data. Learn more.

	URL	Resource Size	Potential Savings
<pre>image banner </pre>	slide_1720/home_natal_kits_0912.jpg (sta ticpanveltstnew.panvel.com)	190.1 KiB	41.7 KiB
	slide_1718/home_tictacv2_0912.jpg (stati cpanveltstnew.panvel.com)	187.9 KiB	40.8 KiB

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn more. FCP [LCP]

Preload key requests

Consider using `rel=preload>` to prioritize fetching resources that are currently requested later in page load. <u>Learn more</u>. FCP (LCP)

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more</u> [LCP]

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. (TBT)

Avoid serving legacy JavaScript to modern browsers — Potential savings of 39 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn More (TBT)

Show 3rd-party resources (3)

URL	Potential Savings	
/polyfills.js (localhost)	20.8 KiB	
polyfills.js:1	Object.defineProperty	
polyfills.js:1	Object.defineProperties	

Preload Largest Contentful Paint image

Preload the image used by the LCP element in order to improve your LCP time. Learn more. [LCP]

JavaScript execution time — 1.1 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>. [TBT]

✓ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
/polyfills.js (localhost)	842 ms	741 ms	5 ms
http://localhost:4200	828 ms	93 ms	1 ms
Unattributable	692 ms	26 ms	0 ms
/gtm.js?id=GTM-PMD4VF (www.googletagmanager.com)	114 ms	91 ms	7 ms
/browser-sync/browser-sync-client.js?v=2.27.10 (localhost)	79 ms	55 ms	3 ms
0.6.34/clarity.js (www.clarity.ms)	68 ms	64 ms	1 ms

All text remains visible during webfont loads

Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more. (TBT)

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts	134 KiB	0 ms
v55/flUhRq6tzwoff2 (fonts.gstatic.com)	81 KiB	0 ms
v29/memvYaGs1woff2 (fonts.gstatic.com)	39 KiB	0 ms
v23/S6u9w4BMUwoff2 (fonts.gstatic.com)	14 KiB	0 ms
<u>Facebook</u>	110 KiB	0 ms
config/147?v=2.9.62&r=stable (connect.facebook.net)	84 KiB	0 ms
/en_US/fbevents.js (connect.facebook.net)	26 KiB	0 ms
Google Tag Manager	92 KiB	0 ms
/gtm.js?id=GTM-PMD4VF (www.googletagmanager.com)	92 KiB	0 ms
<u>AppDynamics</u>	58 KiB	0 ms
/adrum/adrum-20.12.0.3360.js (cdn.appdynamics.com)	38 KiB	0 ms
/adrum-ext.54a9a33js (cdn.appdynamics.com)	20 KiB	0 ms
Google Analytics	57 KiB	0 ms
/gtm/optimize.js?id=OPT-PNMW4K7 (www.google-analytics.com)	38 KiB	0 ms
/analytics.js (www.google-analytics.com)	20 KiB	0 ms
Google Optimize	38 KiB	0 ms
/optimize.js?id=OPT-PNMW4K7 (www.googleoptimize.com)	38 KiB	0 ms
<u>Criteo</u>	34 KiB	0 ms
ld/ld.js (static.criteo.net)	14 KiB	0 ms
/event?a= (sslwidget.criteo.com)	9 KiB	0 ms
/syncframe?topUrl=localhost&origin=onetag (gum.criteo.com)	6 KiB	0 ms
Other resources	5 KiB	0 ms
Google/Doubleclick Ads	21 KiB	0 ms
/pagead/conversion_async.js (www.googleadservices.com)	15 KiB	0 ms
Other resources	6 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Bing Ads	13 KiB	0 ms
/bat.js (bat.bing.com)	12 KiB	0 ms
Amazon Web Services	11 KiB	0 ms
images/reclame-aqui-logo.svg (s3.amazonaws.com)	11 KiB	0 ms
<u>Akamai</u>	6 KiB	0 ms
selo/img_687.png (newimgebit-a.akamaihd.net)	6 KiB	0 ms
<u>AppNexus</u>	4 KiB	0 ms
<u>Hotjar</u>	3 KiB	0 ms
Yahoo!	2 KiB	0 ms
Adobe Tag Manager	1 KiB	0 ms
IPONWEB	1 KiB	0 ms
Bidswitch	1 KiB	0 ms
Index Exchange	1 KiB	0 ms
ucfunnel ucX	1 KiB	0 ms
The Trade Desk	1 KiB	0 ms
BlueKai	1 KiB	0 ms
RTB House AdPilot	1 KiB	0 ms
StickyADS.tv	1 KiB	0 ms
Aggregate Knowledge	1 KiB	0 ms
Microad	1 KiB	0 ms
Yieldmo	0 KiB	0 ms
Geniee	0 KiB	0 ms
<u>Pubmatic</u>	0 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Adyoulike	0 KiB	0 ms
BrightTag / Signal	0 KiB	0 ms
<u>lpify</u>	0 KiB	0 ms
Other Google APIs/SDKs	0 KiB	0 ms

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. <u>Learn more</u>. <u>(TBT)</u>

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more.



Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. <u>Learn</u> more.

Has a <meta name="viewport"> tag with width or initial-scale

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents <u>a 300 millisecond delay</u> to user input. <u>Learn more</u>. (TBT)




Accessionity

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

CONTRAST

Failing Elements	<pre>close </pre>
	<pre>close <button _ngcontent-serverapp-c63=""></button></pre>
	PROGRAMA DE USO CONTINUO <h3 _ngcontent-serverapp-c107="" class="description"></h3>
	GRÁTIS PARA TODO O BRASIL CONSULTE O REGULAMENTO Programa Bem Pan erverapp-c72="" class="home">
	<pre>VERÃO <h3 _ngcontent-serverapp-c107="" class="description"></h3></pre>
	GRÁTIS PARA TODO O BRASIL CONSULTE O REGULAMENTO Programa Bem Pan erverapp-c72="" class="home">



These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

The page has a logical tab order
 Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.
 Interactive controls are keyboard focusable
 Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.

Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. <u>Learn more</u> .	
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn more</u> .	
User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. <u>Learn more</u> .	
Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more.	
Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. <u>Learn more</u> .	
Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. Learn more.	
Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. <u>Learn more</u> .	
HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive techno <u>Learn more</u>.</nav></main>	logy.
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an access	<u>ibility</u>

review.

PASSED AUDITS (17) Hide

[aria-*] attributes match their roles Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn more.

[aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn more. [aria-*] attributes have valid values Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more. [aria-*] attributes are valid and not misspelled Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more. Buttons have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. Form elements have associated labels Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more. [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more. The page contains a heading, skip link, or landmark region Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. [id] attributes on active, focusable elements are unique All focusable elements must have a unique 'id' to ensure that they're visible to assistive technologies. Learn more.

If a page doesn't specify a lang attribute. A screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more.

https://doesneys.org/https://doesneys.org/<a href="https://doesneys.org/

Screen readers require list items (``) to be contained within a parent `` or `` to be announced properly. <u>Learn</u> more.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more</u>.

NOT APPLICABLE (26)

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn

button, link, and menuitem elements have accessible names

[accesskey] values are unique

more.

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u>.

[aria-hidden="true"] elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn more.
O ARIA input fields have accessible names
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u> .
O ARIA meter elements have accessible names
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u> .
O ARIA progressbar elements have accessible names
When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u> .
O [role]s have all required [aria-*] attributes
Some ARIA roles have required attributes that describe the state of the element to screen readers. <u>Learn more</u> .
O Elements with an ARIA [role] that require children to contain a specific [role] have all required children.
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more.
O [role]s are contained by their required parent element
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. <u>Learn more</u> .
O [role] values are valid
ARIA roles must have valid values in order to perform their intended accessibility functions. <u>Learn more</u> .
O ARIA toggle fields have accessible names
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u> .
O ARIA tooltip elements have accessible names
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more</u> .

ARIA treeitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusab for users who rely on screen readers. <u>Learn more</u> .	le
<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td><td>^</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn mo</td><td><u>re</u>.</td></tr><tr><td>Definition list items are wrapped in <dl> elements</td><td>^</td></tr><tr><td>Definition list items ('<dt>' and '<dd>') must be wrapped in a parent '<dl>' element to ensure that screen readers can properly announce them. <u>Learn more</u>.</td><td></td></tr><tr><td>O ARIA IDs are unique</td><td>^</td></tr><tr><td>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Le more.</td><td><u>arn</u></td></tr><tr><td>No form fields have multiple labels</td><td>^</td></tr><tr><td>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. <u>Learn more</u>.</td><td></td></tr><tr><td><pre><frame> Or <iframe> elements have a title</pre></td><td>^</td></tr><tr><td>Screen reader users rely on frame titles to describe the contents of frames. Learn more.</td><td></td></tr><tr><td><pre><input type="image"> elements have [alt] text</pre></td><td>^</td></tr><tr><td>When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more.</td><td>d</td></tr><tr><td>The document does not use <meta http-equiv="refresh"></td><td>^</td></tr><tr><td>Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. <u>Learn more</u>.</td><td></td></tr><tr><td>O <object> elements have alternate text</td><td>^</td></tr><tr><td>Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers commeaning to users. Learn more.</td><td>nvey</td></tr><tr><td>No element has a [tabindex] value greater than 0</td><td>^</td></tr></tbody></table></script></dd></dt></dl>	

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more</u>.

O Cells in a element that use the [headers] attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. <u>Learn more</u>.

elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. <u>Learn more</u>.

[lang] attributes have a valid value

Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn</u> more.

video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.



Best Practices

TRUST AND SAFETY

▲ Does not use HTTPS — 13 insecure requests found

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding <u>mixed content</u>, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. <u>Learn more</u>.

Insecure URL Request

/activityi;src=6587....165...;~oref=http%3A%2F%2Flocalhost%3A4200%2F (6587380.fls.doubleclick.net)

Insecure URL		Request Resolution
/activityi;src=6587165;~oref=http%3A%2F%2Flocalhost%3	A4200%2F (6587380.fls.d	oublecl Allowed
/c/hotjar-261182.js?sv=5 (static.hotjar.com)		Allowed
/adrum/adrum-20.12.0.3360.js (cdn.appdynamics.com)		Allowed
/112189.ct.js (tag.rmp.rakuten.com)		Allowed
/100785.js (cdn.targeting.voxus.com.br)		Allowed
/activityi;dc_pre=C165;~oref=http%3A%2F%2Flocalhost%;	3A4200%2F (6587380.fls.c	loublec Allowed
/activityi;dc_pre=C165;~oref=http%3A%2F%2Flocalhost%	3A4200%2F (6587380.fls.c	loublec Allowed
/adrum-ext.54a9a33js (cdn.appdynamics.com)		Allowed
/v/ (targeting.voxus.com.br)		Allowed
/clients/1007859.js?v=1188100 (targeting.voxus.com.br)		Allowed
/a/index_nckv4.html? (targeting.voxus.tv)		Allowed
/seg?add=24096423&t=2 (ib.adnxs.com)		Allowed
Ensure CSP is effective against XSS attacks		
strong Content Security Policy (CSP) significantly reduces the ris	sk of cross-site scripting (λ	KSS) attacks. <u>Learn more</u>
Description	Directive	Severity
No CSP found in enforcement mode		High

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. Learn more.

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
<pre>image banner </pre>	slide_1720/home_natal_kits_0912.jpg (sta ticpanveltstnew.panvel.com)	331 x 303 (1.09)	1920 x 425 (4.52)

▲ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. <u>Learn</u> <u>more</u>.

	URL	Displayed size	Actual size	Expected size
AUSTRALIAN GOLD 	slide_2007/2_australian_v2_1901.png (st aticpanveltstnew.panvel.com)	180 x 274	180 x 274	270 x 411
VERÃO 	slide_2395/3_verao_v2_1901.png (staticp anveltstnew.panvel.com)	180 x 274	180 x 274	270 x 411

	URL	Displayed size	Actual size	Expected size
DERMO LOVERS 	slide_2396/4_dermolovers_v2_1901.png (staticpanveltstnew.panvel.com)	180 x 274	180 x 274	270 x 41
LOREAL 	slide_2397/5_loreal_v2_1901.png (staticp anveltstnew.panvel.com)	180 x 274	180 x 274	270 x 41
	•••			

	URL	Displayed size	Actual size	Expected size
Programa de Uso Continuo 	categorias/puc_1901.png (cdn1.staticpanve l.com.br)	163 x 163	163 x 163	245 x 24
Verão 	categorias/verao_1901.png (cdn1.staticpan vel.com.br)	163 x 163	163 x 163	245 x 24
Beleza <img _ngcontent-serverapp-<="" td=""/> <td>v3/beleza- v3.png (cdn1.staticpanvel.com.br)</td> <td>163 x 163</td> <td>182 x 182</td> <td>245 x 24</td>	v3/beleza- v3.png (cdn1.staticpanvel.com.br)	163 x 163	182 x 182	245 x 24

	URL	Displayed size	Actual size	Expect size
Medicamentos 	v3/medicamentos- v3.png (cdn1.staticpanvel.com.br)	163 x 163	182 x 182	245 x 2
Produtos Panvel 	v3/produtos-panvel- v3.png (cdn1.staticpanvel.com.br)	163 x 163	182 x 182	245 x 2
Proteção Solar 	v3/protecao-solar- v3.png (cdn1.staticpanvel.com.br)	163 x 163	182 x 182	245 x 2

GENERAL

▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more

Description

polyfill s.js:1

ReferenceError: getCookie is not defined at extractUserData (<anonymous>:3:98) at <anonymous>:2:431 at <anonymous>:2:509 at f.aa (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:42:427) at f.X (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:40:407) at f.D (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:38:445) at f.write (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:38:70) at f (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:38:70) at f (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:45:215) at e (https://www.googletagmanager.com/gtm.js?id=GTM-PMD4VF:44:279)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. Learn more.

Name Version

Angular 13.3.11

Hammer.js 2.1.0-pre3

core-js core-js-pure@3.0.0

▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. <u>Learn more</u>.

URL Map URL

/main.js (localhost)

Large JavaScript file is missing a source map $% \left(1\right) =\left(1\right) +\left(1$

PASSED AUDITS (8)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a cation instead. Learn more.	ıser
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the requeuser gestures instead. <u>Learn more</u> .	st to
Avoids front-end JavaScript libraries with known security vulnerabilities	^
Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. <u>Learn more</u> .	
Allows users to paste into password fields	^
Preventing password pasting undermines good security policy. <u>Learn more</u> .	
Page has the HTML doctype	^
Specifying a doctype prevents the browser from switching to quirks-mode. <u>Learn more</u> .	
Properly defines charset	^
A character encoding declaration is required. It can be done with a ` <meta/> ` tag in the first 1024 bytes of the HTML or it the Content-Type HTTP response header. <u>Learn more</u> .	n
Avoids deprecated APIs	^
Deprecated APIs will eventually be removed from the browser. <u>Learn more</u> .	
No issues in the Issues panel in Chrome Devtools	^
Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTo for more details on each issue.	ols
IOT APPLICABLE (1)	Hid

NOT APPLICABLE (1)

Fonts with font-display: optional are preloaded

Preload `optional` fonts so first-time visitors may use them. Learn more



These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more.

O Structured data is valid Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more</u> .
Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more</u> .
Run these additional validators on your site to check additional SEO best practices.
PASSED AUDITS (11)
Has a <meta name="viewport"/> tag with width or initial-scale
A ` <meta name="viewport"/> ` not only optimizes your app for mobile screen sizes, but also prevents <u>a 300 millisecond delay</u> to user input. <u>Learn more</u> . (TBT)
Document has a <title> element</th></tr><tr><th>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more</u>.</th></tr><tr><th>Document has a meta description</th></tr><tr><th>Meta descriptions may be included in search results to concisely summarize page content. Learn more.</th></tr><tr><th>Page has successful HTTP status code</th></tr><tr><th>Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more.</th></tr><tr><th>Links have descriptive text</th></tr><tr><th>Descriptive link text helps search engines understand your content. <u>Learn more</u>.</th></tr><tr><th>Links are crawlable</th></tr></tbody></table></title>

Search engines may use 'href' attributes on links to crawl websites. Ensure that the 'href' attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn More Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more. robots.txt is valid If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. Document has a valid hreflang hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more. Document avoids plugins Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more. NOT APPLICABLE (3) Hide Document has a valid rel=canonical Canonical links suggest which URL to show in search results. Learn more. Document uses legible font sizes Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more. Tap targets are sized appropriately

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be

easy enough to tap without overlapping onto other elements. Learn more.




PWA

These checks validate the aspects of a Progressive Web App. <u>Learn more</u>.

INSTALLABLE

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason	^
Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, a homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactive prompt users to add your app to their homescreen, which can lead to higher engagement. Learn more.	
Failure reason	
No manifest was fetched	
PWA OPTIMIZED	
▲ Does not register a service worker that controls page and start_url	^
The service worker is the technology that enables your app to use many Progressive Web App features, such as offlin add to homescreen, and push notifications. <u>Learn more</u> .	ie,
▲ Is not configured for a custom splash screen Failures: No manifest was fetched.	^
A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. <u>Lear</u> more.	<u>rn</u>
Does not set a theme color for the address bar. Failures: No manifest was fetched, No ` <meta name="theme-color"/> ` tag found.	^
The browser address bar can be themed to match your site. <u>Learn more</u> .	
Content is sized correctly for the viewport	^
If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. Learn more.	
Has a <meta name="viewport"/> tag With width Or initial-scale	^



Generated by Lighthouse 9.5.0 | File an issue