

role_defaults		
role	varchar(50)	
default_authority	bit(32)	NN
is_top_role	boolean	NN

authority_constants		
constant_id	serial	
name	varchar(50)	NN
bit_position	integer	NN
description	text	

signup_email_verifications		
verification_id	serial	
email	varchar(100)	NN
code_hash	text	NN
code_expires_at	timestamptz	NN
attempts	integer	NN
max_attempts	integer	NN
verified_at	timestamptz	
verification_token_hash	char(64)	
token_expires_at	timestamptz	
consumed_at	timestamptz	
created_at	timestamptz	NN

role_assignment_histories		
role_id	integer	
history_id	serial	
assignment_id	integer	NN
user_id	varchar(50)	NN
node_id	integer	NN
role	varchar(50)	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

role_authority_histories		
is_top_role	boolean	NN
history_id	serial	
authority_id	integer	NN
node_id	integer	NN
role	varchar(50)	NN
authority	bit(32)	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

user_histories		
history_id	serial	
user_id	varchar(50)	NN
email	varchar(100)	NN
name	varchar(100)	NN
password_hash	text	NN
personal_node_id	integer	
is_deleted	boolean	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

organization_node_histories		
history_id	serial	
node_id	integer	NN
node_type	varchar(100)	NN
parent_node_id	integer	
name	varchar(100)	NN
path	integer[]	NN
is_deleted	boolean	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

work_item_histories		
history_id	serial	
work_item_id	varchar(50)	NN
display_id	integer	NN
owner_node_id	integer	NN
parent_work_item_id	varchar(50)	
owner_user_id	varchar(50)	NN
title	varchar(200)	NN
description	text	
category	varchar(50)	
hidden	boolean	NN
status	varchar(20)	NN
priority	integer	NN
weight	integer	NN
progress	integer	NN
is_deleted	boolean	NN
start_date	date	
due_date	date	
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

organization_nodes		
node_id	serial	
node_type	varchar(100)	NN
parent_node_id	integer	
name	varchar(100)	NN
path	integer[]	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

role_authorities		
authority_id	serial	
node_id	integer	NN
role	varchar(50)	NN
authority	bit(32)	NN
created_at	timestamptz	
updated_at	timestamptz	
is_top_role	boolean	NN
(node_id, authority_id, is_top_role)		

users		
user_id	varchar(50)	
email	varchar(100)	NN
name	varchar(100)	NN
password_hash	text	NN
personal_node_id	integer	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_repositories		
repo_id	serial	
node_id	integer	NN
owner_login	varchar(100)	NN
repo_name	varchar(200)	NN
clone_url	text	NN
default_branch	varchar(200)	NN
local_path	text	NN
webhook_secret	text	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

role_assignments		
assignment_id	serial	
user_id	varchar(50)	NN
node_id	integer	NN
role_id	integer	NN
is_top_role	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	
(node_id, role_id, is_top_role)		

user_refresh_tokens		
user_email	varchar(100)	
refresh_token	text	NN
expires_at	timestamptz	NN
updated_at	timestamptz	

password_reset_tokens		
reset_id	serial	
user_email	varchar(100)	NN
token_hash	char(64)	NN
expires_at	timestamptz	NN
used_at	timestamptz	
created_at	timestamptz	NN

work_items		
work_item_id	varchar(50)	
display_id	integer	NN
owner_node_id	integer	
parent_work_item_id	varchar(50)	
owner_user_id	varchar(50)	NN
title	varchar(200)	NN
description	text	
category	varchar(50)	
hidden	boolean	NN
status	varchar(20)	NN
priority	integer	NN
weight	integer	NN
progress	integer	NN
is_deleted	boolean	NN
start_date	date	
due_date	date	
created_at	timestamptz	
updated_at	timestamptz	

activity_logs		
log_id	serial	
node_id	integer	NN
actor_user_id	varchar(50)	NN
actor_name	varchar(100)	NN
entity_type	varchar(20)	NN
entity_id	varchar(50)	NN
target_name	varchar(200)	NN
action_type	varchar(20)	NN
field_name	varchar(50)	
old_value	text	
new_value	text	
created_at	timestamptz	

recurring_rules		
rule_id	serial	
owner_node_id	integer	NN
creator_user_id	varchar(50)	NN
assignee_user_id	varchar(50)	
title	varchar(200)	NN
description	text	
category	varchar(50)	NN
frequency	varchar(20)	NN
interval_value	integer	NN
by_day	varchar(50)	
by_month_day	integer	
by_set_pos	integer	
start_time	time	
duration_minutes	integer	
repeat_start_date	date	NN
repeat_end_date	date	
max_occurrences	integer	
exclude_holidays	boolean	NN
holiday_action	varchar(20)	NN
auto_create_task	boolean	NN
is_active	boolean	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_user_credentials		
credential_id	serial	
user_email	varchar(100)	NN
github_login	varchar(100)	
access_token	text	NN
token_type	varchar(20)	NN
scopes	varchar(200)	
expires_at	timestamptz	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_extension_tokens		
token_id	serial	
user_email	varchar(100)	NN
refresh_token	text	NN
expires_at	timestamptz	NN
created_at	timestamptz	
updated_at	timestamptz	

github_handoff_codes		
code_id	serial	
code	varchar(128)	NN
user_email	varchar(100)	NN
node_id	integer	NN
repo_id	integer	NN
expires_at	timestamptz	NN
consumed_at	timestamptz	
created_at	timestamptz	

chat_channels		
channel_id	serial	
channel_type	varchar(20)	NN
owner_node_id	integer	
name	varchar(100)	
description	text	
is_default	boolean	NN
dm_user1_id	varchar(50)	
dm_user2_id	varchar(50)	
created_by_user_id	varchar(50)	
last_message_at	timestamptz	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

work_item_comments		
comment_id	serial	
work_item_id	varchar(50)	NN
author_user_id	varchar(50)	NN
content	text	NN
created_at	timestamptz	
updated_at	timestamptz	

work_item_files		
file_id	serial	
work_item_id	varchar(50)	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

recurring_rule_checklists		
checklist_id	serial	
rule_id	integer	NN
content	varchar(255)	NN
sort_order	integer	NN
created_at	timestamptz	

recurring_rule_files		
file_id	serial	
rule_id	integer	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_branches		
branch_id	serial	
repo_id	integer	NN
name	varchar(255)	NN
base_branch	varchar(255)	
worktree_path	text	
last_used_at	timestamptz	
work_item_id	varchar(50)	
created_by_email	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

chat_messages		
message_id	serial	
channel_id	integer	NN
parent_message_id	integer	
sender_user_id	varchar(50)	NN
content	text	NN
is_edited	boolean	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

chat_channel_reads		
channel_id	integer	NN
user_id	varchar(50)	NN
last_read_message_id	integer	NN
last_read_at	timestamptz	
updated_at	timestamptz	

comment_mentions		
mention_id	serial	
comment_id	integer	NN
mentioned_user_id	varchar(50)	NN
is_read	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_branch_presence		
presence_id	serial	
branch_id	integer	NN
user_email	varchar(100)	NN
connection_id	varchar(100)	NN
connected_at	timestamptz	
last_seen_at	timestamptz	

github_commit_logs		
commit_log_id	serial	
repo_id	integer	NN
branch_id	integer	
sha	varchar(40)	NN
author_email	varchar(100)	
pushed_by_email	varchar(100)	
message	text	
matched_work_item_id	varchar(50)	
pushed	boolean	NN
created_at	timestamptz	

chat_message_files		
file_id	serial	
message_id	integer	NN
channel_id	integer	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	



role_defaults

role	varchar(50)	
default_authority	bit(32)	NN
is_top_role	boolean	NN

authority_constants

constant_id	serial	
name	varchar(50)	NN
bit_position	integer	NN
description	text	

signup_email_verifications

verification_id	serial	
email	varchar(100)	NN
code_hash	text	NN
code_expires_at	timestamptz	NN
attempts	integer	NN
max_attempts	integer	NN
verified_at	timestamptz	
verification_token_hash	char(64)	
token_expires_at	timestamptz	
consumed_at	timestamptz	
created_at	timestamptz	NN

role_assignment_histories

role_id	integer	
history_id	serial	
assignment_id	integer	NN
user_id	varchar(50)	NN
node_id	integer	NN
role	varchar(50)	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

role_authority_histories

is_top_role	boolean	NN
history_id	serial	
authority_id	integer	NN
node_id	integer	NN
role	varchar(50)	NN
authority	bit(32)	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

user_histories

history_id	serial	
user_id	varchar(50)	NN
email	varchar(100)	NN
name	varchar(100)	NN
password_hash	text	NN
personal_node_id	integer	
is_deleted	boolean	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

organization_node_histories

history_id	serial	
node_id	integer	NN
node_type	varchar(100)	NN
parent_node_id	integer	
name	varchar(100)	NN
path	integer[]	NN
is_deleted	boolean	NN
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

work_item_histories

history_id	serial	
work_item_id	varchar(50)	NN
display_id	integer	NN
owner_node_id	integer	NN
parent_work_item_id	varchar(50)	
owner_user_id	varchar(50)	NN
title	varchar(200)	NN
description	text	
category	varchar(50)	
hidden	boolean	NN
status	varchar(20)	NN
priority	integer	NN
weight	integer	NN
progress	integer	NN
is_deleted	boolean	NN
start_date	date	
due_date	date	
created_at	timestamptz	NN
updated_at	timestamptz	NN
change_status	history_status E	NN
history_created_at	timestamptz	

organization_nodes

node_id	serial	
node_type	varchar(100)	NN
parent_node_id	integer	
name	varchar(100)	NN
path	integer[]	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

role_authorities

authority_id	serial	
node_id	integer	NN
role	varchar(50)	NN
authority	bit(32)	NN
created_at	timestamptz	
updated_at	timestamptz	
is_top_role	boolean	NN
(node_id, authority_id, is_top_role)		

assignment_role_fk

role_assignments

assignment_id	serial	
user_id	varchar(50)	NN
node_id	integer	NN
role_id	integer	NN
is_top_role	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	
(node_id, role_id, is_top_role)		

users

user_id	varchar(50)	
email	varchar(100)	NN
name	varchar(100)	NN
password_hash	text	NN
personal_node_id	integer	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

user_refresh_tokens

user_email	varchar(100)	
refresh_token	text	NN
expires_at	timestamptz	NN
updated_at	timestamptz	

password_reset_tokens

reset_id	serial	
user_email	varchar(100)	NN
token_hash	char(64)	NN
expires_at	timestamptz	NN
used_at	timestamptz	
created_at	timestamptz	NN

github_repositories

repo_id	serial	
node_id	integer	NN
owner_login	varchar(100)	NN
repo_name	varchar(200)	NN
clone_url	text	NN
default_branch	varchar(200)	NN
local_path	text	NN
webhook_secret	text	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

work_item_comments

comment_id	serial	
work_item_id	varchar(50)	NN
author_user_id	varchar(50)	NN
content	text	NN
created_at	timestamptz	
updated_at	timestamptz	

comment_mentions

mention_id	serial	
comment_id	integer	NN
mentioned_user_id	varchar(50)	NN
is_read	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

work_item_files

file_id	serial	
work_item_id	varchar(50)	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_branch_presence

presence_id	serial	
branch_id	integer	NN
user_email	varchar(100)	NN
connection_id	varchar(100)	NN
connected_at	timestamptz	
last_seen_at	timestamptz	

github_commit_logs

commit_log_id	serial	
repo_id	integer	NN
branch_id	integer	
sha	varchar(40)	NN
author_email	varchar(100)	
pushed_by_email	varchar(100)	
message	text	
matched_work_item_id	varchar(50)	
pushed	boolean	NN
created_at	timestamptz	

work_items

work_item_id	varchar(50)	
display_id	integer	NN
owner_node_id	integer	
parent_work_item_id	varchar(50)	
owner_user_id	varchar(50)	NN
title	varchar(200)	NN
description	text	
category	varchar(50)	
hidden	boolean	NN
status	varchar(20)	NN
priority	integer	NN
weight	integer	NN
progress	integer	NN
is_deleted	boolean	NN
start_date	date	
due_date	date	
created_at	timestamptz	
updated_at	timestamptz	

recurring_rule_checklists

checklist_id	serial	
rule_id	integer	NN
content	varchar(255)	NN
sort_order	integer	NN
created_at	timestamptz	

chat_message_files

file_id	serial	
message_id	integer	NN
channel_id	integer	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

recurring_rule_files

file_id	serial	
rule_id	integer	NN
uploader_user_id	varchar(50)	NN
original_file_name	varchar(255)	NN
stored_file_name	varchar(255)	NN
file_path	text	NN
file_size	bigint	NN
mime_type	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

activity_logs

log_id	serial	
node_id	integer	NN
actor_user_id	varchar(50)	NN
actor_name	varchar(100)	NN
entity_type	varchar(20)	NN
entity_id	varchar(50)	NN
target_name	varchar(200)	NN
action_type	varchar(20)	NN
field_name	varchar(50)	
old_value	text	
new_value	text	
created_at	timestamptz	

github_branches

branch_id	serial	
repo_id	integer	NN
name	varchar(255)	NN
base_branch	varchar(255)	
worktree_path	text	
last_used_at	timestamptz	
work_item_id	varchar(50)	
created_by_email	varchar(100)	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

chat_messages

message_id	serial	
channel_id	integer	NN
parent_message_id	integer	
sender_user_id	varchar(50)	NN
content	text	NN
is_edited	boolean	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

recurring_rules

rule_id	serial	
owner_node_id	integer	NN
creator_user_id	varchar(50)	NN
assignee_user_id	varchar(50)	
title	varchar(200)	NN
description	text	
category	varchar(50)	NN
frequency	varchar(20)	NN
interval_value	integer	NN
by_day	varchar(50)	
by_month_day	integer	
by_set_pos	integer	
start_time	time	
duration_minutes	integer	
repeat_start_date	date	NN
repeat_end_date	date	
max_occurrences	integer	
exclude_holidays	boolean	NN
holiday_action	varchar(20)	NN
auto_create_task	boolean	NN
is_active	boolean	NN
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

chat_channel_reads

channel_id	integer	NN
user_id	varchar(50)	NN
last_read_message_id	integer	NN
last_read_at	timestamptz	
updated_at	timestamptz	

github_user_credentials

credential_id	serial	
user_email	varchar(100)	NN
github_login	varchar(100)	
access_token	text	NN
token_type	varchar(20)	NN
scopes	varchar(200)	
expires_at	timestamptz	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

github_extension_tokens

token_id	serial	
user_email	varchar(100)	NN
refresh_token	text	NN
expires_at	timestamptz	NN
created_at	timestamptz	
updated_at	timestamptz	

github_handoff_codes

code_id	serial	
code	varchar(128)	NN
user_email	varchar(100)	NN
node_id	integer	NN
repo_id	integer	NN
expires_at	timestamptz	NN
consumed_at	timestamptz	
created_at	timestamptz	

chat_channels

channel_id	serial	
channel_type	varchar(20)	NN
owner_node_id	integer	
name	varchar(100)	
description	text	
is_default	boolean	NN
dm_user1_id	varchar(50)	
dm_user2_id	varchar(50)	
created_by_user_id	varchar(50)	
last_message_at	timestamptz	
is_deleted	boolean	NN
created_at	timestamptz	
updated_at	timestamptz	

```
Enum history_status {
    inserted
    updated
    deleted
}
```