

CPU

EIA/RS485

ISOL/RS485

SHEELD

RTC

1/344

MISO VCC
SCK MOSI
RST GND

COMPANY: Autoinnotech.,LTD


TITLE: 1.CPU Airstrip-v1.sch

SIZE: A2 DRAWING NO: REV: <Revision>

DATE: 2025-02-16 SHEET: 20F 5


RS485 /UART COM1

UART , δμά »ςζέ1/4 DE 0A , Î 1/4A




RS485 /UART COM1

UART , δμά »ςζέ1/4 DE 0A , Î 1/4A




RS485 /UART COM1



UART , δμά »ςζέ1/4 DE 0A , Î 1/4A





RS485 /UART COM1

UART , δμά »ςζέ1/4 DE 0A , Î 1/4A







EEPROM

 V_{ref} 

CDS



»ò»ò.DIS:'H' ¼ÄÄÄÄ PWM:DIS:'L'¼ÄÄÄ ÄÜ, COLOR 'L'ÄÜ,é OFF
ÄÜ»ò: COLOR_P 'H',COLOR_N 'L'
PWM_EN:0 °íÄÄ, PWM_EN# ¼ÄÄÄÄÄÜ
»í»ò: COLOR_P 'L',COLOR_N 'H'
PWM_EN#:0 °íÄÄ, PWM_EN ¼ÄÄÄÄÄÜ

