

Online Judge
Web Board
Home Page
F.A.Qs
Statistical Charts

Problem Set
Problems
Submit Problem
Online Status
Prob.ID:

Register
Update your info
Authors ranklist

Search

Current Contests
Past Contests
Scheduled Contests
Award Contest

3301	
Jser ID:	
Password:	
login Register	

Language: Default -

Wedding

Time Limit: 1000MS Memory Limit: 65536K

Total Submissions: 5753 Accepted: 1778 Special Judge

## **Description**

Up to thirty couples will attend a wedding feast, at which they will be seated on either side of a long table. The bride and groom sit at one end, opposite each other, and the bride wears an elaborate headdress that keeps her from seeing people on the same side as her. It is considered bad luck to have a husband and wife seated on the same side of the table. Additionally, there are several pairs of people conducting adulterous relationships (both different-sex and same-sex relationships are possible), and it is bad luck for the bride to see both members of such a pair. Your job is to arrange people at the table so as to avoid any bad luck.

#### Input

The input consists of a number of test cases, followed by a line containing 0 0. Each test case gives n, the number of couples, followed by the number of adulterous pairs, followed by the pairs, in the form "4h 2w" (husband from couple 4, wife from couple 2), or "10w 4w", or "3h 1h". Couples are numbered from 0 to n - 1 with the bride and groom being 0w and 0h.

## **Output**

For each case, output a single line containing a list of the people that should be seated on the same side as the bride. If there are several solutions, any one will do. If there is no solution, output a line containing "bad luck".

## Sample Input

10 6

3h 7h

5w 3w

7h 6w

8w 3w

7h 3w

2w 5h

0 0

# **Sample Output**

1h 2h 3w 4h 5h 6h 7h 8h 9h

#### Source

[Submit] [Go Back] [Status] [Discuss]







All Rights Reserved 2003-2011 Ying Fuchen,Xu Pengcheng,Xie Di Any problem, Please Contact Administrator

pojorg/problem?il=3648 2/2